

OV5642 Camera Module Software Application Notes

Confidential For MESADA Only

Last Modified: Jul. 12th, 2011

Document Revision: 1.30

OmniVision Technologies, Inc. reserves the right to make changes without further notice to any product herein to improve reliability, function or design. OmniVision does not assume any liability arising out of the application or use of any project, circuit described herein; neither does it convey any license under its patent nor the right of others.

This document contains information of a proprietary nature. None of this information shall be divulged to persons other than OmniVision Technologies, Inc. employee authorized by the nature of their duties to receive such information, or individuals or organizations authorized by OmniVision Technologies, Inc.

Table of Contents

OV5642 Camera Module.....	1
Software Application Notes.....	1
1. How to Select Output format?.....	5
1.1 Back-end with full ISP.....	5
1.2 Back-end with YCbCr ISP.....	6
1.3 Back-end without ISP.....	6
1.4 Equations to Convert from One Format to Another.....	6
2. How to Select Output Resolution?.....	7
2.1 back-end with ISP.....	7
2.2 back-end without ISP.....	7
3. How to Adjust frame rate.....	7
3.1 VGA Preview, 15fps, 24 Mhz input clock,24Mhz PCLK.....	7
3.2 QSXGA JPEG Capture, 7.5fps, 24 Mhz input clock,24Mhz PCLK.....	8
4. How to set Night Mode Preview.....	8
4.1 Night Mode VGA Preview with Fixed Frame Rate.....	8
4.2 Night Mode VGA preview with Auto Frame Rate.....	9
5. How to Remove Light Band in Preview Mode.....	9
5.1 Light Band.....	9
5.2 Remove Light band.....	10
5.3 Select Banding Filter by Region Information.....	10
5.4 Select Banding Filter by Automatic Light Frequency Detection.....	10
5.5 Remove Light Band In Capture.....	11
5.6 When Light Band can not be Removed.....	11
6. White Balance.....	12
6.1 Simple White Balance.....	12
6.2 Advanced White Balance.....	12
6.3 How to select?.....	12
7. Defect Pixel Correction.....	12
8. BLC.....	13
9. Video Mode.....	13
10. Digital zoom.....	13
11. OV5642 Functions.....	13
11.1 Light Mode.....	13
11.2 Color Saturation.....	15
11.3 Brightness.....	17
11.4 Contrast.....	20
11.5 Hue.....	22
11.6 Special effects.....	25
11.7 Exposure level.....	27
11.8 Sharpness.....	30
11.9 Mirror/Flip.....	31
11.10 YUV Sequence.....	32
11.11 Clock Polarity.....	32
11.12 Compress quality.....	32
11.13 Test Pattern.....	33
12. Deal with Lens.....	34

12.1 Light fall off.....	34
12.2 Dark corner.....	34
12.3 Resolution.....	34
12.4 Optical contrast.....	34
12.5 Lens Cover.....	34
13. Reference Settings.....	35
13.1 YCbCr Reference Setting DVP Interface.....	35
13.1.1 VGA Preview.....	35
13.1.2 QVGA preview.....	47
13.1.3 Other size preview.....	59
13.1.4 QSXGA Capture.....	61
13.1.4.1 YUV mode.....	61
13.1.4.2 jpg mode.....	63
13.1.5 Other Capture size DCW from QSXGA	64
13.1.6 Zoom Settings.....	69
13.1.6 .1 preview mode.....	69
13.1.6 .2 capture mode.....	87
13.1.6.3 Zoom Function.....	100
13.1.7 YUV and JPEG mode change setting.....	104
13.1.7.1 YUV to JPEG setting.....	104
13.1.7.2 JPEG to YUV setting.....	104
13.2 Sensor Raw setting.....	105
13.3 Processor RAW setting.....	107
13.4 High Resolution Video.....	110
13.4.1 1080 P.....	110
13.4.2 720 P.....	121
13.5 MIPI interface setting	133
13.5.1 2lane VGA YUV setting.....	133
13.5.2 2lane 5M RAW setting.....	148
13.5.3 2lane 5M YUV setting.....	151
13.5.4 2lane 720P YUV setting.....	162
13.5.5 2lane 1080P YUV setting.....	173
13.5.6 2lane YUV VGA change to 5Msetting.....	184
14. Capture Sequence.....	185
14.1 Shutter.....	185
14.2 Dummy Lines.....	185
14.3 Dummy Pixels.....	185
14.4 Gain.....	185
14.5 Banding Filter.....	185
14.5.1 Preview.....	185
14.5.2 Capture.....	186
14.6 Auto frame rate.....	186
14.7 Capture Sequence.....	186
14.7.1 Preview.....	186
14.7.2 Stop AEC/AGC.....	186
14.7.3 Single Focus for AF Module.....	186
14.7.4 Read preview register Value.....	186
14.7.5 Change resolution to QSXGA.....	186

14.7.6 Read capture register Value.....	187
14.7.7 Calculate Capture Exposure from preview.....	187
14.7.8 Calculate the banding filter value.....	187
14.7.9 Redistribute Exposure/Gain with target brightness unchanged.....	187
14.7.10 write back the gain/exposure value.....	187
14.7.11 Capture.....	187
14.7.12 Send finish command for AF module.....	187
14.7.13 Back to preview.....	187
14.8 Capture reference code.....	188
15. Strobe Flash Control.....	192
16. Auto Focus Application Solution	194
16.1 Embedded Resources.....	194
16.2 Embedded Auto Focus Solution	194
16.3 General Auto Focus Control Flow.....	194
16.4 How to use Embedded Auto Focus Solution.....	194
17. Frame exposure mode	195
17.1 Introduction.....	195
17.2 FREX function mode.....	195
17.2.1 Pad mode.....	195
17.2.2 I2c mode.....	196
17.3 System settings.....	197
17.3.1 Pad mode.....	197
17.3.2 I2c mode	197
17.4 Option settings.....	197
17.4.1 Exposure Time (unit: Tline).....	197
17.4.2 Frame Delay (unit: Tframe), 3b06[7:4] default: 0.....	197
17.4.3 Flash Strobe Width (unit: Tline), 3b06[3:0] default: 4.....	197
17.4.4 Frex Shutter Signal Reverse, 3b07[2] default: 0.....	197
17.4.5 Frex Mode, 3b07[1:0] default: 0.....	198
17.4.6 Frex Precharge Time(ftx, frst width), 3817[2:0] default: 4.....	198
17.4.7 VSYNC ends time.....	198
18. Some photos captured by 5642.....	199
.....	199


Confidential For MESADA Only

NOTE: OV5642 use 16bits Register address and 8bits Register data.

1. How to Select Output format?

OV5642 support 5 output format: YcbCr422/420, RGB565/555/444, Bayer raw RGB, CCIR656, YUV422 JPEG. How to choose the right output format for camera phone design or other applications? Let's look at the back-end chip first.

The general diagram of back-end chip is as below:



The data format at LCD driver are always RGB. For example, RGB444, RGB565, RGB555, RGB888 etc. The data format and memory interface are always JPEG. The JPEG data is compressed from YCbCr data. So Both RGB and YCbCr data are needed inside the back-end chip. The “X” block is different for different back-end chips.

1.1 Back-end with full ISP

This kind of back-end has full ISP. It takes raw RGB input, doing interpolation to generate RGB24 and doing translation to generate YCbCr. This kind of back-end could take Bayer raw RGB or processed raw RGB.

The advantage of CIP RAW over sensor Bayer raw RGB is the output data are processed. Sensor functions such as defect pixel correction, lens correction, gamma, color matrix, de-noise, sharpness, BLC ,defect pixel correction etc. could be applied. Since the life time of back-end chip is longer than image sensor, sometimes back-end chips could not fix defects of new sensors if taken Bayer raw RGB.

If back-end take Bayer raw RGB format from sensor, all the image process operations such as defect pixel correction, lens correction, gamma, color matrix, de-noise, sharpness, BCL etc should be done by back-end. If back-end take processed raw RGB format from sensor, the image process

operations such as defect pixel correction, lens correction, gamma, color matrix, de-noise, sharpness, BCL etc could be done either inside sensor or by back-end chips. In other words, user could select the image process operation be done by which side.

1.2 Back-end with YCbCr ISP

This kind of back-end has ISP, but could take only YCbCr format. The ISP could convert YCbCr to RGB format for LCD display and compress YCbCr to JPEG for storage.

1.3 Back-end without ISP

This kind of back-end doesn't have ISP built-in. It can not convert from one format to another by hardware. Actually the format conversion is done by software. There are 3 possible solution for this kind of back-end chips.

- Sensor output YCbCr. back-end chip convert YCbCr to RGB for display by software.
- Sensor output RGB565. Back-end chip convert RGB565 to YCbCr for JPEG compression.
- Sensor output RGB565 for preview, output YCbCr for capture (JPEG compression).

Solution a. provide the best picture quality. Since the input data is 24-bit RGB equivalent. It could converted to RGB888 for LCD display. Solution b. provide the worst picture quality. Since the input data is only 16-bit RGB565, even it is converted to YCbCr, the color depth is still 16-bit. The solution c. provide similar picture quality as solution a. But since preview is RGB565, capture is YCbCr, preview picture may looks a little different than captured picture.

1.4 Equations to Convert from One Format to Another

YCbCr to RGB24

$$Y = 0.299R + 0.587G + 0.114B$$

$$Cb = 0.568(B - Y) + 128 = -0.172R - 0.339G + 0.511B + 128$$

$$Cr = 0.713(R - Y) + 128 = 0.511R - 0.428G - 0.083B + 128$$

$$Y = ((77 * R + 150 * G + 29 * B) >> 8);$$

$$Cb = ((-43 * R - 85 * G + 128 * B) >> 8) + 128;$$

$$Cr = ((128 * R - 107 * G - 21 * B) >> 8) + 128;$$

RGB24 to YCbCr

$$R = Y + 1.371(Cr - 128)$$

$$G = Y - 0.698(Cr - 128) - 0.336(Cb - 128)$$

$$B = Y + 1.732(Cb - 128)$$

$$R = Y + (351*(Cr - 128)) >> 8$$

$$G = Y - (179*(Cr - 128) + 86*(Cb - 128)) >> 8$$

$$B = Y + (443*(Cb - 128)) >> 8$$

2. How to Select Output Resolution?

2.1 back-end with ISP

If back-end chip has built-in ISP (Full ISP or YCbCr ISP), the ISP could do image scale. So OV5642 outputs only VGA format or SXGA format for preview and capture. ISP scaled VGA or SXGA image to other resolution that mobile device needed for LCD display and capture when image size below VGA or SXGA image. But for the image size bigger than SXGA format, OV5642 would output the size needed.

2.2 back-end without ISP

If back-end chip doesn't have image scale capability, then the LCD scaler of OV5642 must be used to scale output resolution exactly the LCD size. For example, if the LCD size is 176x220, then the LCD scaler will scale the output size to 176x220.

In this case, OV5642 output small resolution for preview, and several other resolution for capture. The resolution for capture may include: QQVGA, QVGA, QCIF, CIF, VGA, SVGA, SXGA, UXGA, QXGA, QSXGA. For best quality, all capture size are all downscaled from QSXGA.

3. How to Adjust frame rate

The recommended frame rates is 15fps preview for 60/50Hz light environment. The recommended frame rate for capture is 7.5fps for 60/50hz light environment. The frame rate for night mode is lower, we'll discuss night mode later.

Reference settings for above frame rates are listed below. VGA is DCW from QSXGA.

3.1 VGA Preview, 15fps, 24 Mhz input clock, 24Mhz PCLK

```
i2c_salve_Address = 0x78;
write_i2c(0x3011, 0x08)
write_i2c(0x3012, 0x00)
write_i2c(0x3010, 0x10)
write_i2c(0x460c, 0x22)
write_i2c(0x380c, 0x0c)
write_i2c(0x380d, 0x80)
write_i2c(0x3a00, 0x7c)
write_i2c(0x3a08, 0x09)
write_i2c(0x3a09, 0x60)
```

```
write_i2c(0x3a0a,0x07)
write_i2c(0x3a0b,0xd0)
write_i2c(0x3a0d,0x08)
write_i2c(0x3a0e,0x06)
```

3.2 QSXGA JPEG Capture, 7.5fps, 24 Mhz input clock,24Mhz PCLK

```
i2c_salve_Address = 0x78;
write_i2c(0x3011,0x08)
write_i2c(0x3012,0x00)
write_i2c(0x3010,0x10)
write_i2c(0x460c,0x22)
write_i2c(0x380c,0x0c)
write_i2c(0x380d,0x80)
write_i2c(0x3a00,0x78)
write_i2c(0x3a08,0x09)
write_i2c(0x3a09,0x60)
write_i2c(0x3a0a,0x07)
write_i2c(0x3a0b,0xd0)
write_i2c(0x3a0d,0x10)
write_i2c(0x3a0e,0x0e)
```

4. How to set Night Mode Preview

There are 2 types of settings for night mode. One type is set to fixed low frame rate, for example 3.75fps. The other type is set to auto frame rate, for example from 15fps to 3.75fps. When environment is bright, the frame rate is increased to 15fps. When environment is dark, the frame rate is decreased to 3.75fps.

4.1 Night Mode VGA Preview with Fixed Frame Rate

3.75fps night mode for 60/50Hz light environment, 24Mhz clock input,6Mhz PCLK

```
i2c_salve_Address = 0x78;
write_i2c(0x3011,0x08)
write_i2c(0x3012,0x00)
write_i2c(0x3010,0x70)
write_i2c(0x460c,0x22)
write_i2c(0x380c,0x0c)
write_i2c(0x380d,0x80)
write_i2c(0x3a00,0x78)
write_i2c(0x3a08,0x09)
write_i2c(0x3a09,0x60)
write_i2c(0x3a0a,0x07)
write_i2c(0x3a0b,0xd0)
write_i2c(0x3a0d,0x08)
write_i2c(0x3a0e,0x06)
```


4.2 Night Mode VGA preview with Auto Frame Rate

15fps ~ 3.75fps night mode for 60/50Hz light environment, 24Mhz clock input, 24Mhz PCLK

i2c_salve_Address = 0x78;

write_i2c(0x3011, 0x08)

write_i2c(0x3012, 0x00)

write_i2c(0x3010, 0x10)

write_i2c(0x460c, 0x22)

write_i2c(0x380c, 0x0c)

write_i2c(0x380d, 0x80)

write_i2c(0x3a00, 0x7c)

write_i2c(0x3a08, 0x09)

write_i2c(0x3a09, 0x60)

write_i2c(0x3a0a, 0x07)

write_i2c(0x3a0b, 0xd0)


write_i2c(0x3a0d, 0x08)

write_i2c(0x3a0e, 0x06)


write_i2c(0x3a03, 0xfa)

5. How to Remove Light Band in Preview Mode

5.1 Light Band



The strength of office light is not even. It changes with AC frequency. For example, if the AC frequency is 50Hz, the light changes strength at 100hz.



5.2 Remove Light band

Light band is removed by set exposure to $n/100$ ($n/120$ for 60Hz) seconds. The banding filter value tell OV5642 how many lines is $1/100$ ($1/120$ for 60Hz) seconds.

5.3 Select Banding Filter by Region Information

The region information of mobile phone could be used to select banding filter values. A light frequency table is built to indicate which region uses 50Hz light and which region uses 60Hz light. When region information is got, the light frequency information could be get from the table.

Different frame rate could be used for different light frequency. So the frame rate is optimized for both 50hz light condition and 60hz light condition.

Banding filter setting for 15fps VGA preview, 24Mhz input clock

```
i2c_salve_Address = 0x78;
write_i2c(0x3c00, 0x00); bit[2]select 50/60hz banding, 0:50hz
write_i2c(0x3c01, 0x80); bit[7] banding filter Auto Detection on/off, 1 off
write_i2c(0x3a08, 0x00); //50Hz banding filter value 8 MSB
write_i2c(0x3a09, 0x60); //50Hz banding filter value 8 LSB
write_i2c(0x3a0a, 0x07); //60Hz banding filter value 8MSB
write_i2c(0x3a0b, 0xd0); //60Hz banding filter value 8 LSB
write_i2c(0x3a0e, 0x06); 50Hz maximum banding step
write_i2c(0x3a0d, 0x08); 60Hz maximum banding step
```

5.4 Select Banding Filter by Automatic Light Frequency Detection

Set same frame rate for 50Hz and 60Hz light environment, set 50Hz and 60Hz banding filter value. OV5642 could automatic select 50Hz or 60Hz banding filter based on light frequency detection.

QXSGA and any size DCW from QXSGA

```
i2c_salve_Address = 0x78;  
write_i2c(0x3011 ,0x08)  
write_i2c(0x3012 ,0x00)  
write_i2c(0x3010 ,0x10)  
write_i2c(0x460c ,0x22)  
write_i2c(0x380c ,0x0c)  
write_i2c(0x380d ,0x80)  
write_i2c(0x3a00 ,0x7c)  
write_i2c(0x3a08 ,0x09)  
write_i2c(0x3a09 ,0x60)  
write_i2c(0x3a0a ,0x07)  
write_i2c(0x3a0b ,0xd0)  
write_i2c(0x3a0d ,0x08)  
write_i2c(0x3a0e ,0x06)
```

```
write_i2c(0x3623 ,0x01)  
write_i2c(0x3630 ,0x24)  
write_i2c(0x3633 ,0x00)  
write_i2c(0x3c00 ,0x00)  
write_i2c(0x3c01 ,0x34)  
write_i2c(0x3c04 ,0x28)  
write_i2c(0x3c05 ,0x98)  
write_i2c(0x3c06 ,0x00)  
write_i2c(0x3c07 ,0x07)  
write_i2c(0x3c08 ,0x01)  
write_i2c(0x3c09 ,0xc2)  
write_i2c(0x300d ,0x02)  
write_i2c(0x3104 ,0x01)  
write_i2c(0x3c0a ,0x4e)  
write_i2c(0x3c0b ,0x1f)
```

Confidential For MESADA Only

5.5 Remove Light Band In Capture

Refer to 14.

5.6 When Light Band can not be Removed

Normally the light band is removed by banding filter.

But there is some special conditions such as mix light of sun light and office light, take picture of florescent light, the light band can not removed. The reason is the exposure time is less than 1/100 second for 50hz light environment and less than 1/120 second for 60hz light environment, so the light band can not be removed.

The light band in this conditions could not be removed for all CMOS sensors, not only OV5642. So there is no way to remove light band in this condition.

6. White Balance

OV5642 support simple white balance and advanced white balance.

6.1 Simple White Balance

Simple white balance assume “gray world”. Which means the average color of world is gray. It is true for most environment.

Advantage of simple AWB

Simple white balance is not depend on lens. A general setting for simple white balance could applied for all modules with different lens.

Disadvantage of simple AWB

The color is not accurate in conditions where “gray world” not true. For example the background has a huge red, blue or green etc. the color of the foreground is not accurate. If the camera target single color such as red, blue, green, the simple white balance will make the single color gray.

Settings

```
i2c_salve_Address = 0x78;
```

```
write_i2c(0x5183, 0x80); // Simple AWB, 0 for advanced AWB
```

6.2 Advanced White Balance

Advanced white balance uses color temperature information to detect white area and do the white balance.

Advantage of Advanced AWB

Color is more accurate than simple white balance. Even the background is single color, the camera will not make the single color gray.

Disadvantage of Advanced AWB

Advanced white balance setting is depend on lens. The setting must be adjusted for every module with new lens. The adjustment must be done by OmniVision FAE in optical lab with some optical equipment such as light box, color checker etc.

Settings

Contact with OmniVision local FAE.

6.3 How to select?

Generally, for low resolution camera module such as CIF, VGA and 1.3M, simple AWB is selected. For high resolution camera module such as 2M, 3M,5M advanced AWB is selected.

7. Defect Pixel Correction

Defect pixel includes dead pixel and wounded pixel.

Dead pixel include white dead pixel and black dead pixel. White dead pixel is always white no

matter the actual picture is bright or dark. Black dead pixel is always black no matter the actual picture is bright or dark.

Wounded pixel may change with light, but not as much as normal pixel. White wounded pixels are much brighter than normal pixels, but not complete white. Black wounded pixels are much darker than normal pixels, but not complete black.

OV5642 has built-in defect pixel correction function. If OV5642 output YCbCr, RGB565, CIP raw RGB, the defect pixel correction function could be enabled to fix defect pixels. But if sensor Bayer raw RGB is used, the defect pixel correction function of sensor could not be used.

Please pay attention to the defect pixel correction function of back-end chip. Some back-end chip may not be able to correct all defect pixels of OV5642.

Settings

```
i2c_salve_Address = 0x78;
```

```
write_i2c(0x5000, 0x06); // Pixel Correction ON, bit[2:1]: 11, select enable
```

8. BLC

The function of Black Level Calibration (BLC) is to product accurate color in the dark area of picture. There is automatic BLC function built-in OV5642. It should always be turned on.

9. Video Mode

Video mode need high frame rate, usually fixed 15fps. There is no night mode for video mode. OV5642 can support 1080P for Video mode.

10. Digital zoom

If OV5642 output image smaller than XGA, it may support continuous digital zoom. For example

QSXGA	no digital zoom supported
XGA	1-2x
VGA	1-4x
QVGA	1-8x

If back-end chip support scale up, then more zoom level could be supported.

11. OV5642 Functions

11.1 Light Mode

Advanced AWB

```
write_i2c(0x3406, 0x0),
write_i2c(0x5192, 0x04),
```

```
write_i2c(0x5191, 0xf8),
write_i2c(0x518d, 0x26),
write_i2c(0x518f, 0x42),
write_i2c(0x518e, 0x2b),
write_i2c(0x5190, 0x42),
write_i2c(0x518b, 0xd0),
write_i2c(0x518c, 0xbd),
write_i2c(0x5187, 0x18),
```



Advanced AWB

```
write_i2c(0x5188 ,0x18),
write_i2c(0x5189 ,0x56),
write_i2c(0x518a ,0x5c),
write_i2c(0x5186 ,0x1c),
write_i2c(0x5181 ,0x50),
write_i2c(0x5184 ,0x20),
write_i2c(0x5182 ,0x11),
write_i2c(0x5183 ,0x0 ),
```



Simple AWB

Simple AWB

```
write_i2c(0x3406 ,0x 0),
write_i2c(0x5183 ,0x80),
write_i2c(0x5191 ,0xff),
write_i2c(0x5192 ,0x00),
```

Manual day

```
write_i2c(0x3406 ,0x1 ),
write_i2c(0x3400 ,0x7 ),
write_i2c(0x3401 ,0x32),
write_i2c(0x3402 ,0x4 ),
write_i2c(0x3403 ,0x0 ),
write_i2c(0x3404 ,0x5 ),
write_i2c(0x3405 ,0x36),
```



Manual day

Manual A

```
write_i2c(0x3406 ,0x1 ),
write_i2c(0x3400 ,0x4 ),
write_i2c(0x3401 ,0x88),
write_i2c(0x3402 ,0x4 ),
write_i2c(0x3403 ,0x0 ),
write_i2c(0x3404 ,0x8 ),
write_i2c(0x3405 ,0xb6),
```



Manual A

Manual cwf

```
write_i2c(0x3406 ,0x1 ),
write_i2c(0x3400 ,0x6 ),
write_i2c(0x3401 ,0x13),
write_i2c(0x3402 ,0x4 ),
write_i2c(0x3403 ,0x0 ),
write_i2c(0x3404 ,0x7 ),
write_i2c(0x3405 ,0xe2),
```



Manual cwf

Manual cloudy

```

write_i2c(0x3406, 0x1 ),
write_i2c(0x3400, 0x7 ),
write_i2c(0x3401, 0x88),
write_i2c(0x3402, 0x4 ),
write_i2c(0x3403, 0x0 ),
write_i2c(0x3404, 0x5 ),
write_i2c(0x3405, 0x0),

```



Manual cloudy

11.2 Color Saturation

The color saturation of OV5642 could be adjusted. High color saturation would make the picture looks more vivid, but the side effect is the bigger noise and not accurate skin color.

Saturation + 4

```

i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5583, 0x80)
write_i2c(0x5584, 0x80)
write_i2c(0x5580, 0x02)

```



Saturation + 4

Saturation + 3

```

i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5583, 0x70)
write_i2c(0x5584, 0x70)
write_i2c(0x5580, 0x02)

```



Saturation + 3

Saturation + 2

```
i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5583, 0x60)
write_i2c(0x5584, 0x60)
write_i2c(0x5580, 0x02)
```



Saturation + 2

Saturation + 1

```
i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5583, 0x50)
write_i2c(0x5584, 0x50)
write_i2c(0x5580, 0x02)
```



Saturation + 1

Saturation 0

```
i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5583, 0x40)
write_i2c(0x5584, 0x40)
write_i2c(0x5580, 0x02)
```



Saturation 0

Saturation -1

```
i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5583, 0x30)
write_i2c(0x5584, 0x30)
write_i2c(0x5580, 0x02)
```



Saturation -1

Saturation – 2

```
i2c_salve_Address = 0x78;
write_i2c(0x5001 ,0xff)
write_i2c(0x5583 ,0x20)
write_i2c(0x5584 ,0x20)
write_i2c(0x5580 ,0x02)
```



Saturation – 2

Saturation -3

```
i2c_salve_Address = 0x78;
write_i2c(0x5001 ,0xff)
write_i2c(0x5583 ,0x10)
write_i2c(0x5584 ,0x10)
write_i2c(0x5580 ,0x02)
```



Saturation -3

Saturation – 4

```
i2c_salve_Address = 0x78;
write_i2c(0x5001 ,0xff)
write_i2c(0x5583 ,0x00)
write_i2c(0x5584 ,0x00)
write_i2c(0x5580 ,0x02)
```



Saturation – 4

11.3 Brightness

The brightness of OV5642 could be adjusted. Higher brightness will make the picture more bright. The side effect of higher brightness is the picture looks foggy.

Brightness +4

```
i2c_salve_Address = 0x78;
write_i2c(0x5001 ,0xff)
write_i2c(0x5589 ,0x40)
write_i2c(0x5580 ,0x04)
write_i2c(0x558a ,0x00)
```



Brightness +4

Brightness +3


```
i2c_salve_Address = 0x78;  
write_i2c(0x5001, 0xff)  
write_i2c(0x5589, 0x30)  
write_i2c(0x5580, 0x04)  
write_i2c(0x558a, 0x00)
```

**Brightness +3****Brightness +2**

```
i2c_salve_Address = 0x78;  
write_i2c(0x5001, 0xff)  
write_i2c(0x5589, 0x20)  
write_i2c(0x5580, 0x04)  
write_i2c(0x558a, 0x00)
```

**Brightness +2****Brightness +1**

```
i2c_salve_Address = 0x78;  
write_i2c(0x5001, 0xff)  
write_i2c(0x5589, 0x10)  
write_i2c(0x5580, 0x04)  
write_i2c(0x558a, 0x00)
```

**Brightness +1****Brightness 0**

```
i2c_salve_Address = 0x78;  
write_i2c(0x5001, 0xff)  
write_i2c(0x5589, 0x00)  
write_i2c(0x5580, 0x04)  
write_i2c(0x558a, 0x00)
```

**Brightness 0**

Brightness -1

```
i2c_salve_Address = 0x78;  
write_i2c(0x5001 ,0xff)  
write_i2c(0x5589 ,0x10)  
write_i2c(0x5580 ,0x04)  
write_i2c(0x558a ,0x08)
```



Brightness -1

Brightness -2

```
i2c_salve_Address = 0x78;  
write_i2c(0x5001 ,0xff)  
write_i2c(0x5589 ,0x20)  
write_i2c(0x5580 ,0x04)  
write_i2c(0x558a ,0x08)
```



Brightness -2

Brightness -3

```
i2c_salve_Address = 0x78;  
write_i2c(0x5001 ,0xff)  
write_i2c(0x5589 ,0x30)  
write_i2c(0x5580 ,0x04)  
write_i2c(0x558a ,0x08)
```



Brightness -3

Brightness -4

```
i2c_salve_Address = 0x78;  
write_i2c(0x5001 ,0xff)  
write_i2c(0x5589 ,0x40)  
write_i2c(0x5580 ,0x04)  
write_i2c(0x558a ,0x08)
```



Brightness -4

11.4 Contrast

The contrast of OV5642 could be adjusted. Higher contrast will make the picture sharp. But the side effect is losing dynamic range.

Contrast +4

```
i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x04)
write_i2c(0x5587, 0x30)
write_i2c(0x5588, 0x30)
write_i2c(0x558a, 0x00)
```



Contrast +4

Contrast +3

```
i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x04)
write_i2c(0x5587, 0x2c)
write_i2c(0x5588, 0x2c)
write_i2c(0x558a, 0x00)
```



Contrast +2

```
i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x04)
write_i2c(0x5587, 0x28)
write_i2c(0x5588, 0x28)
write_i2c(0x558a, 0x00)
```



Contrast +2

Contrast +1

```
i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x04)
write_i2c(0x5587, 0x24)
write_i2c(0x5588, 0x24)
write_i2c(0x558a, 0x00)
```



Contrast +1

Contrast 0

```
i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x04)
write_i2c(0x5587, 0x20)
write_i2c(0x5588, 0x20)
write_i2c(0x558a, 0x00)
```



Contrast 0

Contrast -1

```
i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x04)
write_i2c(0x5587, 0x1c)
write_i2c(0x5588, 0x1c)
write_i2c(0x558a, 0x00)
```



Contrast -1

Contrast -2

```
i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x04)
write_i2c(0x5587, 0x18)
write_i2c(0x5588, 0x18)
write_i2c(0x558a, 0x00)
```



Contrast -2

Contrast -3

```
i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x04)
write_i2c(0x5587, 0x14)
write_i2c(0x5588, 0x14)
write_i2c(0x558a, 0x00)
```



Contrast -3

Contrast -4

```
i2c_salve_Address = 0x78;
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x04)
write_i2c(0x5587, 0x10)
write_i2c(0x5588, 0x10)
write_i2c(0x558a, 0x00)
```



Contrast -4

11.5 Hue

OV5642 support Hue tuning.

```
i2c_salve_Address = 0x78;
-180 degree
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x01)
write_i2c(0x5581, 0x80)
write_i2c(0x5582, 0x00)
write_i2c(0x558a, 0x32)
```



-180 degree

-150 degree

```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x01)
write_i2c(0x5581, 0x6f)
write_i2c(0x5582, 0x40)
write_i2c(0x558a, 0x32)
```



-150 degree

-120 degree

```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x01)
write_i2c(0x5581, 0x40)
write_i2c(0x5582, 0x6f)
write_i2c(0x558a, 0x32)
```



-120 degree

-90 degree

```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x01)
write_i2c(0x5581, 0x00)
write_i2c(0x5582, 0x80)
write_i2c(0x558a, 0x02)
```



-90 degree

-60 degree

```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x01)
write_i2c(0x5581, 0x40)
write_i2c(0x5582, 0x6f)
write_i2c(0x558a, 0x02)
```



-60 degree

-30 degree

```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x01)
write_i2c(0x5581, 0x6f)
write_i2c(0x5582, 0x40)
write_i2c(0x558a, 0x02)
```



-30 degree

+0 degree

```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x01)
write_i2c(0x5581, 0x80)
write_i2c(0x5582, 0x00)
write_i2c(0x558a, 0x01)
```



+0 degree

Confidential For MESADA ONLY

+30 degree

```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x01)
write_i2c(0x5581, 0x6f)
write_i2c(0x5582, 0x40)
write_i2c(0x558a, 0x01)
```



+30 degree

+60 degree

```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x01)
write_i2c(0x5581, 0x40)
write_i2c(0x5582, 0x6f)
write_i2c(0x558a, 0x01)
```



+60 degree

+90 degree

```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x01)
write_i2c(0x5581, 0x00)
write_i2c(0x5582, 0x80)
write_i2c(0x558a, 0x31)
```



+90 degree

+120 degree

```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x01)
write_i2c(0x5581, 0x40)
write_i2c(0x5582, 0x6f)
write_i2c(0x558a, 0x31)
```



+120 degree


```

+150 degree
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x01)
write_i2c(0x5581, 0x6f)
write_i2c(0x5582, 0x40)
write_i2c(0x558a, 0x31)

```



+150 degree

11.6 Special effects

OV5642 support some special effects such as B/W, negative, sepia, bluish, reddish, greenish, negative, etc. If users need other special effects, it should be supported by back-end chips.

```
i2c_salve_Address = 0x78;
```

Normal

```

write_i2c(0x5001, 0x7f)
write_i2c(0x5580, 0x00)

```

B&W

```

write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x18)
write_i2c(0x5585, 0x80)
write_i2c(0x5586, 0x80)

```



B&W

Bluish

```

write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x18)
write_i2c(0x5585, 0xa0)
write_i2c(0x5586, 0x40)


```



Bluish

Sepia

```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x18)
write_i2c(0x5585, 0x40)
write_i2c(0x5586, 0xa0)
```



Sepia

Reddish


```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x18)
write_i2c(0x5585, 0x80)
write_i2c(0x5586, 0xc0)
```



Reddish

Greenish


```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x18)
write_i2c(0x5585, 0x60)
write_i2c(0x5586, 0x60)
```



Greenish

Negative

```
write_i2c(0x5001, 0xff)
write_i2c(0x5580, 0x40)
```



Negative

Confidential For MESADA ONLY

11.7 Exposure level

OV5642 support different exposure level. It can increase/decrease target brightness by change exposure/gain auto. OV5642 support Average algorithm.

i2c_salve_Address = 0x78;

-1.7EV

```
write_i2c(0x3a0f,0x10)
write_i2c(0x3a10,0x08)
write_i2c(0x3a1b,0x10)
write_i2c(0x3a1e,0x08)
write_i2c(0x3a11,0x20)
write_i2c(0x3a1f,0x10)
```



-1.7EV

-1.3EV

```
write_i2c(0x3a0f,0x18)
write_i2c(0x3a10,0x10)
write_i2c(0x3a1b,0x18)
write_i2c(0x3a1e,0x10)
write_i2c(0x3a11,0x30)
write_i2c(0x3a1f,0x10)
```



-1.3EV

-1.0EV

```
write_i2c(0x3a0f,0x20)
write_i2c(0x3a10,0x18)
write_i2c(0x3a11,0x41)
write_i2c(0x3a1b,0x20)
write_i2c(0x3a1e,0x18)
write_i2c(0x3a1f,0x10)
```



-1.0EV

-0.7EV

```
write_i2c(0x3a0f,0x28)
write_i2c(0x3a10,0x20)
write_i2c(0x3a11,0x51)
write_i2c(0x3a1b,0x28)
write_i2c(0x3a1e,0x20)
write_i2c(0x3a1f,0x10)
```



-0.7EV

-0.3EV

```
write_i2c(0x3a0f,0x30)
write_i2c(0x3a10,0x28)
write_i2c(0x3a11,0x61)
write_i2c(0x3a1b,0x30)
write_i2c(0x3a1e,0x28)
write_i2c(0x3a1f,0x10)
```



-0.3EV

default

```
write_i2c(0x3a0f,0x38)
write_i2c(0x3a10,0x30)
write_i2c(0x3a11,0x61)
write_i2c(0x3a1b,0x38)
write_i2c(0x3a1e,0x30)
write_i2c(0x3a1f,0x10)
```



default

```
write_i2c(0x3a0f,0x40)
write_i2c(0x3a10,0x38)
write_i2c(0x3a11,0x71)
write_i2c(0x3a1b,0x40)
write_i2c(0x3a1e,0x38)
write_i2c(0x3a1f,0x10)
```



0.3EV

0.7EV

```
write_i2c(0x3a0f,0x48)
write_i2c(0x3a10,0x40)
write_i2c(0x3a11,0x80)
write_i2c(0x3a1b,0x48)
write_i2c(0x3a1e,0x40)
write_i2c(0x3a1f,0x20)
```



0.7EV

1.0EV

```
write_i2c(0x3a0f,0x50)
write_i2c(0x3a10,0x48)
write_i2c(0x3a11,0x90)
write_i2c(0x3a1b,0x50)
write_i2c(0x3a1e,0x48)
write_i2c(0x3a1f,0x20)
```



1.0EV

1.3EV

```
write_i2c(0x3a0f,0x58)
write_i2c(0x3a10,0x50)
write_i2c(0x3a11,0x91)
write_i2c(0x3a1b,0x58)
write_i2c(0x3a1e,0x50)
write_i2c(0x3a1f,0x20)
```



1.3EV

1.7EV

```
write_i2c(0x3a0f,0x60)
write_i2c(0x3a10,0x58)
write_i2c(0x3a11,0xa0)
write_i2c(0x3a1b,0x60)
write_i2c(0x3a1e,0x58)
write_i2c(0x3a1f,0x20)
```



1.7EV

11.8 Sharpness

```
i2c_salve_Address = 0x78;  
Auto Sharpness default  
write_i2c(0x530A ,0x00)  
write_i2c(0x530c ,0x0 )  
write_i2c(0x530d ,0xc )  
write_i2c(0x5312 ,0x40)
```

```
Auto Sharpness +1  
write_i2c(0x530A ,0x00)  
write_i2c(0x530c ,0x4 )  
write_i2c(0x530d ,0x18)  
write_i2c(0x5312 ,0x20)
```

```
Auto Sharpness +2  
write_i2c(0x530A ,0x00)  
write_i2c(0x530c ,0x8 )  
write_i2c(0x530d ,0x30)  
write_i2c(0x5312 ,0x10)
```

```
Manual Sharpness off  
write_i2c(0x530A ,0x08)  
write_i2c(0x531e ,0x00)  
write_i2c(0x531f ,0x00)
```

```
Manual Sharpness +1  
write_i2c(0x530A ,0x08)  
write_i2c(0x531e ,0x04)  
write_i2c(0x531f ,0x04)
```

```
Manual Sharpness +2  
write_i2c(0x530A ,0x08)  
write_i2c(0x531e ,0x08)  
write_i2c(0x531f ,0x08)
```

```
Manual Sharpness +3  
write_i2c(0x530A ,0x08)  
write_i2c(0x531e ,0x0c)  
write_i2c(0x531f ,0x0c)
```

```
Manual Sharpness +4  
write_i2c(0x530A ,0x08)  
write_i2c(0x531e ,0x0f)  
write_i2c(0x531f ,0x0f)
```

```
Manual Sharpness +5  
write_i2c(0x530A ,0x08)
```

```
write_i2c(0x531e, 0x1f)
write_i2c(0x531f, 0x1f)
```

11.9 Mirror/Flip

```
i2c_salve_Address = 0x78;
```

MIRROR

```
reg3818 = read_i2c(0x3818)
reg3818 = reg3818 | 0x00
reg3818 = reg3818 & 0x9f
write_i2c(0x3818, reg3818)
reg3621 = read_i2c(0x3621)
reg3621 = reg3621 | 0x20
write_i2c(0x3621, reg3621)
```



MIRROR



FLIP

FLIP

```
reg3818 = read_i2c(0x3818)
reg3818 = reg3818 | 0x20
reg3818 = reg3818 & 0xbf
write_i2c(0x3818, reg3818)
reg3621 = read_i2c(0x3621)
reg3621 = reg3621 | 0x20
write_i2c(0x3621, reg3621)
```

MIRROR&FLIP

```
reg3818 = read_i2c(0x3818)
reg3818 = reg3818 | 0x60
reg3818 = reg3818 & 0xff
write_i2c(0x3818, reg3818)
reg3621 = read_i2c(0x3621)
reg3621 = reg3621 & 0xdf
write_i2c(0x3621, reg3621)
```



MIRROR&FLIP

Normal

```
reg3818 = read_i2c(0x3818)
reg3818 = reg3818 | 0x40
reg3818 = reg3818 & 0xdf
write_i2c(0x3818, reg3818)
reg3621 = read_i2c(0x3621)
reg3621 = reg3621 & 0xdf
write_i2c(0x3621, reg3621)
```



NORML

11.10 YUV Sequence

0x4300[0:1] control YUV sequence

Y U Y V

write_i2c(0x4300, 0x20)

Y V Y U

write_i2c(0x4300, 0x21)

V Y U Y

write_i2c(0x4300, 0x23)

U Y V Y

write_i2c(0x4300, 0x22)

11.11 Clock Polarity

Data valid VSYNC high

0x4740[0] Control VSYNC polarity

1: Data valid VSYNC High

0: Data valid VSYNC low

0x4740[5] Control PCLK polarity

1: Data update at Falling-edge

0: Data update at Rising-edge

0x4740[1] Control HREF polarity

0: Data valid HREF high

1: Data valid HREF Low

11.12 Compress quality

Register 0x4407[5:0] is for the compress quality

High quality :

write_i2c(0x4407, 0x02)

default quality :

write_i2c(0x4407, 0x04)

low quality :


write_i2c(0x4407, 0x08)

11.13 Test Pattern

Color bar

write_i2c(0x503d , 0x80)

write_i2c(0x503e, 0x00)



Color bar

Color square

write_i2c(0x503d , 0x85)

write_i2c(0x503e, 0x12)



Color square

B/W square

write_i2c(0x503d , 0x85)


write_i2c(0x503e, 0x1a)



B/W square

DLI

write_i2c(0x4741 , 0x4)



DLI

12. Deal with Lens

12.1 Light fall off

Light fall off means the corner of image is darker than center of image. It is caused by the lens. The lens shading correction function of OV5642 could be turned on to compensate the corner brightness and make the whole picture looks same bright.

settings

```
i2c_salve_Address = 0x78;
```

```
write_i2c(0x5000,0xff);bit[7]: enable lens correction
```

12.2 Dark corner

Some lens may have dark corner. Dark corner means the color of picture looks almost black. It is not possible to correct dark corner with lens correction. So the module with dark corner is NG, it can not be used.

12.3 Resolution

The resolution of camera module depends on lens design, focus adjustment and sensor resolution as well. The focus adjustment is very important for camera module assembly.

For OV5642 the focus distance is about 140~160cm. The depth of field is about from 70~80cm to infinite. If checking resolution of camera module, the resolution chart should be placed 140~160 cm away.

12.4 Optical contrast

The optical contrast of lens is very important to picture quality. If the optical contrast of lens is not good, the picture would looks foggy. Though it could be improved by increase the sensor contrast to make the picture sharper, the higher sensor contrast would make the detail lost of dark area of the picture.

12.5 Lens Cover

The lens cover is the cheapest part in optical path. But it could affect picture quality very much. The lens cover should be made with optical glass with AR coating at both side. Otherwise, the lens cover may cause sensitivity loss and/or stronger lens flare.

13. Reference Settings

13.1 YCbCr Reference Setting DVP Interface

OV5642 output maximum 15fps QSXGA and maximum 30fps 1080P(1920*1080). Resolution from 1080P can reach up maximum 30fps, resolution from QSXGA can reach up maximum 15fps.

13.1.1 VGA Preview

; for the setting , 24M Mlck input and 24M Plck output
;15fps YUV mode

```
write_i2c(0x3103 ,0x93);
write_i2c(0x3008 ,0x82);
write_i2c(0x3017 ,0x7f);
write_i2c(0x3018 ,0xfc);
write_i2c(0x3810 ,0xc2);
write_i2c(0x3615 ,0xf0);
write_i2c(0x3000 ,0x00);
write_i2c(0x3001 ,0x00);
write_i2c(0x3002 ,0x5c);
write_i2c(0x3003 ,0x00);
write_i2c(0x3004 ,0xff);
write_i2c(0x3005 ,0xff);
write_i2c(0x3006 ,0x43);
write_i2c(0x3007 ,0x37);
write_i2c(0x3011 ,0x08);
write_i2c(0x3010 ,0x10);
write_i2c(0x460c ,0x22);
write_i2c(0x3815 ,0x04);
write_i2c(0x370c ,0xa0);
write_i2c(0x3602 ,0xfc);
write_i2c(0x3612 ,0xff);
write_i2c(0x3634 ,0xc0);
write_i2c(0x3613 ,0x00);
write_i2c(0x3605 ,0x7c);
write_i2c(0x3621 ,0x09);
write_i2c(0x3622 ,0x60);
write_i2c(0x3604 ,0x40);
write_i2c(0x3603 ,0xa7);
write_i2c(0x3603 ,0x27);
write_i2c(0x4000 ,0x21);
write_i2c(0x401d ,0x22);
write_i2c(0x3600 ,0x54);
write_i2c(0x3605 ,0x04);
write_i2c(0x3606 ,0x3f);
write_i2c(0x3c01 ,0x80);
write_i2c(0x5000 ,0x4f);
write_i2c(0x5020 ,0x04);
```

Confidential For MESADA Only

```
write_i2c(0x5181,0x79);
write_i2c(0x5182,0x00);
write_i2c(0x5185,0x22);
write_i2c(0x5197,0x01);
write_i2c(0x5001,0xff);
write_i2c(0x5500,0x0a);
write_i2c(0x5504,0x00);
write_i2c(0x5505,0x7f);
write_i2c(0x5080,0x08);
write_i2c(0x300e,0x18);
write_i2c(0x4610,0x00);
write_i2c(0x471d,0x05);
write_i2c(0x4708,0x06);
write_i2c(0x3808,0x02);
write_i2c(0x3809,0x80);
write_i2c(0x380a,0x01);
write_i2c(0x380b,0xe0);
write_i2c(0x380e,0x07);
write_i2c(0x380f,0xd0);
write_i2c(0x501f,0x00);
write_i2c(0x5000,0x4f);
write_i2c(0x4300,0x30);
write_i2c(0x3503,0x07);
write_i2c(0x3501,0x73);
write_i2c(0x3502,0x80);
write_i2c(0x350b,0x00);
write_i2c(0x3503,0x07);
write_i2c(0x3824,0x11);
write_i2c(0x3501,0x1e);
write_i2c(0x3502,0x80);
write_i2c(0x350b,0x7f);
write_i2c(0x380c,0x0c);
write_i2c(0x380d,0x80);
write_i2c(0x380e,0x03);
write_i2c(0x380f,0xe8);
write_i2c(0x3a0d,0x04);
write_i2c(0x3a0e,0x03);
write_i2c(0x3818,0xc1);
write_i2c(0x3705,0xdb);
write_i2c(0x370a,0x81);
write_i2c(0x3801,0x80);
write_i2c(0x3621,0x87);
write_i2c(0x3801,0x50);
write_i2c(0x3803,0x08);
write_i2c(0x3827,0x08);
write_i2c(0x3810,0x40);
write_i2c(0x3804,0x05);
write_i2c(0x3805,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x5682,0x05);
write_i2c(0x5683,0x00);
write_i2c(0x3806,0x03);
write_i2c(0x3807,0xc0);
write_i2c(0x5686,0x03);
write_i2c(0x5687,0xbc);
write_i2c(0x3a00,0x78);
write_i2c(0x3a1a,0x05);
write_i2c(0x3a13,0x30);
write_i2c(0x3a18,0x00);
write_i2c(0x3a19,0x7c);
write_i2c(0x3a08,0x12);
write_i2c(0x3a09,0xc0);
write_i2c(0x3a0a,0x0f);
write_i2c(0x3a0b,0xa0);
write_i2c(0x350c,0x07);
write_i2c(0x350d,0xd0);
write_i2c(0x3500,0x00);
write_i2c(0x3501,0x00);
write_i2c(0x3502,0x00);
write_i2c(0x350a,0x00);
write_i2c(0x350b,0x00);
write_i2c(0x3503,0x00);
write_i2c(0x528a,0x02);
write_i2c(0x528b,0x04);
write_i2c(0x528c,0x08);
write_i2c(0x528d,0x08);
write_i2c(0x528e,0x08);
write_i2c(0x528f,0x10);
write_i2c(0x5290,0x10);
write_i2c(0x5292,0x00);
write_i2c(0x5293,0x02);
write_i2c(0x5294,0x00);
write_i2c(0x5295,0x02);
write_i2c(0x5296,0x00);
write_i2c(0x5297,0x02);
write_i2c(0x5298,0x00);
write_i2c(0x5299,0x02);
write_i2c(0x529a,0x00);
write_i2c(0x529b,0x02);
write_i2c(0x529c,0x00);
write_i2c(0x529d,0x02);
write_i2c(0x529e,0x00);
write_i2c(0x529f,0x02);
write_i2c(0x3030,0x2b);
write_i2c(0x3a02,0x00);
write_i2c(0x3a03,0x7d);
write_i2c(0x3a04,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x3a14,0x00);
write_i2c(0x3a15,0x7d);
write_i2c(0x3a16,0x00);
write_i2c(0x3a00,0x78);
write_i2c(0x3a08,0x09);
write_i2c(0x3a09,0x60);
write_i2c(0x3a0a,0x07);
write_i2c(0x3a0b,0xd0);
write_i2c(0x3a0d,0x08);
write_i2c(0x3a0e,0x06);
write_i2c(0x5193,0x70);
write_i2c(0x589b,0x04);
write_i2c(0x589a,0xc5);
write_i2c(0x401e,0x20);
write_i2c(0x4001,0x42);
write_i2c(0x401c,0x04);
write_i2c(0x528a,0x01);
write_i2c(0x528b,0x04);
write_i2c(0x528c,0x08);
write_i2c(0x528d,0x10);
write_i2c(0x528e,0x20);
write_i2c(0x528f,0x28);
write_i2c(0x5290,0x30);
write_i2c(0x5292,0x00);
write_i2c(0x5293,0x01);
write_i2c(0x5294,0x00);
write_i2c(0x5295,0x04);
write_i2c(0x5296,0x00);
write_i2c(0x5297,0x08);
write_i2c(0x5298,0x00);
write_i2c(0x5299,0x10);
write_i2c(0x529a,0x00);
write_i2c(0x529b,0x20);
write_i2c(0x529c,0x00);
write_i2c(0x529d,0x20);
write_i2c(0x529e,0x00);
write_i2c(0x529f,0x30);
write_i2c(0x5282,0x00);
write_i2c(0x5300,0x00);
write_i2c(0x5301,0x20);
write_i2c(0x5302,0x00);
write_i2c(0x5303,0x7c);
write_i2c(0x530c,0x00);
write_i2c(0x530d,0x0c);
write_i2c(0x530e,0x20);
write_i2c(0x530f,0x80);
write_i2c(0x5310,0x20);
write_i2c(0x5311,0x80);
```

Confidential For MESADA Only

```
write_i2c(0x5308,0x20);
write_i2c(0x5309,0x40);
write_i2c(0x5304,0x00);
write_i2c(0x5305,0x30);
write_i2c(0x5306,0x00);
write_i2c(0x5307,0x80);
write_i2c(0x5314,0x08);
write_i2c(0x5315,0x20);
write_i2c(0x5319,0x30);
write_i2c(0x5316,0x10);
write_i2c(0x5317,0x00);
write_i2c(0x5318,0x02);
write_i2c(0x5402,0x3f);
write_i2c(0x5403,0x00);
write_i2c(0x3406,0x00);
write_i2c(0x5180,0xff);
write_i2c(0x5181,0x52);
write_i2c(0x5182,0x11);
write_i2c(0x5183,0x14);
write_i2c(0x5184,0x25);
write_i2c(0x5185,0x24);
write_i2c(0x5186,0x06);
write_i2c(0x5187,0x08);
write_i2c(0x5188,0x08);
write_i2c(0x5189,0x7c);
write_i2c(0x518a,0x60);
write_i2c(0x518b,0xb2);
write_i2c(0x518c,0xb2);
write_i2c(0x518d,0x44);
write_i2c(0x518e,0x3d);
write_i2c(0x518f,0x58);
write_i2c(0x5190,0x46);
write_i2c(0x5191,0xf8);
write_i2c(0x5192,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x5194,0xf0);
write_i2c(0x5195,0xf0);
write_i2c(0x5196,0x03);
write_i2c(0x5197,0x01);
write_i2c(0x5198,0x04);
write_i2c(0x5199,0x12);
write_i2c(0x519a,0x04);
write_i2c(0x519b,0x00);
write_i2c(0x519c,0x06);
write_i2c(0x519d,0x82);
write_i2c(0x519e,0x00);
write_i2c(0x5025,0x80);
write_i2c(0x5583,0x40);
```

Confidential For MESADA Only

```
write_i2c(0x5584 ,0x40);
write_i2c(0x5580 ,0x02);
write_i2c(0x5000 ,0xcf);
write_i2c(0x3710 ,0x10);
write_i2c(0x3632 ,0x51);
write_i2c(0x3702 ,0x10);
write_i2c(0x3703 ,0xb2);
write_i2c(0x3704 ,0x18);
write_i2c(0x370b ,0x40);
write_i2c(0x370d ,0x03);
write_i2c(0x3631 ,0x01);
write_i2c(0x3632 ,0x52);
write_i2c(0x3606 ,0x24);
write_i2c(0x3620 ,0x96);
write_i2c(0x5785 ,0x07);
write_i2c(0x3a13 ,0x30);
write_i2c(0x3600 ,0x52);
write_i2c(0x3604 ,0x48);
write_i2c(0x3606 ,0x1b);
write_i2c(0x370d ,0x0b);
write_i2c(0x370f ,0xc0);
write_i2c(0x3709 ,0x01);
write_i2c(0x3823 ,0x00);
write_i2c(0x5007 ,0x00);
write_i2c(0x5009 ,0x00);
write_i2c(0x5011 ,0x00);
write_i2c(0x5013 ,0x00);
write_i2c(0x519e ,0x00);
write_i2c(0x5086 ,0x00);
write_i2c(0x5087 ,0x00);
write_i2c(0x5088 ,0x00);
write_i2c(0x5089 ,0x00);
write_i2c(0x302b ,0x00);
write_i2c(0x5001 ,0xFF);
write_i2c(0x5583 ,0x50);
write_i2c(0x5584 ,0x50);
write_i2c(0x5580 ,0x02);
write_i2c(0x3c01 ,0x80);
write_i2c(0x3c00 ,0x04);
;LENS
write_i2c(0x5800 ,0x48);
write_i2c(0x5801 ,0x31);
write_i2c(0x5802 ,0x21);
write_i2c(0x5803 ,0x1b);
write_i2c(0x5804 ,0x1a);
write_i2c(0x5805 ,0x1e);
write_i2c(0x5806 ,0x29);
write_i2c(0x5807 ,0x38);
```

Confidential For MESADA Only


```
write_i2c(0x5808,0x26);
write_i2c(0x5809,0x17);
write_i2c(0x580a,0x11);
write_i2c(0x580b,0xe);
write_i2c(0x580c,0xd);
write_i2c(0x580d,0xe);
write_i2c(0x580e,0x13);
write_i2c(0x580f,0x1a);
write_i2c(0x5810,0x15);
write_i2c(0x5811,0xd);
write_i2c(0x5812,0x8);
write_i2c(0x5813,0x5);
write_i2c(0x5814,0x4);
write_i2c(0x5815,0x5);
write_i2c(0x5816,0x9);
write_i2c(0x5817,0xd);
write_i2c(0x5818,0x11);
write_i2c(0x5819,0xa);
write_i2c(0x581a,0x4);
write_i2c(0x581b,0x0);
write_i2c(0x581c,0x0);
write_i2c(0x581d,0x1);
write_i2c(0x581e,0x6);
write_i2c(0x581f,0x9);
write_i2c(0x5820,0x12);
write_i2c(0x5821,0xb);
write_i2c(0x5822,0x4);
write_i2c(0x5823,0x0);
write_i2c(0x5824,0x0);
write_i2c(0x5825,0x1);
write_i2c(0x5826,0x6);
write_i2c(0x5827,0xa);
write_i2c(0x5828,0x17);
write_i2c(0x5829,0xf);
write_i2c(0x582a,0x9);
write_i2c(0x582b,0x6);
write_i2c(0x582c,0x5);
write_i2c(0x582d,0x6);
write_i2c(0x582e,0xa);
write_i2c(0x582f,0xe);
write_i2c(0x5830,0x28);
write_i2c(0x5831,0x1a);
write_i2c(0x5832,0x11);
write_i2c(0x5833,0xe);
write_i2c(0x5834,0xe);
write_i2c(0x5835,0xf);
write_i2c(0x5836,0x15);
write_i2c(0x5837,0x1d);
```

Confidential For MESADA Only

```
write_i2c(0x5838,0x6e);
write_i2c(0x5839,0x39);
write_i2c(0x583a,0x27);
write_i2c(0x583b,0x1f);
write_i2c(0x583c,0x1e);
write_i2c(0x583d,0x23);
write_i2c(0x583e,0x2f);
write_i2c(0x583f,0x41);
write_i2c(0x5840,0xe );
write_i2c(0x5841,0xc );
write_i2c(0x5842,0xd );
write_i2c(0x5843,0xc );
write_i2c(0x5844,0xc );
write_i2c(0x5845,0xc );
write_i2c(0x5846,0xc );
write_i2c(0x5847,0xc );
write_i2c(0x5848,0xd );
write_i2c(0x5849,0xe );
write_i2c(0x584a,0xe );
write_i2c(0x584b,0xa );
write_i2c(0x584c,0xe );
write_i2c(0x584d,0xe );
write_i2c(0x584e,0x10);
write_i2c(0x584f,0x10);
write_i2c(0x5850,0x11);
write_i2c(0x5851,0xa );
write_i2c(0x5852,0xf );
write_i2c(0x5853,0xe );
write_i2c(0x5854,0x10);
write_i2c(0x5855,0x10);
write_i2c(0x5856,0x10);
write_i2c(0x5857,0xa );
write_i2c(0x5858,0xe );
write_i2c(0x5859,0xe );
write_i2c(0x585a,0xf );
write_i2c(0x585b,0xf );
write_i2c(0x585c,0xf );
write_i2c(0x585d,0xa );
write_i2c(0x585e,0x9 );
write_i2c(0x585f,0xd );
write_i2c(0x5860,0xc );
write_i2c(0x5861,0xb );
write_i2c(0x5862,0xd );
write_i2c(0x5863,0x7 );
write_i2c(0x5864,0x17);
write_i2c(0x5865,0x14);
write_i2c(0x5866,0x18);
write_i2c(0x5867,0x18);
```

Confidential For MESADA Only

```
write_i2c(0x5868,0x16);
write_i2c(0x5869,0x12);
write_i2c(0x586a,0x1b);
write_i2c(0x586b,0x1a);
write_i2c(0x586c,0x16);
write_i2c(0x586d,0x16);
write_i2c(0x586e,0x18);
write_i2c(0x586f,0x1f);
write_i2c(0x5870,0x1c);
write_i2c(0x5871,0x16);
write_i2c(0x5872,0x10);
write_i2c(0x5873,0xf);
write_i2c(0x5874,0x13);
write_i2c(0x5875,0x1c);
write_i2c(0x5876,0x1e);
write_i2c(0x5877,0x17);
write_i2c(0x5878,0x11);
write_i2c(0x5879,0x11);
write_i2c(0x587a,0x14);
write_i2c(0x587b,0x1e);
write_i2c(0x587c,0x1c);
write_i2c(0x587d,0x1c);
write_i2c(0x587e,0x1a);
write_i2c(0x587f,0x1a);
write_i2c(0x5880,0x1b);
write_i2c(0x5881,0x1f);
write_i2c(0x5882,0x14);
write_i2c(0x5883,0x1a);
write_i2c(0x5884,0x1d);
write_i2c(0x5885,0x1e);
write_i2c(0x5886,0x1a);
write_i2c(0x5887,0x1a);
;AWB
write_i2c(0x5180,0xff);
write_i2c(0x5181,0x55);
write_i2c(0x5182,0x11);
write_i2c(0x5183,0x14);
write_i2c(0x5184,0x25);
write_i2c(0x5185,0x24);
write_i2c(0x5186,0x14);
write_i2c(0x5187,0x14);
write_i2c(0x5188,0x14);
write_i2c(0x5189,0x69);
write_i2c(0x518a,0x60);
write_i2c(0x518b,0xa2);
write_i2c(0x518c,0x9c);
write_i2c(0x518d,0x36);
write_i2c(0x518e,0x34);
```

Confidential For MESADA Only

```
write_i2c(0x518f,0x54);
write_i2c(0x5190,0x4c);
write_i2c(0x5191,0xf8);
write_i2c(0x5192,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x5194,0xf0);
write_i2c(0x5195,0xf0);
write_i2c(0x5196,0x03);
write_i2c(0x5197,0x01);
write_i2c(0x5198,0x05);
write_i2c(0x5199,0x2f);
write_i2c(0x519a,0x04);
write_i2c(0x519b,0x00);
write_i2c(0x519c,0x06);
write_i2c(0x519d,0xa0);
write_i2c(0x519e,0xa0);
;D/S
write_i2c(0x528a,0x00);
write_i2c(0x528b,0x01);
write_i2c(0x528c,0x04);
write_i2c(0x528d,0x08);
write_i2c(0x528e,0x10);
write_i2c(0x528f,0x20);
write_i2c(0x5290,0x30);
write_i2c(0x5292,0x00);
write_i2c(0x5293,0x00);
write_i2c(0x5294,0x00);
write_i2c(0x5295,0x01);
write_i2c(0x5296,0x00);
write_i2c(0x5297,0x04);
write_i2c(0x5298,0x00);
write_i2c(0x5299,0x08);
write_i2c(0x529a,0x00);
write_i2c(0x529b,0x10);
write_i2c(0x529c,0x00);
write_i2c(0x529d,0x20);
write_i2c(0x529e,0x00);
write_i2c(0x529f,0x30);
write_i2c(0x5282,0x00);
write_i2c(0x5300,0x00);
write_i2c(0x5301,0x20);
write_i2c(0x5302,0x00);
write_i2c(0x5303,0x7c);
write_i2c(0x530c,0x00);
write_i2c(0x530d,0x10);
write_i2c(0x530e,0x20);
write_i2c(0x530f,0x80);
write_i2c(0x5310,0x20);
```

Confidential For MESADA Only

```
write_i2c(0x5311,0x80);
write_i2c(0x5308,0x20);
write_i2c(0x5309,0x40);
write_i2c(0x5304,0x00);
write_i2c(0x5305,0x30);
write_i2c(0x5306,0x00);
write_i2c(0x5307,0x80);
write_i2c(0x5314,0x08);
write_i2c(0x5315,0x20);
write_i2c(0x5319,0x30);
write_i2c(0x5316,0x10);
write_i2c(0x5317,0x00);
write_i2c(0x5318,0x02);
;CMX
write_i2c(0x5380,0x01);
write_i2c(0x5381,0x00);
write_i2c(0x5382,0x00);
write_i2c(0x5383,0x1f);
write_i2c(0x5384,0x00);
write_i2c(0x5385,0x06);
write_i2c(0x5386,0x00);
write_i2c(0x5387,0x00);
write_i2c(0x5388,0x00);
write_i2c(0x5389,0xE1);
write_i2c(0x538A,0x00);
write_i2c(0x538B,0x2B);
write_i2c(0x538C,0x00);
write_i2c(0x538D,0x00);
write_i2c(0x538E,0x00);
write_i2c(0x538F,0x10);
write_i2c(0x5390,0x00);
write_i2c(0x5391,0xB3);
write_i2c(0x5392,0x00);
write_i2c(0x5393,0x00);
write_i2c(0x5394,0x00);
;GAMMA
write_i2c(0x5480,0x0c);
write_i2c(0x5481,0x18);
write_i2c(0x5482,0x2f);
write_i2c(0x5483,0x55);
write_i2c(0x5484,0x64);
write_i2c(0x5485,0x71);
write_i2c(0x5486,0x7d);
write_i2c(0x5487,0x87);
write_i2c(0x5488,0x91);
write_i2c(0x5489,0x9a);
write_i2c(0x548A,0xaa);
write_i2c(0x548B,0xb8);
```

Confidential For MESADA Only

```
write_i2c(0x548C,0xcd);
write_i2c(0x548D,0xdd);
write_i2c(0x548E,0xea);
write_i2c(0x548F,0x1d);
write_i2c(0x5490,0x05);
write_i2c(0x5491,0x00);
write_i2c(0x5492,0x04);
write_i2c(0x5493,0x20);
write_i2c(0x5494,0x03);
write_i2c(0x5495,0x60);
write_i2c(0x5496,0x02);
write_i2c(0x5497,0xB8);
write_i2c(0x5498,0x02);
write_i2c(0x5499,0x86);
write_i2c(0x549A,0x02);
write_i2c(0x549B,0x5B);
write_i2c(0x549C,0x02);
write_i2c(0x549D,0x3B);
write_i2c(0x549E,0x02);
write_i2c(0x549F,0x1C);
write_i2c(0x54A0,0x02);
write_i2c(0x54A1,0x04);
write_i2c(0x54A2,0x01);
write_i2c(0x54A3,0xED);
write_i2c(0x54A4,0x01);
write_i2c(0x54A5,0xC5);
write_i2c(0x54A6,0x01);
write_i2c(0x54A7,0xA5);
write_i2c(0x54A8,0x01);
write_i2c(0x54A9,0x6C);
write_i2c(0x54AA,0x01);
write_i2c(0x54AB,0x41);
write_i2c(0x54AC,0x01);
write_i2c(0x54AD,0x20);
write_i2c(0x54AE,0x00);
write_i2c(0x54AF,0x16);
write_i2c(0x54B0,0x01);
write_i2c(0x54B1,0x20);
write_i2c(0x54B2,0x00);
write_i2c(0x54B3,0x10);
write_i2c(0x54B4,0x00);
write_i2c(0x54B5,0xf0);
write_i2c(0x54B6,0x00);
write_i2c(0x54B7,0xDF);
write_i2c(0x5402,0x3f);
write_i2c(0x5403,0x00);
;UV ADJUST
write_i2c(0x5500,0x10);
```

Confidential For MESADA Only

```
write_i2c(0x5502 ,0x00);
write_i2c(0x5503 ,0x06);
write_i2c(0x5504 ,0x00);
write_i2c(0x5505 ,0x7f);
;AE
write_i2c(0x5025 ,0x80);
write_i2c(0x3a0f ,0x30);
write_i2c(0x3a10 ,0x28);
write_i2c(0x3a1b ,0x30);
write_i2c(0x3a1e ,0x28);
write_i2c(0x3a11 ,0x61);
write_i2c(0x3a1f ,0x10);
write_i2c(0x5688 ,0xfd);
write_i2c(0x5689 ,0xdf);
write_i2c(0x568a ,0xfe);
write_i2c(0x568b ,0xef);
write_i2c(0x568c ,0xfe);
write_i2c(0x568d ,0xef);
write_i2c(0x568e ,0xaa);
write_i2c(0x568f ,0xaa);
```

13.1.2 QVGA preview

; for the setting , 24M Mclk input and 24M Pclk output
;15fps YUV mode

```
write_i2c(0x3103 ,0x93);
write_i2c(0x3008 ,0x82);
write_i2c(0x3017 ,0x7f);
write_i2c(0x3018 ,0xfc);
write_i2c(0x3810 ,0xc2);
write_i2c(0x3615 ,0xf0);
write_i2c(0x3000 ,0x00);
write_i2c(0x3001 ,0x00);
write_i2c(0x3002 ,0x5c);
write_i2c(0x3003 ,0x00);
write_i2c(0x3004 ,0xff);
write_i2c(0x3005 ,0xff);
write_i2c(0x3006 ,0x43);
write_i2c(0x3007 ,0x37);
write_i2c(0x3011 ,0x08);
write_i2c(0x3010 ,0x10);
write_i2c(0x460c ,0x22);
write_i2c(0x3815 ,0x04);
write_i2c(0x370c ,0xa0);
write_i2c(0x3602 ,0xfc);
write_i2c(0x3612 ,0xff);
write_i2c(0x3634 ,0xc0);
```

```
write_i2c(0x3613 ,0x00);
write_i2c(0x3605 ,0x7c);
write_i2c(0x3621 ,0x09);
write_i2c(0x3622 ,0x60);
write_i2c(0x3604 ,0x40);
write_i2c(0x3603 ,0xa7);
write_i2c(0x3603 ,0x27);
write_i2c(0x4000 ,0x21);
write_i2c(0x401d ,0x22);
write_i2c(0x3600 ,0x54);
write_i2c(0x3605 ,0x04);
write_i2c(0x3606 ,0x3f);
write_i2c(0x3c01 ,0x80);
write_i2c(0x5000 ,0x4f);
write_i2c(0x5020 ,0x04);
write_i2c(0x5181 ,0x79);
write_i2c(0x5182 ,0x00);
write_i2c(0x5185 ,0x22);
write_i2c(0x5197 ,0x01);
write_i2c(0x5001 ,0xff);
write_i2c(0x5500 ,0x0a);
write_i2c(0x5504 ,0x00);
write_i2c(0x5505 ,0x7f);
write_i2c(0x5080 ,0x08);
write_i2c(0x300e ,0x18);
write_i2c(0x4610 ,0x00);
write_i2c(0x471d ,0x05);
write_i2c(0x4708 ,0x06);
write_i2c(0x3808 ,0x02);
write_i2c(0x3809 ,0x80);
write_i2c(0x380a ,0x01);
write_i2c(0x380b ,0xe0);
write_i2c(0x380e ,0x07);
write_i2c(0x380f ,0x40);
write_i2c(0x501f ,0x00);
write_i2c(0x5000 ,0x4f);
write_i2c(0x4300 ,0x30);
write_i2c(0x3503 ,0x07);
write_i2c(0x3501 ,0x73);
write_i2c(0x3502 ,0x80);
write_i2c(0x350b ,0x00);
write_i2c(0x3503 ,0x07);
write_i2c(0x3824 ,0x11);
write_i2c(0x3501 ,0x1e);
write_i2c(0x3502 ,0x80);
write_i2c(0x350b ,0x7f);
write_i2c(0x380c ,0x0c);
write_i2c(0x380d ,0x80);
```

Confidential For MESADA Only


```
write_i2c(0x380e,0x03);
write_i2c(0x380f,0xe8);
write_i2c(0x3a0d,0x04);
write_i2c(0x3a0e,0x03);
write_i2c(0x3818,0xc1);
write_i2c(0x3705,0xdb);
write_i2c(0x370a,0x81);
write_i2c(0x3801,0x80);
write_i2c(0x3621,0x87);
write_i2c(0x3801,0x50);
write_i2c(0x3803,0x08);
write_i2c(0x3827,0x08);
write_i2c(0x3810,0x40);
write_i2c(0x3804,0x05);
write_i2c(0x3805,0x00);
write_i2c(0x5682,0x05);
write_i2c(0x5683,0x00);
write_i2c(0x3806,0x03);
write_i2c(0x3807,0xc0);
write_i2c(0x5686,0x03);
write_i2c(0x5687,0xbc);
write_i2c(0x3a00,0x78);
write_i2c(0x3a1a,0x05);
write_i2c(0x3a13,0x30);
write_i2c(0x3a18,0x00);
write_i2c(0x3a19,0x7c);
write_i2c(0x3a08,0x12);
write_i2c(0x3a09,0xc0);
write_i2c(0x3a0a,0x0f);
write_i2c(0x3a0b,0xa0);
write_i2c(0x350c,0x07);
write_i2c(0x350d,0xd0);
write_i2c(0x3500,0x00);
write_i2c(0x3501,0x00);
write_i2c(0x3502,0x00);
write_i2c(0x350a,0x00);
write_i2c(0x350b,0x00);
write_i2c(0x3503,0x00);
write_i2c(0x528a,0x02);
write_i2c(0x528b,0x04);
write_i2c(0x528c,0x08);
write_i2c(0x528d,0x08);
write_i2c(0x528e,0x08);
write_i2c(0x528f,0x10);
write_i2c(0x5290,0x10);
write_i2c(0x5292,0x00);
write_i2c(0x5293,0x02);
write_i2c(0x5294,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x5295,0x02);
write_i2c(0x5296,0x00);
write_i2c(0x5297,0x02);
write_i2c(0x5298,0x00);
write_i2c(0x5299,0x02);
write_i2c(0x529a,0x00);
write_i2c(0x529b,0x02);
write_i2c(0x529c,0x00);
write_i2c(0x529d,0x02);
write_i2c(0x529e,0x00);
write_i2c(0x529f,0x02);
write_i2c(0x3030,0x2b);
write_i2c(0x3a02,0x00);
write_i2c(0x3a03,0x7d);
write_i2c(0x3a04,0x00);
write_i2c(0x3a14,0x00);
write_i2c(0x3a15,0x7d);
write_i2c(0x3a16,0x00);
write_i2c(0x3a00,0x78);
write_i2c(0x3a08,0x09);
write_i2c(0x3a09,0x60);
write_i2c(0x3a0a,0x07);
write_i2c(0x3a0b,0xd0);
write_i2c(0x3a0d,0x08);
write_i2c(0x3a0e,0x06);
write_i2c(0x5193,0x70);
write_i2c(0x589b,0x04);
write_i2c(0x589a,0xc5);
write_i2c(0x401e,0x20);
write_i2c(0x4001,0x42);
write_i2c(0x401c,0x04);
write_i2c(0x528a,0x01);
write_i2c(0x528b,0x04);
write_i2c(0x528c,0x08);
write_i2c(0x528d,0x10);
write_i2c(0x528e,0x20);
write_i2c(0x528f,0x28);
write_i2c(0x5290,0x30);
write_i2c(0x5292,0x00);
write_i2c(0x5293,0x01);
write_i2c(0x5294,0x00);
write_i2c(0x5295,0x04);
write_i2c(0x5296,0x00);
write_i2c(0x5297,0x08);
write_i2c(0x5298,0x00);
write_i2c(0x5299,0x10);
write_i2c(0x529a,0x00);
write_i2c(0x529b,0x20);
```

Confidential For MESADA Only

```
write_i2c(0x529c,0x00);
write_i2c(0x529d,0x28);
write_i2c(0x529e,0x00);
write_i2c(0x529f,0x30);
write_i2c(0x5282,0x00);
write_i2c(0x5300,0x00);
write_i2c(0x5301,0x20);
write_i2c(0x5302,0x00);
write_i2c(0x5303,0x7c);
write_i2c(0x530c,0x00);
write_i2c(0x530d,0x0c);
write_i2c(0x530e,0x20);
write_i2c(0x530f,0x80);
write_i2c(0x5310,0x20);
write_i2c(0x5311,0x80);
write_i2c(0x5308,0x20);
write_i2c(0x5309,0x40);
write_i2c(0x5304,0x00);
write_i2c(0x5305,0x30);
write_i2c(0x5306,0x00);
write_i2c(0x5307,0x80);
write_i2c(0x5314,0x08);
write_i2c(0x5315,0x20);
write_i2c(0x5319,0x30);
write_i2c(0x5316,0x10);
write_i2c(0x5317,0x00);
write_i2c(0x5318,0x02);
write_i2c(0x5402,0x3f);
write_i2c(0x5403,0x00);
write_i2c(0x3406,0x00);
write_i2c(0x5180,0xff);
write_i2c(0x5181,0x52);
write_i2c(0x5182,0x11);
write_i2c(0x5183,0x14);
write_i2c(0x5184,0x25);
write_i2c(0x5185,0x24);
write_i2c(0x5186,0x06);
write_i2c(0x5187,0x08);
write_i2c(0x5188,0x08);
write_i2c(0x5189,0x7c);
write_i2c(0x518a,0x60);
write_i2c(0x518b,0xb2);
write_i2c(0x518c,0xb2);
write_i2c(0x518d,0x44);
write_i2c(0x518e,0x3d);
write_i2c(0x518f,0x58);
write_i2c(0x5190,0x46);
write_i2c(0x5191,0xf8);
```

Confidential For MESADA Only

```
write_i2c(0x5192,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x5194,0xf0);
write_i2c(0x5195,0xf0);
write_i2c(0x5196,0x03);
write_i2c(0x5197,0x01);
write_i2c(0x5198,0x04);
write_i2c(0x5199,0x12);
write_i2c(0x519a,0x04);
write_i2c(0x519b,0x00);
write_i2c(0x519c,0x06);
write_i2c(0x519d,0x82);
write_i2c(0x519e,0x00);
write_i2c(0x5025,0x80);
write_i2c(0x5583,0x40);
write_i2c(0x5584,0x40);
write_i2c(0x5580,0x02);
write_i2c(0x5000,0xcf);
write_i2c(0x3710,0x10);
write_i2c(0x3632,0x51);
write_i2c(0x3702,0x10);
write_i2c(0x3703,0xb2);
write_i2c(0x3704,0x18);
write_i2c(0x370b,0x40);
write_i2c(0x370d,0x03);
write_i2c(0x3631,0x01);
write_i2c(0x3632,0x52);
write_i2c(0x3606,0x24);
write_i2c(0x3620,0x96);
write_i2c(0x5785,0x07);
write_i2c(0x3a13,0x30);
write_i2c(0x3600,0x52);
write_i2c(0x3604,0x48);
write_i2c(0x3606,0x10);
write_i2c(0x370d,0x00);
write_i2c(0x370f,0xc0);
write_i2c(0x3709,0x01);
write_i2c(0x3823,0x00);
write_i2c(0x5007,0x00);
write_i2c(0x5009,0x00);
write_i2c(0x5011,0x00);
write_i2c(0x5013,0x00);
write_i2c(0x519e,0x00);
write_i2c(0x5086,0x00);
write_i2c(0x5087,0x00);
write_i2c(0x5088,0x00);
write_i2c(0x5089,0x00);
write_i2c(0x302b,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x3808 ,0x01);
write_i2c(0x3809 ,0x40);
write_i2c(0x380a ,0x00);
write_i2c(0x380b ,0xf0);
write_i2c(0x3a00 ,0x78);
write_i2c(0x5001 ,0xFF);
write_i2c(0x5583 ,0x50);
write_i2c(0x5584 ,0x50);
write_i2c(0x5580 ,0x02);
write_i2c(0x3c01 ,0x80);
write_i2c(0x3c00 ,0x04);
;LENS
write_i2c(0x5800 ,0x48);
write_i2c(0x5801 ,0x31);
write_i2c(0x5802 ,0x21);
write_i2c(0x5803 ,0x1b);
write_i2c(0x5804 ,0x1a);
write_i2c(0x5805 ,0x1e);
write_i2c(0x5806 ,0x29);
write_i2c(0x5807 ,0x38);
write_i2c(0x5808 ,0x26);
write_i2c(0x5809 ,0x17);
write_i2c(0x580a ,0x11);
write_i2c(0x580b ,0xe );
write_i2c(0x580c ,0xd );
write_i2c(0x580d ,0xe );
write_i2c(0x580e ,0x13);
write_i2c(0x580f ,0x1a);
write_i2c(0x5810 ,0x15);
write_i2c(0x5811 ,0xd );
write_i2c(0x5812 ,0x8 );
write_i2c(0x5813 ,0x5 );
write_i2c(0x5814 ,0x4 );
write_i2c(0x5815 ,0x5 );
write_i2c(0x5816 ,0x9 );
write_i2c(0x5817 ,0xd );
write_i2c(0x5818 ,0x11);
write_i2c(0x5819 ,0xa );
write_i2c(0x581a ,0x4 );
write_i2c(0x581b ,0x0 );
write_i2c(0x581c ,0x0 );
write_i2c(0x581d ,0x1 );
write_i2c(0x581e ,0x6 );
write_i2c(0x581f ,0x9 );
write_i2c(0x5820 ,0x12);
write_i2c(0x5821 ,0xb );
write_i2c(0x5822 ,0x4 );
write_i2c(0x5823 ,0x0 );
```

Confidential For MESADA Only

```
write_i2c(0x5824 ,0x0 );
write_i2c(0x5825 ,0x1 );
write_i2c(0x5826 ,0x6 );
write_i2c(0x5827 ,0xa );
write_i2c(0x5828 ,0x17);
write_i2c(0x5829 ,0xf );
write_i2c(0x582a ,0x9 );
write_i2c(0x582b ,0x6 );
write_i2c(0x582c ,0x5 );
write_i2c(0x582d ,0x6 );
write_i2c(0x582e ,0xa );
write_i2c(0x582f ,0xe );
write_i2c(0x5830 ,0x28);
write_i2c(0x5831 ,0x1a);
write_i2c(0x5832 ,0x11);
write_i2c(0x5833 ,0xe );
write_i2c(0x5834 ,0xe );
write_i2c(0x5835 ,0xf );
write_i2c(0x5836 ,0x15);
write_i2c(0x5837 ,0x1d);
write_i2c(0x5838 ,0x6e);
write_i2c(0x5839 ,0x39);
write_i2c(0x583a ,0x27);
write_i2c(0x583b ,0x1f);
write_i2c(0x583c ,0x1e);
write_i2c(0x583d ,0x23);
write_i2c(0x583e ,0x2f);
write_i2c(0x583f ,0x41);
write_i2c(0x5840 ,0xe );
write_i2c(0x5841 ,0xc );
write_i2c(0x5842 ,0xd );
write_i2c(0x5843 ,0xc );
write_i2c(0x5844 ,0xc );
write_i2c(0x5845 ,0xe );
write_i2c(0x5846 ,0xc );
write_i2c(0x5847 ,0xc );
write_i2c(0x5848 ,0xd );
write_i2c(0x5849 ,0xe );
write_i2c(0x584a ,0xe );
write_i2c(0x584b ,0xa );
write_i2c(0x584c ,0xe );
write_i2c(0x584d ,0xe );
write_i2c(0x584e ,0x10);
write_i2c(0x584f ,0x10);
write_i2c(0x5850 ,0x11);
write_i2c(0x5851 ,0xa );
write_i2c(0x5852 ,0xf );
write_i2c(0x5853 ,0xe );
```

Confidential For MESADA Only

```
write_i2c(0x5854,0x10);
write_i2c(0x5855,0x10);
write_i2c(0x5856,0x10);
write_i2c(0x5857,0xa);
write_i2c(0x5858,0xe);
write_i2c(0x5859,0xe);
write_i2c(0x585a,0xf);
write_i2c(0x585b,0xf);
write_i2c(0x585c,0xf);
write_i2c(0x585d,0xa);
write_i2c(0x585e,0x9);
write_i2c(0x585f,0xd);
write_i2c(0x5860,0xc);
write_i2c(0x5861,0xb);
write_i2c(0x5862,0xd);
write_i2c(0x5863,0x7);
write_i2c(0x5864,0x17);
write_i2c(0x5865,0x14);
write_i2c(0x5866,0x18);
write_i2c(0x5867,0x18);
write_i2c(0x5868,0x16);
write_i2c(0x5869,0x12);
write_i2c(0x586a,0x1b);
write_i2c(0x586b,0x1a);
write_i2c(0x586c,0x16);
write_i2c(0x586d,0x16);
write_i2c(0x586e,0x18);
write_i2c(0x586f,0x1f);
write_i2c(0x5870,0x1c);
write_i2c(0x5871,0x16);
write_i2c(0x5872,0x10);
write_i2c(0x5873,0xf);
write_i2c(0x5874,0x13);
write_i2c(0x5875,0x1c);
write_i2c(0x5876,0x1e);
write_i2c(0x5877,0x17);
write_i2c(0x5878,0x11);
write_i2c(0x5879,0x11);
write_i2c(0x587a,0x14);
write_i2c(0x587b,0x1e);
write_i2c(0x587c,0x1c);
write_i2c(0x587d,0x1c);
write_i2c(0x587e,0x1a);
write_i2c(0x587f,0x1a);
write_i2c(0x5880,0x1b);
write_i2c(0x5881,0x1f);
write_i2c(0x5882,0x14);
write_i2c(0x5883,0x1a);
```

Confidential For MESADA Only

```
write_i2c(0x5884,0x1d);
write_i2c(0x5885,0x1e);
write_i2c(0x5886,0x1a);
write_i2c(0x5887,0x1a);
;AWB
write_i2c(0x5180,0xff);
write_i2c(0x5181,0x52);
write_i2c(0x5182,0x11);
write_i2c(0x5183,0x14);
write_i2c(0x5184,0x25);
write_i2c(0x5185,0x24);
write_i2c(0x5186,0x14);
write_i2c(0x5187,0x14);
write_i2c(0x5188,0x14);
write_i2c(0x5189,0x69);
write_i2c(0x518a,0x60);
write_i2c(0x518b,0xa2);
write_i2c(0x518c,0x9c);
write_i2c(0x518d,0x36);
write_i2c(0x518e,0x34);
write_i2c(0x518f,0x54);
write_i2c(0x5190,0x4c);
write_i2c(0x5191,0xf8);
write_i2c(0x5192,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x5194,0xf0);
write_i2c(0x5195,0xf0);
write_i2c(0x5196,0x03);
write_i2c(0x5197,0x01);
write_i2c(0x5198,0x05);
write_i2c(0x5199,0x2f);
write_i2c(0x519a,0x04);
write_i2c(0x519b,0x00);
write_i2c(0x519c,0x00);
write_i2c(0x519d,0xa0);
write_i2c(0x519e,0xa0);
;D/S
write_i2c(0x528a,0x00);
write_i2c(0x528b,0x01);
write_i2c(0x528c,0x04);
write_i2c(0x528d,0x08);
write_i2c(0x528e,0x10);
write_i2c(0x528f,0x20);
write_i2c(0x5290,0x30);
write_i2c(0x5292,0x00);
write_i2c(0x5293,0x00);
write_i2c(0x5294,0x00);
write_i2c(0x5295,0x01);
```

Confidential For MESADA Only


```
write_i2c(0x5296,0x00);
write_i2c(0x5297,0x04);
write_i2c(0x5298,0x00);
write_i2c(0x5299,0x08);
write_i2c(0x529a,0x00);
write_i2c(0x529b,0x10);
write_i2c(0x529c,0x00);
write_i2c(0x529d,0x20);
write_i2c(0x529e,0x00);
write_i2c(0x529f,0x30);
write_i2c(0x5282,0x00);
write_i2c(0x5300,0x00);
write_i2c(0x5301,0x20);
write_i2c(0x5302,0x00);
write_i2c(0x5303,0x7c);
write_i2c(0x530c,0x00);
write_i2c(0x530d,0x10);
write_i2c(0x530e,0x20);
write_i2c(0x530f,0x80);
write_i2c(0x5310,0x20);
write_i2c(0x5311,0x80);
write_i2c(0x5308,0x20);
write_i2c(0x5309,0x40);
write_i2c(0x5304,0x00);
write_i2c(0x5305,0x30);
write_i2c(0x5306,0x00);
write_i2c(0x5307,0x80);
write_i2c(0x5314,0x08);
write_i2c(0x5315,0x20);
write_i2c(0x5319,0x30);
write_i2c(0x5316,0x10);
write_i2c(0x5317,0x00);
write_i2c(0x5318,0x02);
;CMX
write_i2c(0x5380,0x01);
write_i2c(0x5381,0x00);
write_i2c(0x5382,0x00);
write_i2c(0x5383,0x1f);
write_i2c(0x5384,0x00);
write_i2c(0x5385,0x06);
write_i2c(0x5386,0x00);
write_i2c(0x5387,0x00);
write_i2c(0x5388,0x00);
write_i2c(0x5389,0xE1);
write_i2c(0x538A,0x00);
write_i2c(0x538B,0x2B);
write_i2c(0x538C,0x00);
write_i2c(0x538D,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x538E,0x00);
write_i2c(0x538F,0x10);
write_i2c(0x5390,0x00);
write_i2c(0x5391,0xB3);
write_i2c(0x5392,0x00);
write_i2c(0x5393,0xA6);
write_i2c(0x5394,0x08);
;GAMMA
write_i2c(0x5480,0x0c);
write_i2c(0x5481,0x18);
write_i2c(0x5482,0x2f);
write_i2c(0x5483,0x55);
write_i2c(0x5484,0x64);
write_i2c(0x5485,0x71);
write_i2c(0x5486,0x7d);
write_i2c(0x5487,0x87);
write_i2c(0x5488,0x91);
write_i2c(0x5489,0x9a);
write_i2c(0x548A,0xaa);
write_i2c(0x548B,0xb8);
write_i2c(0x548C,0xcd);
write_i2c(0x548D,0xdd);
write_i2c(0x548E,0xea);
write_i2c(0x548F,0x1d);
write_i2c(0x5490,0x05);
write_i2c(0x5491,0x00);
write_i2c(0x5492,0x04);
write_i2c(0x5493,0x20);
write_i2c(0x5494,0x03);
write_i2c(0x5495,0x60);
write_i2c(0x5496,0x02);
write_i2c(0x5497,0xB8);
write_i2c(0x5498,0x02);
write_i2c(0x5499,0x80);
write_i2c(0x549A,0x02);
write_i2c(0x549B,0x5B);
write_i2c(0x549C,0x02);
write_i2c(0x549D,0x3B);
write_i2c(0x549E,0x02);
write_i2c(0x549F,0x1C);
write_i2c(0x54A0,0x02);
write_i2c(0x54A1,0x04);
write_i2c(0x54A2,0x01);
write_i2c(0x54A3,0xED);
write_i2c(0x54A4,0x01);
write_i2c(0x54A5,0xC5);
write_i2c(0x54A6,0x01);
write_i2c(0x54A7,0xA5);
```

Confidential For MESADA Only

```
write_i2c(0x54A8,0x01);
write_i2c(0x54A9,0x6C);
write_i2c(0x54AA,0x01);
write_i2c(0x54AB,0x41);
write_i2c(0x54AC,0x01);
write_i2c(0x54AD,0x20);
write_i2c(0x54AE,0x00);
write_i2c(0x54AF,0x16);
write_i2c(0x54B0,0x01);
write_i2c(0x54B1,0x20);
write_i2c(0x54B2,0x00);
write_i2c(0x54B3,0x10);
write_i2c(0x54B4,0x00);
write_i2c(0x54B5,0xf0);
write_i2c(0x54B6,0x00);
write_i2c(0x54B7,0xDF);
write_i2c(0x5402,0x3f);
write_i2c(0x5403,0x00);
;UV ADJUST
write_i2c(0x5500,0x10);
write_i2c(0x5502,0x00);
write_i2c(0x5503,0x06);
write_i2c(0x5504,0x00);
write_i2c(0x5505,0x7f);
;AE
write_i2c(0x5025,0x80);
write_i2c(0x3a0f,0x30);
write_i2c(0x3a10,0x28);
write_i2c(0x3a1b,0x30);
write_i2c(0x3a1e,0x28);
write_i2c(0x3a11,0x61);
write_i2c(0x3a1f,0x10);
write_i2c(0x5688,0xfd);
write_i2c(0x5689,0xd0);
write_i2c(0x568a,0xfe);
write_i2c(0x568b,0xef);
write_i2c(0x568c,0xfe);
write_i2c(0x568d,0xef);
write_i2c(0x568e,0xaa);
write_i2c(0x568f,0xaa);
```

Confidential For MESADA Only

13.1.3 Other size preview

For using these size, just need add the setting below VGA or QVGA initial setting.

1. CIF preview

```
write_i2c(0x3800,0x1 ),
```

```
write_i2c(0x3801,0x50),
write_i2c(0x3802,0x0 ),
write_i2c(0x3803,0x8 ),
write_i2c(0x3804,0x4 ),
write_i2c(0x3805,0x96),
write_i2c(0x3806,0x3 ),
write_i2c(0x3807,0xc0),
write_i2c(0x3808,0x1 ),
write_i2c(0x3809,0x60),
write_i2c(0x380a,0x1 ),
write_i2c(0x380b,0x20),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x3 ),
write_i2c(0x380f,0xe8),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0 ),
write_i2c(0x5681,0x0 ),
write_i2c(0x5682,0x4 ),
write_i2c(0x5683,0x96),
write_i2c(0x5684,0x0 ),
write_i2c(0x5685,0x0 ),
write_i2c(0x5686,0x3 ),
write_i2c(0x5687,0xc0),
```

2. QCIF preview

```
write_i2c(0x3800,0x1 ),
write_i2c(0x3801,0x50),
write_i2c(0x3802,0x0 ),
write_i2c(0x3803,0x8 ),
write_i2c(0x3804,0x4 ),
write_i2c(0x3805,0x96),
write_i2c(0x3806,0x3 ),
write_i2c(0x3807,0xc0),
write_i2c(0x3808,0x0 ),
write_i2c(0x3809,0xb0),
write_i2c(0x380a,0x0 ),
write_i2c(0x380b,0x90),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x3 ),
write_i2c(0x380f,0xe8),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0 ),
write_i2c(0x5681,0x0 ),
write_i2c(0x5682,0x4 ),
write_i2c(0x5683,0x96),
write_i2c(0x5684,0x0 ),
write_i2c(0x5685,0x0 ),
```

```
write_i2c(0x5686,0x3 ),
write_i2c(0x5687,0xc0),
```

3. *SVGA preview*

```
write_i2c(0x3800,0x1 ),
write_i2c(0x3801,0x50),
write_i2c(0x3802,0x0 ),
write_i2c(0x3803,0x8 ),
write_i2c(0x3804,0x5 ),
write_i2c(0x3805,0x0 ),
write_i2c(0x3806,0x3 ),
write_i2c(0x3807,0xc0),
write_i2c(0x3808,0x3 ),
write_i2c(0x3809,0x20),
write_i2c(0x380a,0x2 ),
write_i2c(0x380b,0x58),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x3 ),
write_i2c(0x380f,0xe8),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0 ),
write_i2c(0x5681,0x0 ),
write_i2c(0x5682,0x5 ),
write_i2c(0x5683,0x0 ),
write_i2c(0x5684,0x0 ),
write_i2c(0x5685,0x0 ),
write_i2c(0x5686,0x3 ),
write_i2c(0x5687,0xc0),
write_i2c(0x5687,0xc0),
write_i2c(0x3815,0x02),
```

13.1.4 QSXGA Capture

13.1.4.1 YUV mode

```
; 24 MHz input clock, 96Mhz pclk
; yuv mode 7.5fps
write_i2c(0x3503,0x7 );
write_i2c(0x3000,0x0 );
write_i2c(0x3001,0x0 );
write_i2c(0x3002,0x0 );
write_i2c(0x3003,0x0 );
write_i2c(0x3005,0xff);
write_i2c(0x3006,0xff);
write_i2c(0x3007,0x3f);
write_i2c(0x350c,0x7 );
write_i2c(0x350d,0xd0);
write_i2c(0x3602,0xe4);
```

```
write_i2c(0x3612, 0xac);
write_i2c(0x3613, 0x44);
write_i2c(0x3621, 0x27);
write_i2c(0x3622, 0x8 );
write_i2c(0x3623, 0x22);
write_i2c(0x3604, 0x60);
write_i2c(0x3705, 0xda);
write_i2c(0x370a, 0x80);
write_i2c(0x3801, 0x8a);
write_i2c(0x3803, 0xa );
write_i2c(0x3804, 0xa );
write_i2c(0x3805, 0x20);
write_i2c(0x3806, 0x7 );
write_i2c(0x3807, 0x98);
write_i2c(0x3808, 0xa );
write_i2c(0x3809, 0x20);
write_i2c(0x380a, 0x7 );
write_i2c(0x380b, 0x98);
write_i2c(0x380c, 0xc );
write_i2c(0x380d, 0x80);
write_i2c(0x380e, 0x7 );
write_i2c(0x380f, 0xd0);
write_i2c(0x3810, 0xc2);
write_i2c(0x3815, 0x1 );
write_i2c(0x3818, 0xc0);
write_i2c(0x3824, 0x1 );
write_i2c(0x3827, 0xa );
write_i2c(0x3a00, 0x78);
write_i2c(0x3a0d, 0x10);
write_i2c(0x3a0e, 0xd );
write_i2c(0x3a10, 0x32);
write_i2c(0x3a1b, 0x40);
write_i2c(0x3a1e, 0x2e);
write_i2c(0x3a1f, 0xd0);
write_i2c(0x3a1f, 0x40);
write_i2c(0x3a00, 0x78);
write_i2c(0x460b, 0x37);
write_i2c(0x471d, 0x5 );
write_i2c(0x4713, 0x2 );
write_i2c(0x471c, 0xd0);
write_i2c(0x5682, 0xa );
write_i2c(0x5683, 0x20);
write_i2c(0x5686, 0x7 );
write_i2c(0x5687, 0x98);
write_i2c(0x5001, 0x1 );
write_i2c(0x589b, 0x0 );
write_i2c(0x589a, 0xc0);
write_i2c(0x4407, 0xc );
```

Confidential For MESADA Only

```
write_i2c(0x589b , 0x0 );  
write_i2c(0x589a , 0xc0);  
write_i2c(0x3002 , 0x0 );  
write_i2c(0x3002 , 0x0 );  
write_i2c(0x3503 , 0x0 );  
write_i2c(0x3010 , 0x10);  
write_i2c(0x3009 , 0x1 );  
write_i2c(0x300a , 0x56);
```

13.1.4.2 jpg mode

; 24 MHz input clock, 24Mhz pclk

; jpeg mode 7.5fps

```
write_i2c(0x3503 ,0x07),  
write_i2c(0x3000 ,0x00),  
write_i2c(0x3001 ,0x00),  
write_i2c(0x3002 ,0x00),  
write_i2c(0x3003 ,0x00),  
write_i2c(0x3005 ,0xff),  
write_i2c(0x3006 ,0xff),  
write_i2c(0x3007 ,0x3f),  
write_i2c(0x350c ,0x07),  
write_i2c(0x350d ,0xd0),  
write_i2c(0x3602 ,0xe4),  
write_i2c(0x3612 ,0xac),  
write_i2c(0x3613 ,0x44),  
write_i2c(0x3621 ,0x27),  
write_i2c(0x3622 ,0x08),  
write_i2c(0x3623 ,0x22),  
write_i2c(0x3604 ,0x60),  
write_i2c(0x3705 ,0xda),  
write_i2c(0x370a ,0x80),  
write_i2c(0x3801 ,0x8a),  
write_i2c(0x3803 ,0x0a),  
write_i2c(0x3804 ,0x0a),  
write_i2c(0x3805 ,0x20),  
write_i2c(0x3806 ,0x07),  
write_i2c(0x3807 ,0x98),  
write_i2c(0x3808 ,0x0a),  
write_i2c(0x3809 ,0x20),  
write_i2c(0x380a ,0x07),  
write_i2c(0x380b ,0x98),  
write_i2c(0x380c ,0x0c),  
write_i2c(0x380d ,0x80),  
write_i2c(0x380e ,0x07),  
write_i2c(0x380f ,0xd0),  
write_i2c(0x3810 ,0xc2),  
write_i2c(0x3815 ,0x44),
```

Confidential For MESADA Only

```
write_i2c(0x3818 ,0xc8),
write_i2c(0x3824 ,0x01),
write_i2c(0x3827 ,0x0a),
write_i2c(0x3a00 ,0x78),
write_i2c(0x3a0d ,0x10),
write_i2c(0x3a0e ,0x0d),
write_i2c(0x3a10 ,0x32),
write_i2c(0x3a1b ,0x3c),
write_i2c(0x3a1e ,0x32),
write_i2c(0x3a11 ,0x80),
write_i2c(0x3a1f ,0x20),
write_i2c(0x3a00 ,0x78),
write_i2c(0x460b ,0x35),
write_i2c(0x471d ,0x00),
write_i2c(0x4713 ,0x03),
write_i2c(0x471c ,0x50),
write_i2c(0x5682 ,0x0a),
write_i2c(0x5683 ,0x20),
write_i2c(0x5686 ,0x07),
write_i2c(0x5687 ,0x98),
write_i2c(0x5001 ,0x4f),
write_i2c(0x589b ,0x00),
write_i2c(0x589a ,0xc0),
write_i2c(0x4407 ,0x04),
write_i2c(0x589b ,0x00),
write_i2c(0x589a ,0xc0),
write_i2c(0x3002 ,0x0c),
write_i2c(0x3002 ,0x00),
write_i2c(0x3503 ,0x00),
```

13.1.5 Other Capture size DCW from QSXGA

QSXGA to vga(640*480)

```
write_i2c(0x3800 ,0x1 ),
write_i2c(0x3801 ,0x8A),
write_i2c(0x3802 ,0x0 ),
write_i2c(0x3803 ,0xA ),
write_i2c(0x3804 ,0xA ),
write_i2c(0x3805 ,0x20),
write_i2c(0x3806 ,0x7 ),
write_i2c(0x3807 ,0x98),
write_i2c(0x3808 ,0x2 ),
write_i2c(0x3809 ,0x80),
```



```
write_i2c(0x380a,0x1 ),
write_i2c(0x380b,0xe0),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7 ),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0 ),
write_i2c(0x5681,0x0 ),
write_i2c(0x5682,0xA ),
write_i2c(0x5683,0x20),
write_i2c(0x5684,0x0 ),
write_i2c(0x5685,0x0 ),
write_i2c(0x5686,0x7 ),
write_i2c(0x5687,0x98),
```

Q SXGA to sxga(1280*960)

```
write_i2c(0x3800,0x1 ),
write_i2c(0x3801,0x8A),
write_i2c(0x3802,0x0 ),
write_i2c(0x3803,0xA ),
write_i2c(0x3804,0xA ),
write_i2c(0x3805,0x20),
write_i2c(0x3806,0x7 ),
write_i2c(0x3807,0x98),
write_i2c(0x3808,0x5 ),
write_i2c(0x3809,0x0 ),
write_i2c(0x380a,0x3 ),
write_i2c(0x380b,0xc0),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7 ),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0 ),
write_i2c(0x5681,0x0 ),
write_i2c(0x5682,0xA ),
write_i2c(0x5683,0x20),
write_i2c(0x5684,0x0 ),
write_i2c(0x5685,0x0 ),
write_i2c(0x5686,0x7 ),
write_i2c(0x5687,0x98),
```

Q SXGA to QVGA(320*240)

```
write_i2c(0x3800,0x1 ),
```

```
write_i2c(0x3801,0x8A),
write_i2c(0x3802,0x0),
write_i2c(0x3803,0xA),
write_i2c(0x3804,0xA),
write_i2c(0x3805,0x20),
write_i2c(0x3806,0x7),
write_i2c(0x3807,0x98),
write_i2c(0x3808,0x1),
write_i2c(0x3809,0x40),
write_i2c(0x380a,0x0),
write_i2c(0x380b,0xf0),
write_i2c(0x380c,0xc),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0),
write_i2c(0x5681,0x0),
write_i2c(0x5682,0xA),
write_i2c(0x5683,0x20),
write_i2c(0x5684,0x0),
write_i2c(0x5685,0x0),
write_i2c(0x5686,0x7),
write_i2c(0x5687,0x98),
```

QXSGA to qxga(2048*1536)

```
write_i2c(0x3800,0x1),
write_i2c(0x3801,0x8A),
write_i2c(0x3802,0x0),
write_i2c(0x3803,0xA),
write_i2c(0x3804,0xA),
write_i2c(0x3805,0x20),
write_i2c(0x3806,0x7),
write_i2c(0x3807,0x98),
write_i2c(0x3808,0x8),
write_i2c(0x3809,0x0),
write_i2c(0x380a,0x6),
write_i2c(0x380b,0x0),
write_i2c(0x380c,0xc),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0),
write_i2c(0x5681,0x0),
```

```
write_i2c(0x5682 ,0xA ),  
write_i2c(0x5683 ,0x20),  
write_i2c(0x5684 ,0x0 ),  
write_i2c(0x5685 ,0x0 ),  
write_i2c(0x5686 ,0x7 ),  
write_i2c(0x5687 ,0x98),
```

QXSGA to uxga(1600*1200)

```
write_i2c(0x3800 ,0x1 ),  
write_i2c(0x3801 ,0x8A),  
write_i2c(0x3802 ,0x0 ),  
write_i2c(0x3803 ,0xA ),  
write_i2c(0x3804 ,0xA ),  
write_i2c(0x3805 ,0x20),  
write_i2c(0x3806 ,0x7 ),  
write_i2c(0x3807 ,0x98),  
write_i2c(0x3808 ,0x6 ),  
write_i2c(0x3809 ,0x40),  
write_i2c(0x380a ,0x4 ),  
write_i2c(0x380b ,0xb0),  
write_i2c(0x380c ,0xc ),  
write_i2c(0x380d ,0x80),  
write_i2c(0x380e ,0x7 ),  
write_i2c(0x380f ,0xd0),  
write_i2c(0x5001 ,0x7f),  
write_i2c(0x5680 ,0x0 ),  
write_i2c(0x5681 ,0x0 ),  
write_i2c(0x5682 ,0xA ),  
write_i2c(0x5683 ,0x20),  
write_i2c(0x5684 ,0x0 ),  
write_i2c(0x5685 ,0x0 ),  
write_i2c(0x5686 ,0x7 ),  
write_i2c(0x5687 ,0x98),
```

QXSGA to xga(1024*768)

```
write_i2c(0x3800 ,0x1 ),  
write_i2c(0x3801 ,0x8A),  
write_i2c(0x3802 ,0x0 ),  
write_i2c(0x3803 ,0xA ),  
write_i2c(0x3804 ,0xA ),  
write_i2c(0x3805 ,0x20),  
write_i2c(0x3806 ,0x7 ),  
write_i2c(0x3807 ,0x98),  
write_i2c(0x3808 ,0x4 ),
```

```
write_i2c(0x3809,0x0 ),  
write_i2c(0x380a,0x3 ),  
write_i2c(0x380b,0x0 ),  
write_i2c(0x380c,0xc ),  
write_i2c(0x380d,0x80),  
write_i2c(0x380e,0x7 ),  
write_i2c(0x380f,0xd0),  
write_i2c(0x5001,0x7f),  
write_i2c(0x5680,0x0 ),  
write_i2c(0x5681,0x0 ),  
write_i2c(0x5682,0xA ),  
write_i2c(0x5683,0x20),  
write_i2c(0x5684,0x0 ),  
write_i2c(0x5685,0x0 ),  
write_i2c(0x5686,0x7 ),  
write_i2c(0x5687,0x98),
```

Confidential For MESADA Only

13.1.6 Zoom Settings


13.1.6 .1 preview mode

For preview mode, if the ISP can do scaling function, sensor just need to output a fixed resolution , if ISP can not do scaling, sensor output size is decided by the size of LCD.

QVGA (320*240)



QVGA zoom 1



QVGA zoom 3



QVGA zoom 4



QVGA zoom 5



QVGA zoom 6



QVGA zoom 7



QVGA zoom 8

qvgaz1

```
write_i2c(0x3503,0x0),
write_i2c(0x3000,0xf8),
write_i2c(0x3001,0x48),
write_i2c(0x3002,0x5c),
write_i2c(0x3003,0x2),
write_i2c(0x3005,0xb7),
write_i2c(0x3006,0x43),
write_i2c(0x3007,0x37),
write_i2c(0x350c,0x3),
write_i2c(0x350d,0xe8),
write_i2c(0x3602,0xfc),
write_i2c(0x3612,0xff),
write_i2c(0x3613,0x0),
```

```
write_i2c(0x3621,0xc7),
write_i2c(0x3622,0x0 ),
write_i2c(0x3623,0x1 ),
write_i2c(0x3604,0x40),
write_i2c(0x3705,0xdb),
write_i2c(0x370a,0x81),
write_i2c(0x3801,0x50),
write_i2c(0x3803,0x8 ),
write_i2c(0x3804,0x5 ),
write_i2c(0x3805,0x0 ),
write_i2c(0x3806,0x3 ),
write_i2c(0x3807,0xc0),
write_i2c(0x3808,0x1 ),
write_i2c(0x3809,0x40),
write_i2c(0x380a,0x0 ),
write_i2c(0x380b,0xf0),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x3 ),
write_i2c(0x380f,0xe8),
write_i2c(0x3810,0xc0),
write_i2c(0x3815,0x4 ),
write_i2c(0x3818,0xc1),
write_i2c(0x3824,0x11),
write_i2c(0x3827,0x8 ),
write_i2c(0x3a00,0x7c),
write_i2c(0x3a0d,0x8 ),
write_i2c(0x3a0e,0x6 ),
write_i2c(0x3a10,0x30),
write_i2c(0x3a1b,0x3c),
write_i2c(0x3a1e,0x30),
write_i2c(0x3a11,0x70),
write_i2c(0x3a1f,0x10),
write_i2c(0x3a00,0x7c),
write_i2c(0x460b,0x35),
write_i2c(0x471d,0x5 ),
write_i2c(0x4713,0x2 ),
write_i2c(0x471c,0xd0),
write_i2c(0x5682,0x5 ),
write_i2c(0x5683,0x0 ),
write_i2c(0x5686,0x3 ),
write_i2c(0x5687,0xc0),
write_i2c(0x5001,0x7f),
write_i2c(0x589b,0x4 ),
write_i2c(0x589a,0xc5),
write_i2c(0x4407,0xc ),
write_i2c(0x589b,0x4 ),
write_i2c(0x589a,0xc5),
```

Confidential For MESADA Only

```
write_i2c(0x3002 ,0x5c),  
write_i2c(0x3002 ,0x5c),  
write_i2c(0x3503 ,0x0 ),  
write_i2c(0x3010 ,0x10),  
write_i2c(0x3009 ,0x1 ),  
write_i2c(0x300a ,0x56),
```

```
write_i2c(0x3800 ,0x1 ),  
write_i2c(0x3801 ,0x50),  
write_i2c(0x3802 ,0x0 ),  
write_i2c(0x3803 ,0x8 ),  
write_i2c(0x3804 ,0x5 ),  
write_i2c(0x3805 ,0x0 ),  
write_i2c(0x3806 ,0x3 ),  
write_i2c(0x3807 ,0xC0),  
write_i2c(0x3808 ,0x1 ),  
write_i2c(0x3809 ,0x40),  
write_i2c(0x380a ,0x0 ),  
write_i2c(0x380b ,0xF0),  
write_i2c(0x380c ,0xc ),  
write_i2c(0x380d ,0x80),  
write_i2c(0x380e ,0x3 ),  
write_i2c(0x380f ,0xe8),  
write_i2c(0x5001 ,0x7f),  
write_i2c(0x5680 ,0x0 ),  
write_i2c(0x5681 ,0x0 ),  
write_i2c(0x5682 ,0x5 ),  
write_i2c(0x5683 ,0x0 ),  
write_i2c(0x5684 ,0x0 ),  
write_i2c(0x5685 ,0x0 ),  
write_i2c(0x5686 ,0x3 ),  
write_i2c(0x5687 ,0xC0),  
write_i2c(0x3815 ,0x2 ),  
write_i2c(0x381c ,0x21),
```

```
write_i2c(0x3824 ,0x11),  
write_i2c(0x3825 ,0xb4),  
write_i2c(0x3826 ,0x0 ),  
write_i2c(0x3827 ,0x8 ),
```

qvga z2

```
write_i2c(0x3503 ,0x0 ),  
write_i2c(0x3000 ,0xf8),  
write_i2c(0x3001 ,0x48),  
write_i2c(0x3002 ,0x5c),
```

Confidential For MESADA Only

```
write_i2c(0x3003 ,0x2 ),
write_i2c(0x3005 ,0xb7),
write_i2c(0x3006 ,0x43),
write_i2c(0x3007 ,0x37),
write_i2c(0x350c ,0x3 ),
write_i2c(0x350d ,0xe8),
write_i2c(0x3602 ,0xfc),
write_i2c(0x3612 ,0xff),
write_i2c(0x3613 ,0x0 ),
write_i2c(0x3621 ,0xc7),
write_i2c(0x3622 ,0x0 ),
write_i2c(0x3623 ,0x1 ),
write_i2c(0x3604 ,0x40),
write_i2c(0x3705 ,0xdb),
write_i2c(0x370a ,0x81),
write_i2c(0x3801 ,0x50),
write_i2c(0x3803 ,0x8 ),
write_i2c(0x3804 ,0x5 ),
write_i2c(0x3805 ,0x0 ),
write_i2c(0x3806 ,0x3 ),
write_i2c(0x3807 ,0xc0),
write_i2c(0x3808 ,0x1 ),
write_i2c(0x3809 ,0x40),
write_i2c(0x380a ,0x0 ),
write_i2c(0x380b ,0xf0),
write_i2c(0x380c ,0xc ),
write_i2c(0x380d ,0x80),
write_i2c(0x380e ,0x3 ),
write_i2c(0x380f ,0xe8),
write_i2c(0x3810 ,0xc0),
write_i2c(0x3815 ,0x4 ),
write_i2c(0x3818 ,0xc1),
write_i2c(0x3824 ,0x11),
write_i2c(0x3827 ,0x8 ),
write_i2c(0x3a00 ,0x7c),
write_i2c(0x3a0d ,0x8 ),
write_i2c(0x3a0e ,0x6 ),
write_i2c(0x3a10 ,0x30),
write_i2c(0x3a1b ,0x3c),
write_i2c(0x3a1e ,0x30),
write_i2c(0x3a11 ,0x70),
write_i2c(0x3a1f ,0x10),
write_i2c(0x3a00 ,0x7c),
write_i2c(0x460b ,0x37),
write_i2c(0x471d ,0x5 ),
write_i2c(0x4713 ,0x2 ),
write_i2c(0x471c ,0xd0),
write_i2c(0x5682 ,0x5 ),
```

Confidential For MESADA Only


```
write_i2c(0x5683 ,0x0 ),  
write_i2c(0x5686 ,0x3 ),  
write_i2c(0x5687 ,0xc0),  
write_i2c(0x5001 ,0x7f),  
write_i2c(0x589b ,0x4 ),  
write_i2c(0x589a ,0xc5),  
write_i2c(0x4407 ,0xc ),  
write_i2c(0x589b ,0x4 ),  
write_i2c(0x589a ,0xc5),  
write_i2c(0x3002 ,0x5c),  
write_i2c(0x3002 ,0x5c),  
write_i2c(0x3503 ,0x0 ),  
write_i2c(0x3010 ,0x10),  
write_i2c(0x3009 ,0x1 ),  
write_i2c(0x300a ,0x56),
```

```
write_i2c(0x3800 ,0x2 ),  
write_i2c(0x3801 ,0x90),  
write_i2c(0x3802 ,0x0 ),  
write_i2c(0x3803 ,0xf8),  
write_i2c(0x3804 ,0x2 ),  
write_i2c(0x3805 ,0x80),  
write_i2c(0x3806 ,0x1 ),  
write_i2c(0x3807 ,0xE0),  
write_i2c(0x3808 ,0x1 ),  
write_i2c(0x3809 ,0x40),  
write_i2c(0x380a ,0x0 ),  
write_i2c(0x380b ,0xF0),  
write_i2c(0x380c ,0xc ),  
write_i2c(0x380d ,0x80),  
write_i2c(0x380e ,0x3 ),  
write_i2c(0x380f ,0xe8),  
write_i2c(0x5001 ,0x7f),  
write_i2c(0x5680 ,0x0 ),  
write_i2c(0x5681 ,0x0 ),  
write_i2c(0x5682 ,0x2 ),  
write_i2c(0x5683 ,0x80),  
write_i2c(0x5684 ,0x0 ),  
write_i2c(0x5685 ,0x0 ),  
write_i2c(0x5686 ,0x1 ),  
write_i2c(0x5687 ,0xE0),  
write_i2c(0x3815 ,0x4 ),
```

```
write_i2c(0x3824 ,0x12),  
write_i2c(0x3825 ,0xf4),  
write_i2c(0x3826 ,0x0 ),
```

```
write_i2c(0x3827 ,0xf8),
```

```
    qvga z3
```

```
write_i2c(0x3503 ,0x0 ),
write_i2c(0x3000 ,0xf8),
write_i2c(0x3001 ,0x48),
write_i2c(0x3002 ,0x5c),
write_i2c(0x3003 ,0x2 ),
write_i2c(0x3005 ,0xb7),
write_i2c(0x3006 ,0x43),
write_i2c(0x3007 ,0x37),
write_i2c(0x350c ,0x3 ),
write_i2c(0x350d ,0xe8),
write_i2c(0x3602 ,0xfc),
write_i2c(0x3612 ,0xff),
write_i2c(0x3613 ,0x0 ),
write_i2c(0x3621 ,0xc7),
write_i2c(0x3622 ,0x0 ),
write_i2c(0x3623 ,0x1 ),
write_i2c(0x3604 ,0x40),
write_i2c(0x3705 ,0xdb),
write_i2c(0x370a ,0x81),
write_i2c(0x3801 ,0x50),
write_i2c(0x3803 ,0x8 ),
write_i2c(0x3804 ,0x5 ),
write_i2c(0x3805 ,0x0 ),
write_i2c(0x3806 ,0x3 ),
write_i2c(0x3807 ,0xc0),
write_i2c(0x3808 ,0x1 ),
write_i2c(0x3809 ,0x40),
write_i2c(0x380a ,0x0 ),
write_i2c(0x380b ,0xf0),
write_i2c(0x380c ,0xe ),
write_i2c(0x380d ,0x80),
write_i2c(0x380e ,0x3 ),
write_i2c(0x380f ,0xe8),
write_i2c(0x3810 ,0xc0),
write_i2c(0x3815 ,0x4 ),
write_i2c(0x3818 ,0xc1),
write_i2c(0x3824 ,0x11),
write_i2c(0x3827 ,0x8 ),
write_i2c(0x3a00 ,0x7c),
write_i2c(0x3a0d ,0x8 ),
write_i2c(0x3a0e ,0x6 ),
write_i2c(0x3a10 ,0x30),
write_i2c(0x3a1b ,0x3c),
write_i2c(0x3a1e ,0x30),
```

Confidential For MESADA Only

```
write_i2c(0x3a11,0x70),
write_i2c(0x3a1f,0x10),
write_i2c(0x3a00,0x7c),
write_i2c(0x460b,0x37),
write_i2c(0x471d,0x5 ),
write_i2c(0x4713,0x2 ),
write_i2c(0x471c,0xd0),
write_i2c(0x5682,0x5 ),
write_i2c(0x5683,0x0 ),
write_i2c(0x5686,0x3 ),
write_i2c(0x5687,0xc0),
write_i2c(0x5001,0x7f),
write_i2c(0x589b,0x4 ),
write_i2c(0x589a,0xc5),
write_i2c(0x4407,0xc ),
write_i2c(0x589b,0x4 ),
write_i2c(0x589a,0xc5),
write_i2c(0x3002,0x5c),
write_i2c(0x3002,0x5c),
write_i2c(0x3503,0x0 ),
write_i2c(0x3010,0x10),
write_i2c(0x3009,0x1 ),
write_i2c(0x300a,0x56),
```

```
write_i2c(0x3800,0x2 ),
write_i2c(0x3801,0xFB),
write_i2c(0x3802,0x1 ),
write_i2c(0x3803,0x48),
write_i2c(0x3804,0x1 ),
write_i2c(0x3805,0xAA),
write_i2c(0x3806,0x1 ),
write_i2c(0x3807,0x40),
write_i2c(0x3808,0x1 ),
write_i2c(0x3809,0x40),
write_i2c(0x380a,0x0 ),
write_i2c(0x380b,0xF0),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x3 ),
write_i2c(0x380f,0xe8),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0 ),
write_i2c(0x5681,0x0 ),
write_i2c(0x5682,0x1 ),
write_i2c(0x5683,0xAA),
write_i2c(0x5684,0x0 ),
write_i2c(0x5685,0x0 ),
```

```
write_i2c(0x5686 ,0x1 ),  
write_i2c(0x5687 ,0x40),  
write_i2c(0x3815 ,0x4 ),
```

```
write_i2c(0x3824 ,0x13),  
write_i2c(0x3825 ,0x5f),  
write_i2c(0x3826 ,0x1 ),  
write_i2c(0x3827 ,0x48),
```

qvgaz4

```
write_i2c(0x3503 ,0x0 ),  
write_i2c(0x3000 ,0xf8),  
write_i2c(0x3001 ,0x48),  
write_i2c(0x3002 ,0x5c),  
write_i2c(0x3003 ,0x2 ),  
write_i2c(0x3005 ,0xb7),  
write_i2c(0x3006 ,0x43),  
write_i2c(0x3007 ,0x37),  
write_i2c(0x350c ,0x3 ),  
write_i2c(0x350d ,0xe8),  
write_i2c(0x3602 ,0xfc),  
write_i2c(0x3612 ,0xff),  
write_i2c(0x3613 ,0x0 ),  
write_i2c(0x3621 ,0xc7),  
write_i2c(0x3622 ,0x0 ),  
write_i2c(0x3623 ,0x1 ),  
write_i2c(0x3604 ,0x40),  
write_i2c(0x3705 ,0xdb),  
write_i2c(0x370a ,0x81),  
write_i2c(0x3801 ,0x50),  
write_i2c(0x3803 ,0x8 ),  
write_i2c(0x3804 ,0x5 ),  
write_i2c(0x3805 ,0x0 ),  
write_i2c(0x3806 ,0x3 ),  
write_i2c(0x3807 ,0xc0),  
write_i2c(0x3808 ,0x1 ),  
write_i2c(0x3809 ,0x40),  
write_i2c(0x380a ,0x0 ),  
write_i2c(0x380b ,0xf0),  
write_i2c(0x380c ,0xc ),  
write_i2c(0x380d ,0x80),  
write_i2c(0x380e ,0x3 ),  
write_i2c(0x380f ,0xe8),  
write_i2c(0x3810 ,0xc0),  
write_i2c(0x3815 ,0x4 ),  
write_i2c(0x3818 ,0xc1),  
write_i2c(0x3824 ,0x11),
```

Confidential For MESADA Only

```
write_i2c(0x3827,0x8 ),
write_i2c(0x3a00,0x7c),
write_i2c(0x3a0d,0x8 ),
write_i2c(0x3a0e,0x6 ),
write_i2c(0x3a10,0x30),
write_i2c(0x3a1b,0x3c),
write_i2c(0x3a1e,0x30),
write_i2c(0x3a11,0x70),
write_i2c(0x3a1f,0x10),
write_i2c(0x3a00,0x7c),
write_i2c(0x460b,0x37),
write_i2c(0x471d,0x5 ),
write_i2c(0x4713,0x2 ),
write_i2c(0x471c,0xd0),
write_i2c(0x5682,0x5 ),
write_i2c(0x5683,0x0 ),
write_i2c(0x5686,0x3 ),
write_i2c(0x5687,0xc0),
write_i2c(0x5001,0x7f),
write_i2c(0x589b,0x4 ),
write_i2c(0x589a,0xc5),
write_i2c(0x4407,0xc ),
write_i2c(0x589b,0x4 ),
write_i2c(0x589a,0xc5),
write_i2c(0x3002,0x5c),
write_i2c(0x3002,0x5c),
write_i2c(0x3503,0x0 ),
write_i2c(0x3010,0x10),
write_i2c(0x3009,0x1 ),
write_i2c(0x300a,0x56),
```

```
write_i2c(0x3800,0x3 ),
write_i2c(0x3801,0x30),
write_i2c(0x3802,0x1 ),
write_i2c(0x3803,0x70),
write_i2c(0x3804,0x1 ),
write_i2c(0x3805,0x40),
write_i2c(0x3806,0x0 ),
write_i2c(0x3807,0xF0),
write_i2c(0x3808,0x1 ),
write_i2c(0x3809,0x40),
write_i2c(0x380a,0x0 ),
write_i2c(0x380b,0xF0),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x3 ),
write_i2c(0x380f,0xe8),
```

```
write_i2c(0x5001 ,0x7f),
write_i2c(0x5680 ,0x0 ),
write_i2c(0x5681 ,0x0 ),
write_i2c(0x5682 ,0x1 ),
write_i2c(0x5683 ,0x40),
write_i2c(0x5684 ,0x0 ),
write_i2c(0x5685 ,0x0 ),
write_i2c(0x5686 ,0x0 ),
write_i2c(0x5687 ,0xF0),
write_i2c(0x3815 ,0x4 ),
```

```
write_i2c(0x3824 ,0x13),
write_i2c(0x3825 ,0x94),
write_i2c(0x3826 ,0x1 ),
write_i2c(0x3827 ,0x70),
```

qvgaz5

```
write_i2c(0x3503 ,0x0 ),
write_i2c(0x3000 ,0x0 ),
write_i2c(0x3001 ,0x0 ),
write_i2c(0x3002 ,0x0 ),
write_i2c(0x3003 ,0x0 ),
write_i2c(0x3005 ,0xff),
write_i2c(0x3006 ,0xff),
write_i2c(0x3007 ,0x3f),
write_i2c(0x350c ,0x7 ),
write_i2c(0x350d ,0xd0),
write_i2c(0x3602 ,0xe4),
write_i2c(0x3612 ,0xac),
write_i2c(0x3613 ,0x44),
write_i2c(0x3621 ,0x27),
write_i2c(0x3622 ,0x8 ),
write_i2c(0x3623 ,0x22),
write_i2c(0x3604 ,0x60),
write_i2c(0x3705 ,0xda),
write_i2c(0x370a ,0x80),
write_i2c(0x3801 ,0x8a),
write_i2c(0x3803 ,0xa ),
write_i2c(0x3804 ,0xa ),
write_i2c(0x3805 ,0x20),
write_i2c(0x3806 ,0x7 ),
write_i2c(0x3807 ,0x98),
write_i2c(0x3808 ,0xa ),
write_i2c(0x3809 ,0x20),
write_i2c(0x380a ,0x7 ),
write_i2c(0x380b ,0x98),
write_i2c(0x380c ,0xc ),
```

Confidential For MESADA Only

```
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7 ),
write_i2c(0x380f,0xd0),
write_i2c(0x3810,0xc2),
write_i2c(0x3815,0x1 ),
write_i2c(0x3818,0xc0),
write_i2c(0x3824,0x1 ),
write_i2c(0x3827,0xa ),
write_i2c(0x3a00,0x78),
write_i2c(0x3a0d,0x10),
write_i2c(0x3a0e,0xd ),
write_i2c(0x3a10,0x32),
write_i2c(0x3a1b,0x40),
write_i2c(0x3a1e,0x2e),
write_i2c(0x3a11,0xd0),
write_i2c(0x3a1f,0x40),
write_i2c(0x3a00,0x78),
write_i2c(0x460b,0x37),
write_i2c(0x471d,0x5 ),
write_i2c(0x4713,0x2 ),
write_i2c(0x471c,0xd0),
write_i2c(0x5682,0xa ),
write_i2c(0x5683,0x20),
write_i2c(0x5686,0x7 ),
write_i2c(0x5687,0x98),
write_i2c(0x5001,0x1 ),
write_i2c(0x589b,0x0 ),
write_i2c(0x589a,0xc0),
write_i2c(0x4407,0xc ),
write_i2c(0x589b,0x0 ),
write_i2c(0x589a,0xc0),
write_i2c(0x3002,0x0 ),
write_i2c(0x3002,0x0 ),
write_i2c(0x3503,0x0 ),
write_i2c(0x3010,0x10),
write_i2c(0x3009,0x1 ),
write_i2c(0x300a,0x56),
```

```
write_i2c(0x3800,0x5 ),
write_i2c(0x3801,0x97),
write_i2c(0x3802,0x3 ),
write_i2c(0x3803,0x14),
write_i2c(0x3804,0x2 ),
write_i2c(0x3805,0x6 ),
write_i2c(0x3806,0x1 ),
write_i2c(0x3807,0x84),
write_i2c(0x3808,0x1 ),
write_i2c(0x3809,0x40),
```

```
write_i2c(0x380a,0x0 ),
write_i2c(0x380b,0xf0),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7 ),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0 ),
write_i2c(0x5681,0x0 ),
write_i2c(0x5682,0x2 ),
write_i2c(0x5683,0x6 ),
write_i2c(0x5684,0x0 ),
write_i2c(0x5685,0x0 ),
write_i2c(0x5686,0x1 ),
write_i2c(0x5687,0x84),
write_i2c(0x381c,0x21),
```

```
write_i2c(0x3524,0x0 ),
write_i2c(0x3825,0x0 ),
write_i2c(0x3826,0x0 ),
write_i2c(0x3827,0x0 ),
write_i2c(0x3010,0x70),
```

qvga z6

```
write_i2c(0x3503,0x0 ),
write_i2c(0x3000,0x0 ),
write_i2c(0x3001,0x0 ),
write_i2c(0x3002,0x0 ),
write_i2c(0x3003,0x0 ),
write_i2c(0x3005,0xff),
write_i2c(0x3006,0xff),
write_i2c(0x3007,0x3f),
write_i2c(0x350c,0x7 ),
write_i2c(0x350d,0xd0),
write_i2c(0x3602,0xe4),
write_i2c(0x3612,0xac),
write_i2c(0x3613,0x44),
write_i2c(0x3621,0x27),
write_i2c(0x3622,0x8 ),
write_i2c(0x3623,0x22),
write_i2c(0x3604,0x60),
write_i2c(0x3705,0xda),
write_i2c(0x370a,0x80),
write_i2c(0x3801,0x8a),
write_i2c(0x3803,0xa ),
write_i2c(0x3804,0xa ),
write_i2c(0x3805,0x20),
```



```
write_i2c(0x3806,0x7 ),
write_i2c(0x3807,0x98),
write_i2c(0x3808,0xa ),
write_i2c(0x3809,0x20),
write_i2c(0x380a,0x7 ),
write_i2c(0x380b,0x98),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7 ),
write_i2c(0x380f,0xd0),
write_i2c(0x3810,0xc2),
write_i2c(0x3815,0x1 ),
write_i2c(0x3818,0xc0),
write_i2c(0x3824,0x1 ),
write_i2c(0x3827,0xa ),
write_i2c(0x3a00,0x78),
write_i2c(0x3a0d,0x10),
write_i2c(0x3a0e,0xd ),
write_i2c(0x3a10,0x32),
write_i2c(0x3a1b,0x40),
write_i2c(0x3a1e,0x2e),
write_i2c(0x3a11,0xd0),
write_i2c(0x3a1f,0x40),
write_i2c(0x3a00,0x78),
write_i2c(0x460b,0x37),
write_i2c(0x471d,0x5 ),
write_i2c(0x4713,0x2 ),
write_i2c(0x471c,0xd0),
write_i2c(0x5682,0xa ),
write_i2c(0x5683,0x20),
write_i2c(0x5686,0x7 ),
write_i2c(0x5687,0x98),
write_i2c(0x5001,0x1 ),
write_i2c(0x589b,0x0 ),
write_i2c(0x589a,0xc0),
write_i2c(0x4407,0xc ),
write_i2c(0x589b,0x0 ),
write_i2c(0x589a,0xc0),
write_i2c(0x3002,0x0 ),
write_i2c(0x3002,0x0 ),
write_i2c(0x3503,0x0 ),
write_i2c(0x3010,0x10),
write_i2c(0x3009,0x1 ),
write_i2c(0x300a,0x56),

write_i2c(0x3800,0x5 ),
write_i2c(0x3801,0xc2),
write_i2c(0x3802,0x3 ),
```

Confidential For MESADA Only

```
write_i2c(0x3803 ,0x34),
write_i2c(0x3804 ,0x1 ),
write_i2c(0x3805 ,0xb0),
write_i2c(0x3806 ,0x1 ),
write_i2c(0x3807 ,0x44),
write_i2c(0x3808 ,0x1 ),
write_i2c(0x3809 ,0x40),
write_i2c(0x380a ,0x0 ),
write_i2c(0x380b ,0xf0),
write_i2c(0x380c ,0xc ),
write_i2c(0x380d ,0x80),
write_i2c(0x380e ,0x7 ),
write_i2c(0x380f ,0xd0),
write_i2c(0x5001 ,0x7f),
write_i2c(0x5680 ,0x0 ),
write_i2c(0x5681 ,0x0 ),
write_i2c(0x5682 ,0x1 ),
write_i2c(0x5683 ,0xb0),
write_i2c(0x5684 ,0x0 ),
write_i2c(0x5685 ,0x0 ),
write_i2c(0x5686 ,0x1 ),
write_i2c(0x5687 ,0x44),
write_i2c(0x381c ,0x21),
```

```
write_i2c(0x3524 ,0x0 ),
write_i2c(0x3825 ,0x0 ),
write_i2c(0x3826 ,0x0 ),
write_i2c(0x3827 ,0x0 ),
write_i2c(0x3010 ,0x70),
```

qvga z7

```
write_i2c(0x3503 ,0x0 ),
write_i2c(0x3000 ,0x0 ),
write_i2c(0x3001 ,0x0 ),
write_i2c(0x3002 ,0x0 ),
write_i2c(0x3003 ,0x0 ),
write_i2c(0x3005 ,0xff),
write_i2c(0x3006 ,0xff),
write_i2c(0x3007 ,0x3f),
write_i2c(0x350c ,0x7 ),
write_i2c(0x350d ,0xd0),
write_i2c(0x3602 ,0xe4),
write_i2c(0x3612 ,0xac),
write_i2c(0x3613 ,0x44),
write_i2c(0x3621 ,0x27),
write_i2c(0x3622 ,0x8 ),
write_i2c(0x3623 ,0x22),
```

```
write_i2c(0x3604 ,0x60),
write_i2c(0x3705 ,0xda),
write_i2c(0x370a ,0x80),
write_i2c(0x3801 ,0x8a),
write_i2c(0x3803 ,0xa ),
write_i2c(0x3804 ,0xa ),
write_i2c(0x3805 ,0x20),
write_i2c(0x3806 ,0x7 ),
write_i2c(0x3807 ,0x98),
write_i2c(0x3808 ,0xa ),
write_i2c(0x3809 ,0x20),
write_i2c(0x380a ,0x7 ),
write_i2c(0x380b ,0x98),
write_i2c(0x380c ,0xc ),
write_i2c(0x380d ,0x80),
write_i2c(0x380e ,0x7 ),
write_i2c(0x380f ,0xd0),
write_i2c(0x3810 ,0xc2),
write_i2c(0x3815 ,0x1 ),
write_i2c(0x3818 ,0xc0),
write_i2c(0x3824 ,0x1 ),
write_i2c(0x3827 ,0xa ),
write_i2c(0x3a00 ,0x78),
write_i2c(0x3a0d ,0x10),
write_i2c(0x3a0e ,0xd ),
write_i2c(0x3a10 ,0x32),
write_i2c(0x3a1b ,0x40),
write_i2c(0x3a1e ,0x2e),
write_i2c(0x3a11 ,0xd0),
write_i2c(0x3a1f ,0x40),
write_i2c(0x3a00 ,0x78),
write_i2c(0x460b ,0x37),
write_i2c(0x471d ,0x5 ),
write_i2c(0x4713 ,0x2 ),
write_i2c(0x471c ,0xd0),
write_i2c(0x5682 ,0xa ),
write_i2c(0x5683 ,0x20),
write_i2c(0x5686 ,0x7 ),
write_i2c(0x5687 ,0x98),
write_i2c(0x5001 ,0x1 ),
write_i2c(0x589b ,0x0 ),
write_i2c(0x589a ,0xc0),
write_i2c(0x4407 ,0xc ),
write_i2c(0x589b ,0x0 ),
write_i2c(0x589a ,0xc0),
write_i2c(0x3002 ,0x0 ),
write_i2c(0x3002 ,0x0 ),
write_i2c(0x3503 ,0x0 ),
```

Confidential For MESADA Only

```
write_i2c(0x3010 ,0x10),  
write_i2c(0x3009 ,0x1 ),  
write_i2c(0x300a ,0x56),
```

```
write_i2c(0x3800 ,0x5 ),  
write_i2c(0x3801 ,0xe1),  
write_i2c(0x3802 ,0x3 ),  
write_i2c(0x3803 ,0x4b),  
write_i2c(0x3804 ,0x1 ),  
write_i2c(0x3805 ,0x72),  
write_i2c(0x3806 ,0x1 ),  
write_i2c(0x3807 ,0x15),  
write_i2c(0x3808 ,0x1 ),  
write_i2c(0x3809 ,0x40),  
write_i2c(0x380a ,0x0 ),  
write_i2c(0x380b ,0xf0),  
write_i2c(0x380c ,0xc ),  
write_i2c(0x380d ,0x80),  
write_i2c(0x380e ,0x7 ),  
write_i2c(0x380f ,0xd0),  
write_i2c(0x5001 ,0x7f),  
write_i2c(0x5680 ,0x0 ),  
write_i2c(0x5681 ,0x0 ),  
write_i2c(0x5682 ,0x1 ),  
write_i2c(0x5683 ,0x72),  
write_i2c(0x5684 ,0x0 ),  
write_i2c(0x5685 ,0x0 ),  
write_i2c(0x5686 ,0x1 ),  
write_i2c(0x5687 ,0x15),  
write_i2c(0x381c ,0x21),
```

```
write_i2c(0x3524 ,0x0 ),  
write_i2c(0x3825 ,0x0 ),  
write_i2c(0x3826 ,0x0 ),  
write_i2c(0x3827 ,0x0 ),  
write_i2c(0x3010 ,0x70),
```

qvga z8

```
write_i2c(0x3503 ,0x0 ),  
write_i2c(0x3000 ,0x0 ),  
write_i2c(0x3001 ,0x0 ),  
write_i2c(0x3002 ,0x0 ),  
write_i2c(0x3003 ,0x0 ),  
write_i2c(0x3005 ,0xff),  
write_i2c(0x3006 ,0xff),  
write_i2c(0x3007 ,0x3f),  
write_i2c(0x350c ,0x7 ),
```

```
write_i2c(0x350d,0xd0),
write_i2c(0x3602,0xe4),
write_i2c(0x3612,0xac),
write_i2c(0x3613,0x44),
write_i2c(0x3621,0x27),
write_i2c(0x3622,0x8 ),
write_i2c(0x3623,0x22),
write_i2c(0x3604,0x60),
write_i2c(0x3705,0xda),
write_i2c(0x370a,0x80),
write_i2c(0x3801,0x8a),
write_i2c(0x3803,0xa ),
write_i2c(0x3804,0xa ),
write_i2c(0x3805,0x20),
write_i2c(0x3806,0x7 ),
write_i2c(0x3807,0x98),
write_i2c(0x3808,0xa ),
write_i2c(0x3809,0x20),
write_i2c(0x380a,0x7 ),
write_i2c(0x380b,0x98),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7 ),
write_i2c(0x380f,0xd0),
write_i2c(0x3810,0xc2),
write_i2c(0x3815,0x1 ),
write_i2c(0x3818,0xc0),
write_i2c(0x3824,0x1 ),
write_i2c(0x3827,0xa ),
write_i2c(0x3a00,0x78),
write_i2c(0x3a0d,0x10),
write_i2c(0x3a0e,0xd ),
write_i2c(0x3a10,0x32),
write_i2c(0x3a1b,0x40),
write_i2c(0x3a1e,0x20),
write_i2c(0x3a11,0xd0),
write_i2c(0x3a1f,0x40),
write_i2c(0x3a00,0x78),
write_i2c(0x460b,0x37),
write_i2c(0x471d,0x5 ),
write_i2c(0x4713,0x2 ),
write_i2c(0x471c,0xd0),
write_i2c(0x5682,0xa ),
write_i2c(0x5683,0x20),
write_i2c(0x5686,0x7 ),
write_i2c(0x5687,0x98),
write_i2c(0x5001,0x1 ),
write_i2c(0x589b,0x0 ),
```

Confidential For MESADA Only

```
write_i2c(0x589a,0xc0),
write_i2c(0x4407,0xc ),
write_i2c(0x589b,0x0 ),
write_i2c(0x589a,0xc0),
write_i2c(0x3002,0x0 ),
write_i2c(0x3002,0x0 ),
write_i2c(0x3503,0x0 ),
write_i2c(0x3010,0x10),
write_i2c(0x3009,0x1 ),
write_i2c(0x300a,0x56),
```

```
write_i2c(0x3800,0x5 ),
write_i2c(0x3801,0xf8),
write_i2c(0x3802,0x3 ),
write_i2c(0x3803,0x5c),
write_i2c(0x3804,0x1 ),
write_i2c(0x3805,0x44),
write_i2c(0x3806,0x0 ),
write_i2c(0x3807,0xf0),
write_i2c(0x3808,0x1 ),
write_i2c(0x3809,0x40),
write_i2c(0x380a,0x0 ),
write_i2c(0x380b,0xf0),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7 ),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0 ),
write_i2c(0x5681,0x0 ),
write_i2c(0x5682,0x1 ),
write_i2c(0x5683,0x44),
write_i2c(0x5684,0x0 ),
write_i2c(0x5685,0x0 ),
write_i2c(0x5686,0x0 ),
write_i2c(0x5687,0xf3),
```

```
write_i2c(0x381c,0x21),
```

```
write_i2c(0x3524,0x0 ),
write_i2c(0x3825,0x0 ),
write_i2c(0x3826,0x0 ),
write_i2c(0x3827,0x0 ),
write_i2c(0x3010,0x70),
```

Confidential For MESADA Only

13.1.6 .2 capture mode

1. VGA(640*480)

Zoom 1

```
write_i2c(0x3800,0x1 ),
write_i2c(0x3801,0x8A),
write_i2c(0x3802,0x0 ),
write_i2c(0x3803,0xA ),
write_i2c(0x3804,0xA ),
write_i2c(0x3805,0x20),
write_i2c(0x3806,0x7 ),
write_i2c(0x3807,0x98),
write_i2c(0x3808,0x2 ),
write_i2c(0x3809,0x80),
write_i2c(0x380a,0x1 ),
write_i2c(0x380b,0xe0),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7 ),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0 ),
write_i2c(0x5681,0x0 ),
write_i2c(0x5682,0xA ),
write_i2c(0x5683,0x20),
write_i2c(0x5684,0x0 ),
write_i2c(0x5685,0x0 ),
write_i2c(0x5686,0x7 ),
write_i2c(0x5687,0x98),
```

Zoom 2

```
write_i2c(0x3800,0x4 ),
write_i2c(0x3801,0x12),
write_i2c(0x3802,0x1 ),
write_i2c(0x3803,0xf0),
write_i2c(0x3804,0x5 ),
write_i2c(0x3805,0x10),
write_i2c(0x3806,0x3 ),
write_i2c(0x3807,0xcc),
write_i2c(0x3808,0x2 ),
write_i2c(0x3809,0x80),
write_i2c(0x380a,0x1 ),
write_i2c(0x380b,0xe0),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7 ),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
```

Confidential For MESADA Only

```
write_i2c(0x5680 ,0x0 ),  
write_i2c(0x5681 ,0x0 ),  
write_i2c(0x5682 ,0x5 ),  
write_i2c(0x5683 ,0x10),  
write_i2c(0x5684 ,0x0 ),  
write_i2c(0x5685 ,0x0 ),  
write_i2c(0x5686 ,0x3 ),  
write_i2c(0x5687 ,0xcc),
```

Zoom 3

```
write_i2c(0x3800 ,0x4 ),  
write_i2c(0x3801 ,0xea),  
write_i2c(0x3802 ,0x2 ),  
write_i2c(0x3803 ,0x92),  
write_i2c(0x3804 ,0x3 ),  
write_i2c(0x3805 ,0x60),  
write_i2c(0x3806 ,0x2 ),  
write_i2c(0x3807 ,0x88),  
write_i2c(0x3808 ,0x2 ),  
write_i2c(0x3809 ,0x80),  
write_i2c(0x380a ,0x1 ),  
write_i2c(0x380b ,0xe0),  
write_i2c(0x380c ,0xc ),  
write_i2c(0x380d ,0x80),  
write_i2c(0x380e ,0x7 ),  
write_i2c(0x380f ,0xd0),  
write_i2c(0x5001 ,0x7f),  
write_i2c(0x5680 ,0x0 ),  
write_i2c(0x5681 ,0x0 ),  
write_i2c(0x5682 ,0x3 ),  
write_i2c(0x5683 ,0x60),  
write_i2c(0x5684 ,0x0 ),  
write_i2c(0x5685 ,0x0 ),  
write_i2c(0x5686 ,0x2 ),  
write_i2c(0x5687 ,0x88),
```

Zoom4

```
write_i2c(0x3800 ,0x5 ),  
write_i2c(0x3801 ,0x56),  
write_i2c(0x3802 ,0x2 ),  
write_i2c(0x3803 ,0xe3),  
write_i2c(0x3804 ,0x2 ),  
write_i2c(0x3805 ,0x88),  
write_i2c(0x3806 ,0x1 ),  
write_i2c(0x3807 ,0xe6),  
write_i2c(0x3808 ,0x2 ),  
write_i2c(0x3809 ,0x80),  
write_i2c(0x380a ,0x1 ),
```



```
write_i2c(0x380b,0xe0),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7 ),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0 ),
write_i2c(0x5681,0x0 ),
write_i2c(0x5682,0x2 ),
write_i2c(0x5683,0x88),
write_i2c(0x5684,0x0 ),
write_i2c(0x5685,0x0 ),
write_i2c(0x5686,0x1 ),
write_i2c(0x5687,0xe6),
```

2. sxga(1280*960)

Zoom 1

```
write_i2c(0x3800,0x1 ),
write_i2c(0x3801,0x8A),
write_i2c(0x3802,0x0 ),
write_i2c(0x3803,0xA ),
write_i2c(0x3804,0xA ),
write_i2c(0x3805,0x20),
write_i2c(0x3806,0x7 ),
write_i2c(0x3807,0x98),
write_i2c(0x3808,0x5 ),
write_i2c(0x3809,0x0 ),
write_i2c(0x380a,0x3 ),
write_i2c(0x380b,0xc0),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7 ),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0 ),
write_i2c(0x5681,0x0 ),
write_i2c(0x5682,0xA ),
write_i2c(0x5683,0x20),
write_i2c(0x5684,0x0 ),
write_i2c(0x5685,0x0 ),
write_i2c(0x5686,0x7 ),
write_i2c(0x5687,0x98),
```

Zoom 1.5

```
write_i2c(0x3800,0x3 ),
write_i2c(0x3801,0x3A),
write_i2c(0x3802,0x1 ),
```

```
write_i2c(0x3803 ,0x4e),
write_i2c(0x3804 ,0x6 ),
write_i2c(0x3805 ,0xc0),
write_i2c(0x3806 ,0x5 ),
write_i2c(0x3807 ,0x10),
write_i2c(0x3808 ,0x5 ),
write_i2c(0x3809 ,0x0 ),
write_i2c(0x380a ,0x3 ),
write_i2c(0x380b ,0xc0),
write_i2c(0x380c ,0xc ),
write_i2c(0x380d ,0x80),
write_i2c(0x380e ,0x7 ),
write_i2c(0x380f ,0xd0),
write_i2c(0x5001 ,0x7f),
write_i2c(0x5680 ,0x0 ),
write_i2c(0x5681 ,0x0 ),
write_i2c(0x5682 ,0x6 ),
write_i2c(0x5683 ,0xc0),
write_i2c(0x5684 ,0x0 ),
write_i2c(0x5685 ,0x0 ),
write_i2c(0x5686 ,0x5 ),
write_i2c(0x5687 ,0x10),
```

Zoom 2

```
write_i2c(0x3800 ,0x4 ),
write_i2c(0x3801 ,0x12),
write_i2c(0x3802 ,0x1 ),
write_i2c(0x3803 ,0xf0),
write_i2c(0x3804 ,0x5 ),
write_i2c(0x3805 ,0x10),
write_i2c(0x3806 ,0x3 ),
write_i2c(0x3807 ,0xcc),
write_i2c(0x3808 ,0x5 ),
write_i2c(0x3809 ,0x0 ),
write_i2c(0x380a ,0x3 ),
write_i2c(0x380b ,0xc0),
write_i2c(0x380c ,0xc ),
write_i2c(0x380d ,0x80),
write_i2c(0x380e ,0x7 ),
write_i2c(0x380f ,0xd0),
write_i2c(0x5001 ,0x7f),
write_i2c(0x5680 ,0x0 ),
write_i2c(0x5681 ,0x0 ),
write_i2c(0x5682 ,0x5 ),
write_i2c(0x5683 ,0x10),
write_i2c(0x5684 ,0x0 ),
write_i2c(0x5685 ,0x0 ),
write_i2c(0x5686 ,0x3 ),
```

Confidential For MESADA Only

```
write_i2c(0x5687,0xcc),
```

3 QVGA(320*240)

Zoom1

```
write_i2c(0x3800,0x1 ),  
write_i2c(0x3801,0x8A),  
write_i2c(0x3802,0x0 ),  
write_i2c(0x3803,0xA ),  
write_i2c(0x3804,0xA ),  
write_i2c(0x3805,0x20),  
write_i2c(0x3806,0x7 ),  
write_i2c(0x3807,0x98),  
write_i2c(0x3808,0x1 ),  
write_i2c(0x3809,0x40),  
write_i2c(0x380a,0x0 ),  
write_i2c(0x380b,0xf0),  
write_i2c(0x380c,0xc ),  
write_i2c(0x380d,0x80),  
write_i2c(0x380e,0x7 ),  
write_i2c(0x380f,0xd0),  
write_i2c(0x5001,0x7f),  
write_i2c(0x5680,0x0 ),  
write_i2c(0x5681,0x0 ),  
write_i2c(0x5682,0xA ),  
write_i2c(0x5683,0x20),  
write_i2c(0x5684,0x0 ),  
write_i2c(0x5685,0x0 ),  
write_i2c(0x5686,0x7 ),  
write_i2c(0x5687,0x98),
```

Zoom 2

```
write_i2c(0x3800,0x4 ),  
write_i2c(0x3801,0x12),  
write_i2c(0x3802,0x1 ),  
write_i2c(0x3803,0xf0),  
write_i2c(0x3804,0x5 ),  
write_i2c(0x3805,0x10),  
write_i2c(0x3806,0x3 ),  
write_i2c(0x3807,0xcc),  
write_i2c(0x3808,0x1 ),  
write_i2c(0x3809,0x40),  
write_i2c(0x380a,0x0 ),  
write_i2c(0x380b,0xf0),  
write_i2c(0x380c,0xc ),  
write_i2c(0x380d,0x80),  
write_i2c(0x380e,0x7 ),  
write_i2c(0x380f,0xd0),
```

Confidential For MESADA Only

```
write_i2c(0x5001 ,0x7f),
write_i2c(0x5680 ,0x0 ),
write_i2c(0x5681 ,0x0 ),
write_i2c(0x5682 ,0x5 ),
write_i2c(0x5683 ,0x10),
write_i2c(0x5684 ,0x0 ),
write_i2c(0x5685 ,0x0 ),
write_i2c(0x5686 ,0x3 ),
write_i2c(0x5687 ,0xcc),
```

Zoom 3

```
write_i2c(0x3800 ,0x4 ),
write_i2c(0x3801 ,0xea),
write_i2c(0x3802 ,0x2 ),
write_i2c(0x3803 ,0x92),
write_i2c(0x3804 ,0x3 ),
write_i2c(0x3805 ,0x60),
write_i2c(0x3806 ,0x2 ),
write_i2c(0x3807 ,0x88),
write_i2c(0x3808 ,0x1 ),
write_i2c(0x3809 ,0x40),
write_i2c(0x380a ,0x0 ),
write_i2c(0x380b ,0xf0),
write_i2c(0x380c ,0xc ),
write_i2c(0x380d ,0x80),
write_i2c(0x380e ,0x7 ),
write_i2c(0x380f ,0xd0),
write_i2c(0x5001 ,0x7f),
write_i2c(0x5680 ,0x0 ),
write_i2c(0x5681 ,0x0 ),
write_i2c(0x5682 ,0x3 ),
write_i2c(0x5683 ,0x60),
write_i2c(0x5684 ,0x0 ),
write_i2c(0x5685 ,0x0 ),
write_i2c(0x5686 ,0x2 ),
write_i2c(0x5687 ,0x88),
```

Zoom 4

```
write_i2c(0x3800 ,0x5 ),
write_i2c(0x3801 ,0x56),
write_i2c(0x3802 ,0x3 ),
write_i2c(0x3803 ,0xe3),
write_i2c(0x3804 ,0x2 ),
write_i2c(0x3805 ,0x88),
write_i2c(0x3806 ,0x1 ),
write_i2c(0x3807 ,0xe6),
write_i2c(0x3808 ,0x1 ),
```

```
write_i2c(0x3809 ,0x40),
write_i2c(0x380a ,0x0 ),
write_i2c(0x380b ,0xf0),
write_i2c(0x380c ,0xc ),
write_i2c(0x380d ,0x80),
write_i2c(0x380e ,0x7 ),
write_i2c(0x380f ,0xd0),
write_i2c(0x5001 ,0x7f),
write_i2c(0x5680 ,0x0 ),
write_i2c(0x5681 ,0x0 ),
write_i2c(0x5682 ,0x2 ),
write_i2c(0x5683 ,0x88),
write_i2c(0x5684 ,0x0 ),
write_i2c(0x5685 ,0x0 ),
write_i2c(0x5686 ,0x1 ),
write_i2c(0x5687 ,0xe6),
```

Zoom 5

```
write_i2c(0x3800 ,0x5 ),
write_i2c(0x3801 ,0x97),
write_i2c(0x3802 ,0x3 ),
write_i2c(0x3803 ,0x14),
write_i2c(0x3804 ,0x2 ),
write_i2c(0x3805 ,0x6 ),
write_i2c(0x3806 ,0x1 ),
write_i2c(0x3807 ,0x84),
write_i2c(0x3808 ,0x1 ),
write_i2c(0x3809 ,0x40),
write_i2c(0x380a ,0x0 ),
write_i2c(0x380b ,0xf0),
write_i2c(0x380c ,0xc ),
write_i2c(0x380d ,0x80),
write_i2c(0x380e ,0x7 ),
write_i2c(0x380f ,0xd0),
write_i2c(0x5001 ,0x7f),
write_i2c(0x5680 ,0x0 ),
write_i2c(0x5681 ,0x0 ),
write_i2c(0x5682 ,0x2 ),
write_i2c(0x5683 ,0x6 ),
write_i2c(0x5684 ,0x0 ),
write_i2c(0x5685 ,0x0 ),
write_i2c(0x5686 ,0x1 ),
write_i2c(0x5687 ,0x84),
```

Zoom 6

```
write_i2c(0x3800 ,0x5 ),
write_i2c(0x3801 ,0xc2),
```

```
write_i2c(0x3802 ,0x3 ),
write_i2c(0x3803 ,0x34),
write_i2c(0x3804 ,0x1 ),
write_i2c(0x3805 ,0xb0),
write_i2c(0x3806 ,0x1 ),
write_i2c(0x3807 ,0x44),
write_i2c(0x3808 ,0x1 ),
write_i2c(0x3809 ,0x40),
write_i2c(0x380a ,0x0 ),
write_i2c(0x380b ,0xf0),
write_i2c(0x380c ,0xc ),
write_i2c(0x380d ,0x80),
write_i2c(0x380e ,0x7 ),
write_i2c(0x380f ,0xd0),
write_i2c(0x5001 ,0x7f),
write_i2c(0x5680 ,0x0 ),
write_i2c(0x5681 ,0x0 ),
write_i2c(0x5682 ,0x1 ),
write_i2c(0x5683 ,0xb0),
write_i2c(0x5684 ,0x0 ),
write_i2c(0x5685 ,0x0 ),
write_i2c(0x5686 ,0x1 ),
write_i2c(0x5687 ,0x44),
```

Zoom 7

```
write_i2c(0x3800 ,0x5 ),
write_i2c(0x3801 ,0xe1),
write_i2c(0x3802 ,0x3 ),
write_i2c(0x3803 ,0x4b),
write_i2c(0x3804 ,0x1 ),
write_i2c(0x3805 ,0x72),
write_i2c(0x3806 ,0x1 ),
write_i2c(0x3807 ,0x15),
write_i2c(0x3808 ,0x1 ),
write_i2c(0x3809 ,0x40),
write_i2c(0x380a ,0x0 ),
write_i2c(0x380b ,0xf0),
write_i2c(0x380c ,0xc ),
write_i2c(0x380d ,0x80),
write_i2c(0x380e ,0x7 ),
write_i2c(0x380f ,0xd0),
write_i2c(0x5001 ,0x7f),
write_i2c(0x5680 ,0x0 ),
write_i2c(0x5681 ,0x0 ),
write_i2c(0x5682 ,0x1 ),
write_i2c(0x5683 ,0x72),
write_i2c(0x5684 ,0x0 ),
write_i2c(0x5685 ,0x0 ),
```

Confidential For MESADA Only

```
write_i2c(0x5686 ,0x1 ),  
write_i2c(0x5687 ,0x15),
```

Zoom 8

```
write_i2c(0x3800 ,0x5 ),  
write_i2c(0x3801 ,0xf8),  
write_i2c(0x3802 ,0x3 ),  
write_i2c(0x3803 ,0x5c),  
write_i2c(0x3804 ,0x1 ),  
write_i2c(0x3805 ,0x44),  
write_i2c(0x3806 ,0x0 ),  
write_i2c(0x3807 ,0xf0),  
write_i2c(0x3808 ,0x1 ),  
write_i2c(0x3809 ,0x40),  
write_i2c(0x380a ,0x0 ),  
write_i2c(0x380b ,0xf0),  
write_i2c(0x380c ,0xc ),  
write_i2c(0x380d ,0x80),  
write_i2c(0x380e ,0x7 ),  
write_i2c(0x380f ,0xd0),  
write_i2c(0x5001 ,0x7f),  
write_i2c(0x5680 ,0x0 ),  
write_i2c(0x5681 ,0x0 ),  
write_i2c(0x5682 ,0x1 ),  
write_i2c(0x5683 ,0x44),  
write_i2c(0x5684 ,0x0 ),  
write_i2c(0x5685 ,0x0 ),  
write_i2c(0x5686 ,0x0 ),  
write_i2c(0x5687 ,0xf3),
```

4 qxga(2048*1536)

Zoom 1

```
write_i2c(0x3800 ,0x1 ),  
write_i2c(0x3801 ,0x8A),  
write_i2c(0x3802 ,0x0 ),  
write_i2c(0x3803 ,0xA ),  
write_i2c(0x3804 ,0xA ),  
write_i2c(0x3805 ,0x20),  
write_i2c(0x3806 ,0x7 ),  
write_i2c(0x3807 ,0x98),  
write_i2c(0x3808 ,0x8 ),  
write_i2c(0x3809 ,0x0 ),  
write_i2c(0x380a ,0x6 ),  
write_i2c(0x380b ,0x0 ),  
write_i2c(0x380c ,0xc ),  
write_i2c(0x380d ,0x80),
```

```
write_i2c(0x380e,0x7),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0),
write_i2c(0x5681,0x0),
write_i2c(0x5682,0xA),
write_i2c(0x5683,0x20),
write_i2c(0x5684,0x0),
write_i2c(0x5685,0x0),
write_i2c(0x5686,0x7),
write_i2c(0x5687,0x98),
```

Zoom 1.2

```
write_i2c(0x3800,0x2),
write_i2c(0x3801,0x62),
write_i2c(0x3802,0x0),
write_i2c(0x3803,0xA),
write_i2c(0x3804,0x8),
write_i2c(0x3805,0x70),
write_i2c(0x3806,0x6),
write_i2c(0x3807,0x54),
write_i2c(0x3808,0x8),
write_i2c(0x3809,0x0),
write_i2c(0x380a,0x6),
write_i2c(0x380b,0x0),
write_i2c(0x380c,0xc),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0),
write_i2c(0x5681,0x0),
write_i2c(0x5682,0x8),
write_i2c(0x5683,0x70),
write_i2c(0x5684,0x0),
write_i2c(0x5685,0x0),
write_i2c(0x5686,0x6),
write_i2c(0x5687,0x54),
```

5 uxga(1600*1200)

Zoom 1

```
write_i2c(0x3800,0x1),
write_i2c(0x3801,0x8A),
write_i2c(0x3802,0x0),
write_i2c(0x3803,0xA),
write_i2c(0x3804,0xA),
write_i2c(0x3805,0x20),
```



```
write_i2c(0x3806,0x7),
write_i2c(0x3807,0x98),
write_i2c(0x3808,0x6),
write_i2c(0x3809,0x40),
write_i2c(0x380a,0x4),
write_i2c(0x380b,0xb0),
write_i2c(0x380c,0xc),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0),
write_i2c(0x5681,0x0),
write_i2c(0x5682,0xA),
write_i2c(0x5683,0x20),
write_i2c(0x5684,0x0),
write_i2c(0x5685,0x0),
write_i2c(0x5686,0x7),
write_i2c(0x5687,0x98),
```

Zoom 1.3

```
write_i2c(0x3800,0x2),
write_i2c(0x3801,0xe5),
write_i2c(0x3802,0x0),
write_i2c(0x3803,0xeA),
write_i2c(0x3804,0x7),
write_i2c(0x3805,0xc9),
write_i2c(0x3806,0x5),
write_i2c(0x3807,0xd7),
write_i2c(0x3808,0x6),
write_i2c(0x3809,0x40),
write_i2c(0x380a,0x4),
write_i2c(0x380b,0xb0),
write_i2c(0x380c,0xc),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0),
write_i2c(0x5681,0x0),
write_i2c(0x5682,0x7),
write_i2c(0x5683,0xc9),
write_i2c(0x5684,0x0),
write_i2c(0x5685,0x0),
write_i2c(0x5686,0x5),
write_i2c(0x5687,0xd7),
```

Zoom 1.6

```
write_i2c(0x3800 ,0x3 ),
write_i2c(0x3801 ,0x70),
write_i2c(0x3802 ,0x1),
write_i2c(0x3803 ,0x76 ),
write_i2c(0x3804 ,0x6 ),
write_i2c(0x3805 ,0x54),
write_i2c(0x3806 ,0x4 ),
write_i2c(0x3807 ,0xbf),
write_i2c(0x3808 ,0x6 ),
write_i2c(0x3809 ,0x40),
write_i2c(0x380a ,0x4 ),
write_i2c(0x380b ,0xb0),
write_i2c(0x380c ,0xc ),
write_i2c(0x380d ,0x80),
write_i2c(0x380e ,0x7 ),
write_i2c(0x380f ,0xd0),
write_i2c(0x5001 ,0x7f),
write_i2c(0x5680 ,0x0 ),
write_i2c(0x5681 ,0x0 ),
write_i2c(0x5682 ,0x6 ),
write_i2c(0x5683 ,0x54),
write_i2c(0x5684 ,0x0 ),
write_i2c(0x5685 ,0x0 ),
write_i2c(0x5686 ,0x4 ),
write_i2c(0x5687 ,0xbf),
```

6 xga(1024*768)

Zoom 1

```
write_i2c(0x3800 ,0x1 ),
write_i2c(0x3801 ,0x8A),
write_i2c(0x3802 ,0x0 ),
write_i2c(0x3803 ,0xA0),
write_i2c(0x3804 ,0xA0),
write_i2c(0x3805 ,0x20),
write_i2c(0x3806 ,0x7 ),
write_i2c(0x3807 ,0x98),
write_i2c(0x3808 ,0x4 ),
write_i2c(0x3809 ,0x0 ),
write_i2c(0x380a ,0x3 ),
write_i2c(0x380b ,0x0 ),
write_i2c(0x380c ,0xc ),
write_i2c(0x380d ,0x80),
write_i2c(0x380e ,0x7 ),
write_i2c(0x380f ,0xd0),
write_i2c(0x5001 ,0x7f),
write_i2c(0x5680 ,0x0 ),
```

```
write_i2c(0x5681,0x0 ),
write_i2c(0x5682,0xA ),
write_i2c(0x5683,0x20),
write_i2c(0x5684,0x0 ),
write_i2c(0x5685,0x0 ),
write_i2c(0x5686,0x7 ),
write_i2c(0x5687,0x98),
```

Zoom 2

```
write_i2c(0x3800,0x4 ),
write_i2c(0x3801,0x12),
write_i2c(0x3802,0x1 ),
write_i2c(0x3803,0xf0 ),
write_i2c(0x3804,0x5 ),
write_i2c(0x3805,0x10),
write_i2c(0x3806,0x3 ),
write_i2c(0x3807,0xcc),
write_i2c(0x3808,0x4 ),
write_i2c(0x3809,0x0 ),
write_i2c(0x380a,0x3 ),
write_i2c(0x380b,0x0 ),
write_i2c(0x380c,0xc ),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7 ),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0 ),
write_i2c(0x5681,0x0 ),
write_i2c(0x5682,0x5 ),
write_i2c(0x5683,0x10),
write_i2c(0x5684,0x0 ),
write_i2c(0x5685,0x0 ),
write_i2c(0x5686,0x3 ),
write_i2c(0x5687,0x0 ),
```

Zoom 2.5

```
write_i2c(0x3800,0x4 ),
write_i2c(0x3801,0x94),
write_i2c(0x3802,0x2 ),
write_i2c(0x3803,0x51 ),
write_i2c(0x3804,0x4 ),
write_i2c(0x3805,0xc ),
write_i2c(0x3806,0x3 ),
write_i2c(0x3807,0x9 ),
write_i2c(0x3808,0x4 ),
write_i2c(0x3809,0x0 ),
write_i2c(0x380a,0x3 ),
write_i2c(0x380b,0x0 ),
```

Confidential For MESADA Only

```

write_i2c(0x380c,0xc),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x7),
write_i2c(0x380f,0xd0),
write_i2c(0x5001,0x7f),
write_i2c(0x5680,0x0),
write_i2c(0x5681,0x0),
write_i2c(0x5682,0x4),
write_i2c(0x5683,0xc),
write_i2c(0x5684,0x0),
write_i2c(0x5685,0x0),
write_i2c(0x5686,0x3),
write_i2c(0x5687,0x9),

```

7.

QSXGA no zoom

13.1.6.3 Zoom Function

/** Digital Continue Zoom Function **/

/**/

s_format: 0 for SXGA, 1 for QSXGA

dvp_w: Output Width

dvp_h: Output Height

zoom_level: 0 for 1.0 zoom, 1 for 1.1 zoom, 2 for 1.2 zoom, etc.

The maximum zoom level depends on the resolution of both preview and capture

/**/

```

static int resolution_zoom(unsigned char s_format, unsigned int dvp_w, unsigned int dvp_h,
unsigned char zoom_level)

```

```

{

```

```

    unsigned char Reg3808, Reg3809, Reg380a, Reg380b;
    unsigned char Reg3824, Reg3825, Reg3826, Reg3827;
    unsigned char Reg3800, Reg3801, Reg3802, Reg3803;
    unsigned char Reg3804, Reg3805, Reg3806, Reg3807;
    unsigned char Reg5682, Reg5683, Reg5686, Reg5687;

```

```

    unsigned int MinLevel, MaxLevel;

```

```

    unsigned int windw, windh, sx, sy;

```

```
unsigned int zoom;

zoom = zoom_level + 10;
MinLevel = 10;

if(s_format == 0)
{
    MaxLevel = (1280/dvp_w)*10;
}
else if(s_format == 1)
{
    MaxLevel = (2592/dvp_w)*10;
}

if(zoom < MinLevel)
{
    zoom = MinLevel;
}
else if(zoom > MaxLevel)
{
    zoom = MaxLevel;
}

Reg3808 = (int)(dvp_w/256);
Reg3809 = dpv_w - Reg3808*256;
Reg380a = (int)(dvp_h/256);
Reg380b = dpv_h - Reg380a*256;

if(s_format == 0)
{
    windw = (int)(1280/zoom*10);
    windh = (int)(960/zoom*10);
    sx = 436 + (int)((1280 - windw)/2);
```

Confidential For MESADA Only

```
    sy = 8 + (int)((960 - windh)/2);
    Reg3824 = (int)(sx/256);
    Reg3825 = sx - Reg3824*256;
    Reg3826 = (int)(sy/256);
    Reg3827 = sy - Reg3826*256;
}
else if(s_format == 1)
{
    windw = (int)(2592/zoom*10);
    windh = (int)(1944/zoom*10);
    sx = 394 + (int)((2592 - windw)/2);
    sy = 10 + (int)((1944 - windh)/2);
    Reg3800 = (int)(sx/256);
    Reg3801 = sx - Reg3800*256;
    Reg3802 = (int)(sy/256);
    Reg3803 = sy - Reg3802*256;
}

Reg3804 = (int)(windw/256);
Reg3805 = windw - Reg3804*256;
Reg3806 = (int)(windh/256);
Reg3807 = windh - Reg3806*256;

Reg5682 = (int)(windw/256);
Reg5683 = windw - Reg5682*256;
Reg5686 = (int)(windh/256);
Reg5687 = windh - Reg5686*256;

if(s_format == 0)
{
    Reg3824 = Reg3824 | 0x10;
    sccb_write16(0x3824, Reg3824);
    sccb_write16(0x3825, Reg3825);
    sccb_write16(0x3826, Reg3826);
}
```

```
sccb_write16(0x3827, Reg3827);
sccb_write16(0x3804, Reg3804);
sccb_write16(0x3805, Reg3805);
sccb_write16(0x3806, Reg3806);
sccb_write16(0x3807, Reg3807);
sccb_write16(0x3808, Reg3808);
sccb_write16(0x3809, Reg3809);
sccb_write16(0x380a, Reg380a);
sccb_write16(0x380b, Reg380b);
sccb_write16(0x380c, 0x0c);
sccb_write16(0x380d, 0x80);
sccb_write16(0x380e, 0x03);
sccb_write16(0x380f, 0xe8);
sccb_write16(0x5001, 0xf7);
sccb_write16(0x5680, 0x00);
sccb_write16(0x5681, 0x00);
sccb_write16(0x5682, Reg5682);
sccb_write16(0x5683, Reg5683);
sccb_write16(0x5684, 0x00);
sccb_write16(0x5685, 0x00);
sccb_write16(0x5686, Reg5686);
sccb_write16(0x5687, Reg5687);
}
else if(s_format == 1)
{
    sccb_write16(0x3800, Reg3800);
    sccb_write16(0x3801, Reg3801);
    sccb_write16(0x3802, Reg3802);
    sccb_write16(0x3803, Reg3803);
    sccb_write16(0x3804, Reg3804);
    sccb_write16(0x3805, Reg3805);
    sccb_write16(0x3806, Reg3806);
    sccb_write16(0x3807, Reg3807);
    sccb_write16(0x3808, Reg3808);
```

```
sccb_write16(0x3809, Reg3809);
sccb_write16(0x380a, Reg380a);
sccb_write16(0x380b, Reg380b);
sccb_write16(0x380c, 0x0c);
sccb_write16(0x380d, 0x80);
sccb_write16(0x380e, 0x07);
sccb_write16(0x380f, 0xd0);
sccb_write16(0x5001, 0xf7);
sccb_write16(0x5680, 0x00);
sccb_write16(0x5681, 0x00);
sccb_write16(0x5682, Reg5682);
sccb_write16(0x5683, Reg5683);
sccb_write16(0x5684, 0x00);
sccb_write16(0x5685, 0x00);
sccb_write16(0x5686, Reg5686);
sccb_write16(0x5687, Reg5687);
}

return 0;
}
```

13.1.7 YUV and JPEG mode change setting

13.1.7.1 YUV to JPEG setting

```
write_i2c(0x460c ,0x02),
write_i2c(0x460b ,0x35),
write_i2c(0x471d ,0x00),
write_i2c(0x3002 ,0x0c),
write_i2c(0x3002 ,0x00),
write_i2c(0x4713 ,0x03),
write_i2c(0x471c ,0x50),
write_i2c(0x3815 ,0x44),
write_i2c(0x3818 ,0x08),
write_i2c(0x3006 ,0xff),
write_i2c(0x3007 ,0x3f),
```

13.1.7.2 JPEG to YUV setting

```
write_i2c(0x460c ,0x00),
```



```
write_i2c(0x460b,0x37),
write_i2c(0x471c,0xd0),
write_i2c(0x471d,0x05),
write_i2c(0x3815,0x01),
write_i2c(0x3818,0x00),
write_i2c(0x501f,0x00),
write_i2c(0x4300,0x30),
write_i2c(0x3002,0x1c),
```

13.2 Sensor Raw setting

```
write_i2c(0x3103,0x03),
write_i2c(0x3008,0x82),
write_i2c(0x3017,0x7f),
write_i2c(0x3018,0xfc),
write_i2c(0x3810,0xc2),
write_i2c(0x3615,0xf0),
write_i2c(0x3000,0x00),
write_i2c(0x3001,0x00),
write_i2c(0x3002,0x00),
write_i2c(0x3003,0x00),
write_i2c(0x3011,0x08),
write_i2c(0x3010,0x30),
write_i2c(0x3604,0x60),
write_i2c(0x3622,0x08),
write_i2c(0x3621,0x17),
write_i2c(0x3709,0x00),
write_i2c(0x4000,0x21),
write_i2c(0x401d,0x02),
write_i2c(0x3600,0x54),
write_i2c(0x3605,0x04),
write_i2c(0x3606,0x3f),
write_i2c(0x3c01,0x80),
write_i2c(0x300d,0x21),
write_i2c(0x3623,0x22),
write_i2c(0x5000,0xcf),
write_i2c(0x5020,0x04),
write_i2c(0x5181,0x79),
write_i2c(0x5182,0x00),
write_i2c(0x5185,0x22),
write_i2c(0x5197,0x01),
write_i2c(0x5500,0x0a),
write_i2c(0x5504,0x00),
write_i2c(0x5505,0x7f),
write_i2c(0x5080,0x08),
write_i2c(0x300e,0x18),
write_i2c(0x4610,0x00),
write_i2c(0x471d,0x05),
```

Confidential For MESADA Only

```
write_i2c(0x4708,0x06),
write_i2c(0x3710,0x10),
write_i2c(0x370d,0x06),
write_i2c(0x3632,0x41),
write_i2c(0x3702,0x40),
write_i2c(0x3620,0x37),
write_i2c(0x3631,0x01),
write_i2c(0x370c,0xa0),
write_i2c(0x3808,0x0a),
write_i2c(0x3809,0x20),
write_i2c(0x380a,0x07),
write_i2c(0x380b,0x98),
write_i2c(0x380c,0x0c),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x07),
write_i2c(0x380f,0xd0),
write_i2c(0x5000,0x06),
write_i2c(0x501f,0x03),
write_i2c(0x3503,0x07),
write_i2c(0x3501,0x73),
write_i2c(0x3502,0x80),
write_i2c(0x350b,0x00),
write_i2c(0x3818,0xc0),
write_i2c(0x3621,0x27),
write_i2c(0x3801,0x8a),
write_i2c(0x3a00,0x78),
write_i2c(0x3a1a,0x04),
write_i2c(0x3a13,0x30),
write_i2c(0x3a18,0x00),
write_i2c(0x3a19,0x7c),
write_i2c(0x3a08,0x12),
write_i2c(0x3a09,0xc0),
write_i2c(0x3a0a,0x0f),
write_i2c(0x3a0b,0xa0),
write_i2c(0x3004,0xf0),
write_i2c(0x350c,0x07),
write_i2c(0x350d,0xd0),
write_i2c(0x3a0d,0x08),
write_i2c(0x3a0e,0x06),
write_i2c(0x3500,0x00),
write_i2c(0x3501,0x00),
write_i2c(0x3502,0x00),
write_i2c(0x350a,0x00),
write_i2c(0x350b,0x00),
write_i2c(0x3503,0x00),
write_i2c(0x3030,0x2b),
write_i2c(0x3a02,0x00),
write_i2c(0x3a03,0x7d),
```

Confidential For MESADA Only

```
write_i2c(0x3a04,0x00),
write_i2c(0x3a14,0x00),
write_i2c(0x3a15,0x7d),
write_i2c(0x3a16,0x00),
write_i2c(0x3a00,0x78),
write_i2c(0x3a08,0x09),
write_i2c(0x3a09,0x60),
write_i2c(0x3a0a,0x07),
write_i2c(0x3a0b,0xd0),
write_i2c(0x3a0d,0x10),
write_i2c(0x3a0e,0x0d),
write_i2c(0x3620,0x57),
write_i2c(0x3703,0x98),
write_i2c(0x3704,0x1c),
write_i2c(0x589b,0x00),
write_i2c(0x589a,0xc0),
write_i2c(0x3633,0x07),
write_i2c(0x3702,0x10),
write_i2c(0x3703,0xb2),
write_i2c(0x3704,0x18),
write_i2c(0x370b,0x40),
write_i2c(0x370d,0x02),
write_i2c(0x3620,0x52),
write_i2c(0x5000,0x06),
write_i2c(0x5001,0x00),
write_i2c(0x5005,0x00),
write_i2c(0x3818,0x80),
write_i2c(0x3621,0x17),
write_i2c(0x3801,0xb4),
write_i2c(0x3001,0x40),
write_i2c(0x3002,0x1c),
write_i2c(0x3810,0x00),
write_i2c(0x3818,0x00),
write_i2c(0x460c,0x20),
write_i2c(0x501f,0x04),
write_i2c(0x4300,0xf8),
```

Confidential For MESADA Only

13.3 Processor RAW setting

```
write_i2c(0x3103,0x03),
write_i2c(0x3008,0x82),
write_i2c(0x3017,0x7f),
write_i2c(0x3018,0xfc),
write_i2c(0x3810,0xc2),
write_i2c(0x3615,0xf0),
write_i2c(0x3000,0x00),
write_i2c(0x3001,0x00),
write_i2c(0x3002,0x00),
write_i2c(0x3003,0x00),
```

```
write_i2c(0x3011,0x08),
write_i2c(0x3010,0x30),
write_i2c(0x3604,0x60),
write_i2c(0x3622,0x08),
write_i2c(0x3621,0x17),
write_i2c(0x3709,0x00),
write_i2c(0x4000,0x21),
write_i2c(0x401d,0x02),
write_i2c(0x3600,0x54),
write_i2c(0x3605,0x04),
write_i2c(0x3606,0x3f),
write_i2c(0x3c01,0x80),
write_i2c(0x300d,0x21),
write_i2c(0x3623,0x22),
write_i2c(0x5000,0xcf),
write_i2c(0x5020,0x04),
write_i2c(0x5181,0x79),
write_i2c(0x5182,0x00),
write_i2c(0x5185,0x22),
write_i2c(0x5197,0x01),
write_i2c(0x5500,0x0a),
write_i2c(0x5504,0x00),
write_i2c(0x5505,0x7f),
write_i2c(0x5080,0x08),
write_i2c(0x300e,0x18),
write_i2c(0x4610,0x00),
write_i2c(0x471d,0x05),
write_i2c(0x4708,0x06),
write_i2c(0x3710,0x10),
write_i2c(0x370d,0x06),
write_i2c(0x3632,0x41),
write_i2c(0x3702,0x40),
write_i2c(0x3620,0x37),
write_i2c(0x3631,0x01),
write_i2c(0x370c,0xad),
write_i2c(0x3808,0x0a),
write_i2c(0x3809,0x20),
write_i2c(0x380a,0x07),
write_i2c(0x380b,0x98),
write_i2c(0x380c,0x0c),
write_i2c(0x380d,0x80),
write_i2c(0x380e,0x07),
write_i2c(0x380f,0xd0),
write_i2c(0x5000,0x06),
write_i2c(0x501f,0x03),
write_i2c(0x3503,0x07),
write_i2c(0x3501,0x73),
write_i2c(0x3502,0x80),
```

Confidential For MESADA Only

```
write_i2c(0x350b,0x00),
write_i2c(0x3818,0xc0),
write_i2c(0x3621,0x27),
write_i2c(0x3801,0x8a),
write_i2c(0x3a00,0x78),
write_i2c(0x3a1a,0x04),
write_i2c(0x3a13,0x30),
write_i2c(0x3a18,0x00),
write_i2c(0x3a19,0x7c),
write_i2c(0x3a08,0x12),
write_i2c(0x3a09,0xc0),
write_i2c(0x3a0a,0x0f),
write_i2c(0x3a0b,0xa0),
write_i2c(0x3004,0xff),
write_i2c(0x350c,0x07),
write_i2c(0x350d,0xd0),
write_i2c(0x3a0d,0x08),
write_i2c(0x3a0e,0x06),
write_i2c(0x3500,0x00),
write_i2c(0x3501,0x00),
write_i2c(0x3502,0x00),
write_i2c(0x350a,0x00),
write_i2c(0x350b,0x00),
write_i2c(0x3503,0x00),
write_i2c(0x3030,0x2b),
write_i2c(0x3a02,0x00),
write_i2c(0x3a03,0x7d),
write_i2c(0x3a04,0x00),
write_i2c(0x3a14,0x00),
write_i2c(0x3a15,0x7d),
write_i2c(0x3a16,0x00),
write_i2c(0x3a00,0x78),
write_i2c(0x3a08,0x09),
write_i2c(0x3a09,0x60),
write_i2c(0x3a0a,0x07),
write_i2c(0x3a0b,0xd0),
write_i2c(0x3a0d,0x10),
write_i2c(0x3a0e,0x0d),
write_i2c(0x3620,0x57),
write_i2c(0x3703,0x98),
write_i2c(0x3704,0x1c),
write_i2c(0x589b,0x00),
write_i2c(0x589a,0xc0),
write_i2c(0x3633,0x07),
write_i2c(0x3702,0x10),
write_i2c(0x3703,0xb2),
write_i2c(0x3704,0x18),
write_i2c(0x370b,0x40),
```

Confidential For MESADA Only

```
write_i2c(0x370d ,0x02),  
write_i2c(0x3620 ,0x52),  
write_i2c(0x5000 ,0x06),  
write_i2c(0x5001 ,0x00),  
write_i2c(0x5005 ,0x00),  
write_i2c(0x3818 ,0x80),  
write_i2c(0x3621 ,0x17),  
write_i2c(0x3801 ,0xb4),
```

13. 4 High Resolution Video

13.4.1 1080 P

```
write_i2c(0x3103 ,0x93);  
write_i2c(0x3008 ,0x82);  
write_i2c(0x3017 ,0x7f);  
write_i2c(0x3018 ,0xfc);  
write_i2c(0x3810 ,0xc2);  
write_i2c(0x3615 ,0xf0);  
write_i2c(0x3000 ,0x00);  
write_i2c(0x3001 ,0x00);  
write_i2c(0x3002 ,0x00);  
write_i2c(0x3003 ,0x00);  
write_i2c(0x3004 ,0xff);  
write_i2c(0x3030 ,0x2b);  
write_i2c(0x3011 ,0x08);  
write_i2c(0x3010 ,0x10);  
write_i2c(0x3604 ,0x60);  
write_i2c(0x3622 ,0x60);  
write_i2c(0x3621 ,0x09);  
write_i2c(0x3709 ,0x00);  
write_i2c(0x4000 ,0x21);  
write_i2c(0x401d ,0x22);  
write_i2c(0x3600 ,0x54);  
write_i2c(0x3605 ,0x04);  
write_i2c(0x3606 ,0x3f);  
write_i2c(0x3c01 ,0x80);  
write_i2c(0x300d ,0x22);  
write_i2c(0x3623 ,0x22);  
write_i2c(0x5000 ,0x4f);  
write_i2c(0x5020 ,0x04);  
write_i2c(0x5181 ,0x79);  
write_i2c(0x5182 ,0x00);  
write_i2c(0x5185 ,0x22);  
write_i2c(0x5197 ,0x01);  
write_i2c(0x5500 ,0x0a);  
write_i2c(0x5504 ,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x5505 ,0x7f);
write_i2c(0x5080 ,0x08);
write_i2c(0x300e ,0x18);
write_i2c(0x4610 ,0x00);
write_i2c(0x471d ,0x05);
write_i2c(0x4708 ,0x06);
write_i2c(0x370c ,0xa0);
write_i2c(0x3808 ,0x0a);
write_i2c(0x3809 ,0x20);
write_i2c(0x380a ,0x07);
write_i2c(0x380b ,0x98);
write_i2c(0x380c ,0x0c);
write_i2c(0x380d ,0x80);
write_i2c(0x380e ,0x07);
write_i2c(0x380f ,0xd0);
write_i2c(0x5687 ,0x94);
write_i2c(0x501f ,0x00);
write_i2c(0x5000 ,0x4f);
write_i2c(0x5001 ,0xcf);
write_i2c(0x4300 ,0x30);
write_i2c(0x4300 ,0x30);
write_i2c(0x460b ,0x35);
write_i2c(0x471d ,0x00);
write_i2c(0x3002 ,0x0c);
write_i2c(0x3002 ,0x00);
write_i2c(0x4713 ,0x03);
write_i2c(0x471c ,0x50);
write_i2c(0x4721 ,0x02);
write_i2c(0x4402 ,0x90);
write_i2c(0x460c ,0x22);
write_i2c(0x3815 ,0x44);
write_i2c(0x3503 ,0x07);
write_i2c(0x3501 ,0x73);
write_i2c(0x3502 ,0x80);
write_i2c(0x350b ,0x00);
write_i2c(0x3818 ,0xc8);
write_i2c(0x3801 ,0x88);
write_i2c(0x3824 ,0x11);
write_i2c(0x3a00 ,0x78);
write_i2c(0x3a1a ,0x04);
write_i2c(0x3a13 ,0x30);
write_i2c(0x3a18 ,0x00);
write_i2c(0x3a19 ,0x7c);
write_i2c(0x3a08 ,0x12);
write_i2c(0x3a09 ,0xc0);
write_i2c(0x3a0a ,0x0f);
write_i2c(0x3a0b ,0xa0);
write_i2c(0x350c ,0x07);
```

Confidential For MESADA Only

```
write_i2c(0x350d,0xd0);
write_i2c(0x3a0d,0x08);
write_i2c(0x3a0e,0x06);
write_i2c(0x3500,0x00);
write_i2c(0x3501,0x00);
write_i2c(0x3502,0x00);
write_i2c(0x350a,0x00);
write_i2c(0x350b,0x00);
write_i2c(0x3503,0x00);
write_i2c(0x3030,0x2b);
write_i2c(0x3a02,0x00);
write_i2c(0x3a03,0x7d);
write_i2c(0x3a04,0x00);
write_i2c(0x3a14,0x00);
write_i2c(0x3a15,0x7d);
write_i2c(0x3a16,0x00);
write_i2c(0x3a00,0x78);
write_i2c(0x3a08,0x09);
write_i2c(0x3a09,0x60);
write_i2c(0x3a0a,0x07);
write_i2c(0x3a0b,0xd0);
write_i2c(0x3a0d,0x10);
write_i2c(0x3a0e,0x0d);
write_i2c(0x4407,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x589b,0x00);
write_i2c(0x589a,0xc0);
write_i2c(0x401e,0x20);
write_i2c(0x4001,0x42);
write_i2c(0x401c,0x06);
write_i2c(0x3825,0xac);
write_i2c(0x3827,0x0c);
write_i2c(0x5402,0x3f);
write_i2c(0x5403,0x00);
write_i2c(0x3406,0x00);
write_i2c(0x5180,0xff);
write_i2c(0x5181,0x52);
write_i2c(0x5182,0x11);
write_i2c(0x5183,0x14);
write_i2c(0x5184,0x25);
write_i2c(0x5185,0x24);
write_i2c(0x5186,0x06);
write_i2c(0x5187,0x08);
write_i2c(0x5188,0x08);
write_i2c(0x5189,0x7c);
write_i2c(0x518a,0x60);
write_i2c(0x518b,0xb2);
write_i2c(0x518c,0xb2);
```

Confidential For MESADA Only


```
write_i2c(0x518d,0x44);
write_i2c(0x518e,0x3d);
write_i2c(0x518f,0x58);
write_i2c(0x5190,0x46);
write_i2c(0x5191,0xf8);
write_i2c(0x5192,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x5194,0xf0);
write_i2c(0x5195,0xf0);
write_i2c(0x5196,0x03);
write_i2c(0x5197,0x01);
write_i2c(0x5198,0x04);
write_i2c(0x5199,0x12);
write_i2c(0x519a,0x04);
write_i2c(0x519b,0x00);
write_i2c(0x519c,0x06);
write_i2c(0x519d,0x82);
write_i2c(0x519e,0x00);
write_i2c(0x5025,0x80);
write_i2c(0x5583,0x40);
write_i2c(0x5584,0x40);
write_i2c(0x5580,0x02);
write_i2c(0x5000,0xcf);
write_i2c(0x3710,0x10);
write_i2c(0x3632,0x51);
write_i2c(0x3702,0x10);
write_i2c(0x3703,0xb2);
write_i2c(0x3704,0x18);
write_i2c(0x370b,0x40);
write_i2c(0x370d,0x03);
write_i2c(0x3631,0x01);
write_i2c(0x3632,0x52);
write_i2c(0x3606,0x24);
write_i2c(0x3620,0x90);
write_i2c(0x5785,0x00);
write_i2c(0x3a13,0x30);
write_i2c(0x3600,0x52);
write_i2c(0x3604,0x48);
write_i2c(0x3606,0x1b);
write_i2c(0x370d,0x0b);
write_i2c(0x370f,0xc0);
write_i2c(0x3709,0x01);
write_i2c(0x3823,0x00);
write_i2c(0x5007,0x00);
write_i2c(0x5009,0x00);
write_i2c(0x5011,0x00);
write_i2c(0x5013,0x00);
write_i2c(0x519e,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x5086,0x00);
write_i2c(0x5087,0x00);
write_i2c(0x5088,0x00);
write_i2c(0x5089,0x00);
write_i2c(0x302b,0x00);
write_i2c(0x3503,0x07);
write_i2c(0x3011,0x07);
write_i2c(0x350c,0x04);
write_i2c(0x350d,0x58);
write_i2c(0x3801,0x8a);
write_i2c(0x3803,0x0a);
write_i2c(0x3804,0x07);
write_i2c(0x3805,0x80);
write_i2c(0x3806,0x04);
write_i2c(0x3807,0x38);
write_i2c(0x3808,0x07);
write_i2c(0x3809,0x80);
write_i2c(0x380a,0x04);
write_i2c(0x380b,0x38);
write_i2c(0x380c,0x09);
write_i2c(0x380d,0xd6);
write_i2c(0x380e,0x04);
write_i2c(0x380f,0x58);
write_i2c(0x381c,0x11);
write_i2c(0x381d,0xba);
write_i2c(0x381e,0x04);
write_i2c(0x381f,0x48);
write_i2c(0x3820,0x04);
write_i2c(0x3821,0x18);
write_i2c(0x3a08,0x14);
write_i2c(0x3a09,0xe0);
write_i2c(0x3a0a,0x11);
write_i2c(0x3a0b,0x60);
write_i2c(0x3a0d,0x04);
write_i2c(0x3a0e,0x03);
write_i2c(0x5682,0x07);
write_i2c(0x5683,0x60);
write_i2c(0x5686,0x04);
write_i2c(0x5687,0x1c);
write_i2c(0x5001,0x7f);
write_i2c(0x3503,0x00);
write_i2c(0x3010,0x10);
```

```
write_i2c(0x5001,0xFF);
write_i2c(0x5583,0x50);
write_i2c(0x5584,0x50);
write_i2c(0x5580,0x02);
```

Confidential For MESADA Only

```
write_i2c(0x3c01 ,0x80);  
write_i2c(0x3c00 ,0x04);
```

```
;LENS
```

```
write_i2c(0x5800 ,0x48);  
write_i2c(0x5801 ,0x31);  
write_i2c(0x5802 ,0x21);  
write_i2c(0x5803 ,0x1b);  
write_i2c(0x5804 ,0x1a);  
write_i2c(0x5805 ,0x1e);  
write_i2c(0x5806 ,0x29);  
write_i2c(0x5807 ,0x38);  
write_i2c(0x5808 ,0x26);  
write_i2c(0x5809 ,0x17);  
write_i2c(0x580a ,0x11);  
write_i2c(0x580b ,0xe );  
write_i2c(0x580c ,0xd );  
write_i2c(0x580d ,0xe );  
write_i2c(0x580e ,0x13);  
write_i2c(0x580f ,0x1a);  
write_i2c(0x5810 ,0x15);  
write_i2c(0x5811 ,0xd );  
write_i2c(0x5812 ,0x8 );  
write_i2c(0x5813 ,0x5 );  
write_i2c(0x5814 ,0x4 );  
write_i2c(0x5815 ,0x5 );  
write_i2c(0x5816 ,0x9 );  
write_i2c(0x5817 ,0xd );  
write_i2c(0x5818 ,0x11);  
write_i2c(0x5819 ,0xa );  
write_i2c(0x581a ,0x4 );  
write_i2c(0x581b ,0x0 );  
write_i2c(0x581c ,0x0 );  
write_i2c(0x581d ,0x1 );  
write_i2c(0x581e ,0x6 );  
write_i2c(0x581f ,0x9 );  
write_i2c(0x5820 ,0x12);  
write_i2c(0x5821 ,0xb );  
write_i2c(0x5822 ,0x4 );  
write_i2c(0x5823 ,0x0 );  
write_i2c(0x5824 ,0x0 );  
write_i2c(0x5825 ,0x1 );  
write_i2c(0x5826 ,0x6 );  
write_i2c(0x5827 ,0xa );  
write_i2c(0x5828 ,0x17);  
write_i2c(0x5829 ,0xf );  
write_i2c(0x582a ,0x9 );  
write_i2c(0x582b ,0x6 );
```

Confidential For MESADA Only

```
write_i2c(0x582c,0x5 );
write_i2c(0x582d,0x6 );
write_i2c(0x582e,0xa );
write_i2c(0x582f,0xe );
write_i2c(0x5830,0x28);
write_i2c(0x5831,0x1a);
write_i2c(0x5832,0x11);
write_i2c(0x5833,0xe );
write_i2c(0x5834,0xe );
write_i2c(0x5835,0xf );
write_i2c(0x5836,0x15);
write_i2c(0x5837,0x1d);
write_i2c(0x5838,0x6e);
write_i2c(0x5839,0x39);
write_i2c(0x583a,0x27);
write_i2c(0x583b,0x1f);
write_i2c(0x583c,0x1e);
write_i2c(0x583d,0x23);
write_i2c(0x583e,0x2f);
write_i2c(0x583f,0x41);
write_i2c(0x5840,0xe );
write_i2c(0x5841,0xc );
write_i2c(0x5842,0xd );
write_i2c(0x5843,0xc );
write_i2c(0x5844,0xc );
write_i2c(0x5845,0xc );
write_i2c(0x5846,0xc );
write_i2c(0x5847,0xc );
write_i2c(0x5848,0xd );
write_i2c(0x5849,0xe );
write_i2c(0x584a,0xe );
write_i2c(0x584b,0xa );
write_i2c(0x584c,0xe );
write_i2c(0x584d,0xe );
write_i2c(0x584e,0x10);
write_i2c(0x584f,0x10);
write_i2c(0x5850,0x11);
write_i2c(0x5851,0xa );
write_i2c(0x5852,0xf );
write_i2c(0x5853,0xe );
write_i2c(0x5854,0x10);
write_i2c(0x5855,0x10);
write_i2c(0x5856,0x10);
write_i2c(0x5857,0xa );
write_i2c(0x5858,0xe );
write_i2c(0x5859,0xe );
write_i2c(0x585a,0xf );
write_i2c(0x585b,0xf );
```

Confidential For MESADA Only

```
write_i2c(0x585c,0xf);
write_i2c(0x585d,0xa);
write_i2c(0x585e,0x9);
write_i2c(0x585f,0xd);
write_i2c(0x5860,0xc);
write_i2c(0x5861,0xb);
write_i2c(0x5862,0xd);
write_i2c(0x5863,0x7);
write_i2c(0x5864,0x17);
write_i2c(0x5865,0x14);
write_i2c(0x5866,0x18);
write_i2c(0x5867,0x18);
write_i2c(0x5868,0x16);
write_i2c(0x5869,0x12);
write_i2c(0x586a,0x1b);
write_i2c(0x586b,0x1a);
write_i2c(0x586c,0x16);
write_i2c(0x586d,0x16);
write_i2c(0x586e,0x18);
write_i2c(0x586f,0x1f);
write_i2c(0x5870,0x1c);
write_i2c(0x5871,0x16);
write_i2c(0x5872,0x10);
write_i2c(0x5873,0xf);
write_i2c(0x5874,0x13);
write_i2c(0x5875,0x1c);
write_i2c(0x5876,0x1e);
write_i2c(0x5877,0x17);
write_i2c(0x5878,0x11);
write_i2c(0x5879,0x11);
write_i2c(0x587a,0x14);
write_i2c(0x587b,0x1e);
write_i2c(0x587c,0x1c);
write_i2c(0x587d,0x1c);
write_i2c(0x587e,0x1e);
write_i2c(0x587f,0x1a);
write_i2c(0x5880,0x1b);
write_i2c(0x5881,0x1f);
write_i2c(0x5882,0x14);
write_i2c(0x5883,0x1a);
write_i2c(0x5884,0x1d);
write_i2c(0x5885,0x1e);
write_i2c(0x5886,0x1a);
write_i2c(0x5887,0x1a);
;
;AWB
write_i2c(0x5180,0xff);
write_i2c(0x5181,0x52);
```

```
write_i2c(0x5182,0x11);
write_i2c(0x5183,0x14);
write_i2c(0x5184,0x25);
write_i2c(0x5185,0x24);
write_i2c(0x5186,0x14);
write_i2c(0x5187,0x14);
write_i2c(0x5188,0x14);
write_i2c(0x5189,0x69);
write_i2c(0x518a,0x60);
write_i2c(0x518b,0xa2);
write_i2c(0x518c,0x9c);
write_i2c(0x518d,0x36);
write_i2c(0x518e,0x34);
write_i2c(0x518f,0x54);
write_i2c(0x5190,0x4c);
write_i2c(0x5191,0xf8);
write_i2c(0x5192,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x5194,0xf0);
write_i2c(0x5195,0xf0);
write_i2c(0x5196,0x03);
write_i2c(0x5197,0x01);
write_i2c(0x5198,0x05);
write_i2c(0x5199,0x2f);
write_i2c(0x519a,0x04);
write_i2c(0x519b,0x00);
write_i2c(0x519c,0x06);
write_i2c(0x519d,0xa0);
write_i2c(0x519e,0xa0);
;
;D/S
write_i2c(0x528a,0x00);
write_i2c(0x528b,0x01);
write_i2c(0x528c,0x04);
write_i2c(0x528d,0x09);
write_i2c(0x528e,0x10);
write_i2c(0x528f,0x20);
write_i2c(0x5290,0x30);
write_i2c(0x5292,0x00);
write_i2c(0x5293,0x00);
write_i2c(0x5294,0x00);
write_i2c(0x5295,0x01);
write_i2c(0x5296,0x00);
write_i2c(0x5297,0x04);
write_i2c(0x5298,0x00);
write_i2c(0x5299,0x08);
write_i2c(0x529a,0x00);
write_i2c(0x529b,0x10);
```

Confidential For MESADA Only

```
write_i2c(0x529c,0x00);
write_i2c(0x529d,0x20);
write_i2c(0x529e,0x00);
write_i2c(0x529f,0x30);
write_i2c(0x5282,0x00);
write_i2c(0x5300,0x00);
write_i2c(0x5301,0x20);
write_i2c(0x5302,0x00);
write_i2c(0x5303,0x7c);
write_i2c(0x530c,0x00);
write_i2c(0x530d,0x10);
write_i2c(0x530e,0x20);
write_i2c(0x530f,0x80);
write_i2c(0x5310,0x20);
write_i2c(0x5311,0x80);
write_i2c(0x5308,0x20);
write_i2c(0x5309,0x40);
write_i2c(0x5304,0x00);
write_i2c(0x5305,0x30);
write_i2c(0x5306,0x00);
write_i2c(0x5307,0x80);
write_i2c(0x5314,0x08);
write_i2c(0x5315,0x20);
write_i2c(0x5319,0x30);
write_i2c(0x5316,0x10);
write_i2c(0x5317,0x00);
write_i2c(0x5318,0x02);
;
;CMX
write_i2c(0x5380,0x01);
write_i2c(0x5381,0x00);
write_i2c(0x5382,0x00);
write_i2c(0x5383,0x1f);
write_i2c(0x5384,0x00);
write_i2c(0x5385,0x00);
write_i2c(0x5386,0x00);
write_i2c(0x5387,0x00);
write_i2c(0x5388,0x00);
write_i2c(0x5389,0xE1);
write_i2c(0x538A,0x00);
write_i2c(0x538B,0x2B);
write_i2c(0x538C,0x00);
write_i2c(0x538D,0x00);
write_i2c(0x538E,0x00);
write_i2c(0x538F,0x10);
write_i2c(0x5390,0x00);
write_i2c(0x5391,0xB3);
write_i2c(0x5392,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x5393 ,0xA6);
write_i2c(0x5394 ,0x08);
;
;GAMMA
write_i2c(0x5480 ,0x0c);
write_i2c(0x5481 ,0x18);
write_i2c(0x5482 ,0x2f);
write_i2c(0x5483 ,0x55);
write_i2c(0x5484 ,0x64);
write_i2c(0x5485 ,0x71);
write_i2c(0x5486 ,0x7d);
write_i2c(0x5487 ,0x87);
write_i2c(0x5488 ,0x91);
write_i2c(0x5489 ,0x9a);
write_i2c(0x548A ,0xaa);
write_i2c(0x548B ,0xb8);
write_i2c(0x548C ,0xcd);
write_i2c(0x548D ,0xdd);
write_i2c(0x548E ,0xea);
write_i2c(0x548F ,0x1d);
write_i2c(0x5490 ,0x05);
write_i2c(0x5491 ,0x00);
write_i2c(0x5492 ,0x04);
write_i2c(0x5493 ,0x20);
write_i2c(0x5494 ,0x03);
write_i2c(0x5495 ,0x60);
write_i2c(0x5496 ,0x02);
write_i2c(0x5497 ,0xB8);
write_i2c(0x5498 ,0x02);
write_i2c(0x5499 ,0x86);
write_i2c(0x549A ,0x02);
write_i2c(0x549B ,0x5B);
write_i2c(0x549C ,0x02);
write_i2c(0x549D ,0x3B);
write_i2c(0x549E ,0x02);
write_i2c(0x549F ,0x1C);
write_i2c(0x54A0 ,0x02);
write_i2c(0x54A1 ,0x04);
write_i2c(0x54A2 ,0x01);
write_i2c(0x54A3 ,0xED);
write_i2c(0x54A4 ,0x01);
write_i2c(0x54A5 ,0xC5);
write_i2c(0x54A6 ,0x01);
write_i2c(0x54A7 ,0xA5);
write_i2c(0x54A8 ,0x01);
write_i2c(0x54A9 ,0x6C);
write_i2c(0x54AA ,0x01);
write_i2c(0x54AB ,0x41);
```

Confidential For MESADA Only


```
write_i2c(0x54AC,0x01);
write_i2c(0x54AD,0x20);
write_i2c(0x54AE,0x00);
write_i2c(0x54AF,0x16);
write_i2c(0x54B0,0x01);
write_i2c(0x54B1,0x20);
write_i2c(0x54B2,0x00);
write_i2c(0x54B3,0x10);
write_i2c(0x54B4,0x00);
write_i2c(0x54B5,0xf0);
write_i2c(0x54B6,0x00);
write_i2c(0x54B7,0xDF);
;
write_i2c(0x5402,0x3f);
write_i2c(0x5403,0x00);
;
;UV ADJUST
write_i2c(0x5500,0x10);
write_i2c(0x5502,0x00);
write_i2c(0x5503,0x06);
write_i2c(0x5504,0x00);
write_i2c(0x5505,0x7f);

;AE
write_i2c(0x5025,0x80);
write_i2c(0x3a0f,0x30);
write_i2c(0x3a10,0x28);
write_i2c(0x3a1b,0x30);
write_i2c(0x3a1e,0x28);
write_i2c(0x3a11,0x61);
write_i2c(0x3a1f,0x10);
write_i2c(0x5688,0xfd);
write_i2c(0x5689,0xdf);
write_i2c(0x568a,0xfe);
write_i2c(0x568b,0xc9);
write_i2c(0x568c,0xfe);
write_i2c(0x568d,0xef);
write_i2c(0x568e,0xaa);
write_i2c(0x568f,0xaa);
```

13.4.2 720 P

```
write_i2c(0x3103,0x93);
write_i2c(0x3008,0x82);
write_i2c(0x3017,0x7f);
write_i2c(0x3018,0xfc);
```

```
write_i2c(0x3810,0xc2);
write_i2c(0x3615,0xf0);
write_i2c(0x3000,0x00);
write_i2c(0x3001,0x00);
write_i2c(0x3002,0x00);
write_i2c(0x3003,0x00);
write_i2c(0x3004,0xff);
write_i2c(0x3030,0x2b);
write_i2c(0x3011,0x08);
write_i2c(0x3010,0x10);
write_i2c(0x3604,0x60);
write_i2c(0x3622,0x60);
write_i2c(0x3621,0x09);
write_i2c(0x3709,0x00);
write_i2c(0x4000,0x21);
write_i2c(0x401d,0x22);
write_i2c(0x3600,0x54);
write_i2c(0x3605,0x04);
write_i2c(0x3606,0x3f);
write_i2c(0x3c01,0x80);
write_i2c(0x300d,0x22);
write_i2c(0x3623,0x22);
write_i2c(0x5000,0x4f);
write_i2c(0x5020,0x04);
write_i2c(0x5181,0x79);
write_i2c(0x5182,0x00);
write_i2c(0x5185,0x22);
write_i2c(0x5197,0x01);
write_i2c(0x5500,0x0a);
write_i2c(0x5504,0x00);
write_i2c(0x5505,0x7f);
write_i2c(0x5080,0x08);
write_i2c(0x300e,0x18);
write_i2c(0x4610,0x00);
write_i2c(0x471d,0x05);
write_i2c(0x4708,0x06);
write_i2c(0x370c,0xa0);
write_i2c(0x3808,0x0a);
write_i2c(0x3809,0x20);
write_i2c(0x380a,0x07);
write_i2c(0x380b,0x98);
write_i2c(0x380c,0x0c);
write_i2c(0x380d,0x80);
write_i2c(0x380e,0x07);
write_i2c(0x380f,0xd0);
write_i2c(0x5687,0x94);
write_i2c(0x501f,0x00);
write_i2c(0x5000,0x4f);
```

Confidential For MESADA Only

```
write_i2c(0x5001,0xcf);
write_i2c(0x4300,0x30);
write_i2c(0x4300,0x30);
write_i2c(0x460b,0x35);
write_i2c(0x471d,0x00);
write_i2c(0x3002,0x0c);
write_i2c(0x3002,0x00);
write_i2c(0x4713,0x03);
write_i2c(0x471c,0x50);
write_i2c(0x4721,0x02);
write_i2c(0x4402,0x90);
write_i2c(0x460c,0x22);
write_i2c(0x3815,0x44);
write_i2c(0x3503,0x07);
write_i2c(0x3501,0x73);
write_i2c(0x3502,0x80);
write_i2c(0x350b,0x00);
write_i2c(0x3818,0xc8);
write_i2c(0x3801,0x88);
write_i2c(0x3824,0x11);
write_i2c(0x3a00,0x78);
write_i2c(0x3a1a,0x04);
write_i2c(0x3a13,0x30);
write_i2c(0x3a18,0x00);
write_i2c(0x3a19,0x7c);
write_i2c(0x3a08,0x12);
write_i2c(0x3a09,0xc0);
write_i2c(0x3a0a,0x0f);
write_i2c(0x3a0b,0xa0);
write_i2c(0x350c,0x07);
write_i2c(0x350d,0xd0);
write_i2c(0x3a0d,0x08);
write_i2c(0x3a0e,0x06);
write_i2c(0x3500,0x00);
write_i2c(0x3501,0x00);
write_i2c(0x3502,0x00);
write_i2c(0x350a,0x00);
write_i2c(0x350b,0x00);
write_i2c(0x3503,0x00);
write_i2c(0x3030,0x2b);
write_i2c(0x3a02,0x00);
write_i2c(0x3a03,0x7d);
write_i2c(0x3a04,0x00);
write_i2c(0x3a14,0x00);
write_i2c(0x3a15,0x7d);
write_i2c(0x3a16,0x00);
write_i2c(0x3a00,0x78);
write_i2c(0x3a08,0x09);
```

Confidential For MESADA Only

```
write_i2c(0x3a09,0x60);
write_i2c(0x3a0a,0x07);
write_i2c(0x3a0b,0xd0);
write_i2c(0x3a0d,0x10);
write_i2c(0x3a0e,0x0d);
write_i2c(0x4407,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x589b,0x00);
write_i2c(0x589a,0xc0);
write_i2c(0x401e,0x20);
write_i2c(0x4001,0x42);
write_i2c(0x401c,0x06);
write_i2c(0x3825,0xac);
write_i2c(0x3827,0x0c);
write_i2c(0x5402,0x3f);
write_i2c(0x5403,0x00);
write_i2c(0x3406,0x00);
write_i2c(0x5025,0x80);
write_i2c(0x5583,0x40);
write_i2c(0x5584,0x40);
write_i2c(0x5580,0x02);
write_i2c(0x5000,0xcf);
write_i2c(0x3710,0x10);
write_i2c(0x3632,0x51);
write_i2c(0x3702,0x10);
write_i2c(0x3703,0xb2);
write_i2c(0x3704,0x18);
write_i2c(0x370b,0x40);
write_i2c(0x370d,0x03);
write_i2c(0x3631,0x01);
write_i2c(0x3632,0x52);
write_i2c(0x3606,0x24);
write_i2c(0x3620,0x96);
write_i2c(0x5785,0x01);
write_i2c(0x3a13,0x30);
write_i2c(0x3600,0x52);
write_i2c(0x3604,0x48);
write_i2c(0x3606,0x1b);
write_i2c(0x370d,0x0b);
write_i2c(0x370f,0xc0);
write_i2c(0x3709,0x01);
write_i2c(0x3823,0x00);
write_i2c(0x5007,0x00);
write_i2c(0x5009,0x00);
write_i2c(0x5011,0x00);
write_i2c(0x5013,0x00);
write_i2c(0x519e,0x00);
write_i2c(0x5086,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x5087,0x00);
write_i2c(0x5088,0x00);
write_i2c(0x5089,0x00);
write_i2c(0x302b,0x00);
write_i2c(0x3503,0x07);
write_i2c(0x3011,0x08);
write_i2c(0x350c,0x02);
write_i2c(0x350d,0xe4);
write_i2c(0x3621,0xc9);
write_i2c(0x370a,0x81);
write_i2c(0x3803,0x08);
write_i2c(0x3804,0x05);
write_i2c(0x3805,0x00);
write_i2c(0x3806,0x02);
write_i2c(0x3807,0xd0);
write_i2c(0x3808,0x05);
write_i2c(0x3809,0x00);
write_i2c(0x380a,0x02);
write_i2c(0x380b,0xd0);
write_i2c(0x380c,0x08);
write_i2c(0x380d,0x72);
write_i2c(0x380e,0x02);
write_i2c(0x380f,0xe4);
write_i2c(0x3810,0xc0);
write_i2c(0x3818,0xc9);
write_i2c(0x381c,0x10);
write_i2c(0x381d,0xa0);
write_i2c(0x381e,0x05);
write_i2c(0x381f,0xb0);
write_i2c(0x3820,0x00);
write_i2c(0x3821,0x00);
write_i2c(0x3824,0x11);
write_i2c(0x3a08,0x1b);
write_i2c(0x3a09,0xc0);
write_i2c(0x3a0a,0x17);
write_i2c(0x3a0b,0x20);
write_i2c(0x3a0d,0x02);
write_i2c(0x3a0e,0x01);
write_i2c(0x401c,0x04);
write_i2c(0x5682,0x05);
write_i2c(0x5683,0x00);
write_i2c(0x5686,0x02);
write_i2c(0x5687,0xcc);
write_i2c(0x5001,0x7f);
write_i2c(0x589b,0x06);
write_i2c(0x589a,0xc5);
write_i2c(0x3503,0x00);
write_i2c(0x3010,0x10);
```

Confidential For MESADA Only

```
write_i2c(0x5001 ,0xFF);  
write_i2c(0x5583 ,0x50);  
write_i2c(0x5584 ,0x50);  
write_i2c(0x5580 ,0x02);
```

```
write_i2c(0x3c01 ,0x80);  
write_i2c(0x3c00 ,0x04);
```

```
;LENS
```

```
write_i2c(0x5800 ,0x48);  
write_i2c(0x5801 ,0x31);  
write_i2c(0x5802 ,0x21);  
write_i2c(0x5803 ,0x1b);  
write_i2c(0x5804 ,0x1a);  
write_i2c(0x5805 ,0x1e);  
write_i2c(0x5806 ,0x29);  
write_i2c(0x5807 ,0x38);  
write_i2c(0x5808 ,0x26);  
write_i2c(0x5809 ,0x17);  
write_i2c(0x580a ,0x11);  
write_i2c(0x580b ,0xe );  
write_i2c(0x580c ,0xd );  
write_i2c(0x580d ,0xe );  
write_i2c(0x580e ,0x13);  
write_i2c(0x580f ,0x1a);  
write_i2c(0x5810 ,0x15);  
write_i2c(0x5811 ,0xd );  
write_i2c(0x5812 ,0x8 );  
write_i2c(0x5813 ,0x5 );  
write_i2c(0x5814 ,0x4 );  
write_i2c(0x5815 ,0x5 );  
write_i2c(0x5816 ,0x9 );  
write_i2c(0x5817 ,0xd );  
write_i2c(0x5818 ,0x14);  
write_i2c(0x5819 ,0xa );  
write_i2c(0x581a ,0x4 );  
write_i2c(0x581b ,0x0 );  
write_i2c(0x581c ,0x0 );  
write_i2c(0x581d ,0x1 );  
write_i2c(0x581e ,0x6 );  
write_i2c(0x581f ,0x9 );  
write_i2c(0x5820 ,0x12);  
write_i2c(0x5821 ,0xb );  
write_i2c(0x5822 ,0x4 );  
write_i2c(0x5823 ,0x0 );  
write_i2c(0x5824 ,0x0 );  
write_i2c(0x5825 ,0x1 );
```

Confidential For MESADA Only

```
write_i2c(0x5826,0x6);
write_i2c(0x5827,0xa);
write_i2c(0x5828,0x17);
write_i2c(0x5829,0xf);
write_i2c(0x582a,0x9);
write_i2c(0x582b,0x6);
write_i2c(0x582c,0x5);
write_i2c(0x582d,0x6);
write_i2c(0x582e,0xa);
write_i2c(0x582f,0xe);
write_i2c(0x5830,0x28);
write_i2c(0x5831,0x1a);
write_i2c(0x5832,0x11);
write_i2c(0x5833,0xe);
write_i2c(0x5834,0xe);
write_i2c(0x5835,0xf);
write_i2c(0x5836,0x15);
write_i2c(0x5837,0x1d);
write_i2c(0x5838,0x6e);
write_i2c(0x5839,0x39);
write_i2c(0x583a,0x27);
write_i2c(0x583b,0x1f);
write_i2c(0x583c,0x1e);
write_i2c(0x583d,0x23);
write_i2c(0x583e,0x2f);
write_i2c(0x583f,0x41);
write_i2c(0x5840,0xe);
write_i2c(0x5841,0xc);
write_i2c(0x5842,0xd);
write_i2c(0x5843,0xc);
write_i2c(0x5844,0xc);
write_i2c(0x5845,0xc);
write_i2c(0x5846,0xc);
write_i2c(0x5847,0xe);
write_i2c(0x5848,0xd);
write_i2c(0x5849,0xe);
write_i2c(0x584a,0xe);
write_i2c(0x584b,0xa);
write_i2c(0x584c,0xe);
write_i2c(0x584d,0xe);
write_i2c(0x584e,0x10);
write_i2c(0x584f,0x10);
write_i2c(0x5850,0x11);
write_i2c(0x5851,0xa);
write_i2c(0x5852,0xf);
write_i2c(0x5853,0xe);
write_i2c(0x5854,0x10);
write_i2c(0x5855,0x10);
```

Confidential For MESADA Only

```
write_i2c(0x5856,0x10);
write_i2c(0x5857,0xa );
write_i2c(0x5858,0xe );
write_i2c(0x5859,0xe );
write_i2c(0x585a,0xf );
write_i2c(0x585b,0xf );
write_i2c(0x585c,0xf );
write_i2c(0x585d,0xa );
write_i2c(0x585e,0x9 );
write_i2c(0x585f,0xd );
write_i2c(0x5860,0xc );
write_i2c(0x5861,0xb );
write_i2c(0x5862,0xd );
write_i2c(0x5863,0x7 );
write_i2c(0x5864,0x17);
write_i2c(0x5865,0x14);
write_i2c(0x5866,0x18);
write_i2c(0x5867,0x18);
write_i2c(0x5868,0x16);
write_i2c(0x5869,0x12);
write_i2c(0x586a,0x1b);
write_i2c(0x586b,0x1a);
write_i2c(0x586c,0x16);
write_i2c(0x586d,0x16);
write_i2c(0x586e,0x18);
write_i2c(0x586f,0x1f);
write_i2c(0x5870,0x1c);
write_i2c(0x5871,0x16);
write_i2c(0x5872,0x10);
write_i2c(0x5873,0xf );
write_i2c(0x5874,0x13);
write_i2c(0x5875,0x1c);
write_i2c(0x5876,0x1e);
write_i2c(0x5877,0x10);
write_i2c(0x5878,0x1d);
write_i2c(0x5879,0x11);
write_i2c(0x587a,0x14);
write_i2c(0x587b,0x1e);
write_i2c(0x587c,0x1c);
write_i2c(0x587d,0x1c);
write_i2c(0x587e,0x1a);
write_i2c(0x587f,0x1a);
write_i2c(0x5880,0x1b);
write_i2c(0x5881,0x1f);
write_i2c(0x5882,0x14);
write_i2c(0x5883,0x1a);
write_i2c(0x5884,0x1d);
write_i2c(0x5885,0x1e);
```

Confidential For MESADA Only


```
write_i2c(0x5886,0x1a);
write_i2c(0x5887,0x1a);
;
;AWB
write_i2c(0x5180,0xff);
write_i2c(0x5181,0x52);
write_i2c(0x5182,0x11);
write_i2c(0x5183,0x14);
write_i2c(0x5184,0x25);
write_i2c(0x5185,0x24);
write_i2c(0x5186,0x14);
write_i2c(0x5187,0x14);
write_i2c(0x5188,0x14);
write_i2c(0x5189,0x69);
write_i2c(0x518a,0x60);
write_i2c(0x518b,0xa2);
write_i2c(0x518c,0x9c);
write_i2c(0x518d,0x36);
write_i2c(0x518e,0x34);
write_i2c(0x518f,0x54);
write_i2c(0x5190,0x4c);
write_i2c(0x5191,0xf8);
write_i2c(0x5192,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x5194,0xf0);
write_i2c(0x5195,0xf0);
write_i2c(0x5196,0x03);
write_i2c(0x5197,0x01);
write_i2c(0x5198,0x05);
write_i2c(0x5199,0x2f);
write_i2c(0x519a,0x04);
write_i2c(0x519b,0x00);
write_i2c(0x519c,0x06);
write_i2c(0x519d,0xa0);
write_i2c(0x519e,0xad);
;
;D/S
write_i2c(0x528a,0x00);
write_i2c(0x528b,0x01);
write_i2c(0x528c,0x04);
write_i2c(0x528d,0x08);
write_i2c(0x528e,0x10);
write_i2c(0x528f,0x20);
write_i2c(0x5290,0x30);
write_i2c(0x5292,0x00);
write_i2c(0x5293,0x00);
write_i2c(0x5294,0x00);
write_i2c(0x5295,0x01);
```

Confidential For MESADA Only

```
write_i2c(0x5296,0x00);
write_i2c(0x5297,0x04);
write_i2c(0x5298,0x00);
write_i2c(0x5299,0x08);
write_i2c(0x529a,0x00);
write_i2c(0x529b,0x10);
write_i2c(0x529c,0x00);
write_i2c(0x529d,0x20);
write_i2c(0x529e,0x00);
write_i2c(0x529f,0x30);
write_i2c(0x5282,0x00);
write_i2c(0x5300,0x00);
write_i2c(0x5301,0x20);
write_i2c(0x5302,0x00);
write_i2c(0x5303,0x7c);
write_i2c(0x530c,0x00);
write_i2c(0x530d,0x10);
write_i2c(0x530e,0x20);
write_i2c(0x530f,0x80);
write_i2c(0x5310,0x20);
write_i2c(0x5311,0x80);
write_i2c(0x5308,0x20);
write_i2c(0x5309,0x40);
write_i2c(0x5304,0x00);
write_i2c(0x5305,0x30);
write_i2c(0x5306,0x00);
write_i2c(0x5307,0x80);
write_i2c(0x5314,0x08);
write_i2c(0x5315,0x20);
write_i2c(0x5319,0x30);
write_i2c(0x5316,0x10);
write_i2c(0x5317,0x00);
write_i2c(0x5318,0x02);
;
;CMX
write_i2c(0x5380,0x01);
write_i2c(0x5381,0x00);
write_i2c(0x5382,0x00);
write_i2c(0x5383,0x1f);
write_i2c(0x5384,0x00);
write_i2c(0x5385,0x06);
write_i2c(0x5386,0x00);
write_i2c(0x5387,0x00);
write_i2c(0x5388,0x00);
write_i2c(0x5389,0xE1);
write_i2c(0x538A,0x00);
write_i2c(0x538B,0x2B);
write_i2c(0x538C,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x538D,0x00);
write_i2c(0x538E,0x00);
write_i2c(0x538F,0x10);
write_i2c(0x5390,0x00);
write_i2c(0x5391,0xB3);
write_i2c(0x5392,0x00);
write_i2c(0x5393,0xA6);
write_i2c(0x5394,0x08);
;
;GAMMA
write_i2c(0x5480,0x0c);
write_i2c(0x5481,0x18);
write_i2c(0x5482,0x2f);
write_i2c(0x5483,0x55);
write_i2c(0x5484,0x64);
write_i2c(0x5485,0x71);
write_i2c(0x5486,0x7d);
write_i2c(0x5487,0x87);
write_i2c(0x5488,0x91);
write_i2c(0x5489,0x9a);
write_i2c(0x548A,0xaa);
write_i2c(0x548B,0xb8);
write_i2c(0x548C,0xcd);
write_i2c(0x548D,0xdd);
write_i2c(0x548E,0xea);
write_i2c(0x548F,0x1d);
write_i2c(0x5490,0x05);
write_i2c(0x5491,0x00);
write_i2c(0x5492,0x04);
write_i2c(0x5493,0x20);
write_i2c(0x5494,0x03);
write_i2c(0x5495,0x60);
write_i2c(0x5496,0x02);
write_i2c(0x5497,0xB0);
write_i2c(0x5498,0x02);
write_i2c(0x5499,0x86);
write_i2c(0x549A,0x02);
write_i2c(0x549B,0x5B);
write_i2c(0x549C,0x02);
write_i2c(0x549D,0x3B);
write_i2c(0x549E,0x02);
write_i2c(0x549F,0x1C);
write_i2c(0x54A0,0x02);
write_i2c(0x54A1,0x04);
write_i2c(0x54A2,0x01);
write_i2c(0x54A3,0xED);
write_i2c(0x54A4,0x01);
write_i2c(0x54A5,0xC5);
```

Confidential For MESADA Only

```
write_i2c(0x54A6,0x01);
write_i2c(0x54A7,0xA5);
write_i2c(0x54A8,0x01);
write_i2c(0x54A9,0x6C);
write_i2c(0x54AA,0x01);
write_i2c(0x54AB,0x41);
write_i2c(0x54AC,0x01);
write_i2c(0x54AD,0x20);
write_i2c(0x54AE,0x00);
write_i2c(0x54AF,0x16);
write_i2c(0x54B0,0x01);
write_i2c(0x54B1,0x20);
write_i2c(0x54B2,0x00);
write_i2c(0x54B3,0x10);
write_i2c(0x54B4,0x00);
write_i2c(0x54B5,0xf0);
write_i2c(0x54B6,0x00);
write_i2c(0x54B7,0xDF);
;
write_i2c(0x5402,0x3f);
write_i2c(0x5403,0x00);
;
;UV ADJUST
write_i2c(0x5500,0x10);
write_i2c(0x5502,0x00);
write_i2c(0x5503,0x06);
write_i2c(0x5504,0x00);
write_i2c(0x5505,0x7f);

;AE
write_i2c(0x5025,0x80);
write_i2c(0x3a0f,0x30);
write_i2c(0x3a10,0x28);
write_i2c(0x3a1b,0x30);
write_i2c(0x3a1e,0x28);
write_i2c(0x3a11,0x61);
write_i2c(0x3a1f,0x10);
write_i2c(0x5688,0xfd);
write_i2c(0x5689,0xdf);
write_i2c(0x568a,0xfe);
write_i2c(0x568b,0xef);
write_i2c(0x568c,0xfe);
write_i2c(0x568d,0xef);
write_i2c(0x568e,0xaa);
write_i2c(0x568f,0xaa);
```

Confidential For MESADA Only

13. 5 MIPI interface setting

13.5.1 2lane VGA YUV setting

```
write_i2c(0x3103 ,0x93);
write_i2c(0x3008 ,0x82);
write_i2c(0x3017 ,0x7f);
write_i2c(0x3018 ,0xfc);
write_i2c(0x3810 ,0x80);
write_i2c(0x3615 ,0xf0);
write_i2c(0x3000 ,0x00);
write_i2c(0x3001 ,0x00);
write_i2c(0x3002 ,0x00);
write_i2c(0x3003 ,0x00);
write_i2c(0x3004 ,0xff);
write_i2c(0x3030 ,0x2b);
write_i2c(0x3011 ,0x0a);
write_i2c(0x3012 ,0x02);
write_i2c(0x3010 ,0x01);
write_i2c(0x3604 ,0x60);
write_i2c(0x3622 ,0x60);
write_i2c(0x3621 ,0x87);
write_i2c(0x3705 ,0xd9);
write_i2c(0x3709 ,0x01);
write_i2c(0x4000 ,0x21);
write_i2c(0x401d ,0x22);
write_i2c(0x3600 ,0x54);
write_i2c(0x3605 ,0x04);
write_i2c(0x3606 ,0x3f);
write_i2c(0x3c01 ,0x80);
write_i2c(0x300d ,0x22);
write_i2c(0x3623 ,0x22);
write_i2c(0x5000 ,0x4f);
```

Confidential For MESADA Only

```
write_i2c(0x5020 ,0x04);
write_i2c(0x5181 ,0x79);
write_i2c(0x5182 ,0x00);
write_i2c(0x5185 ,0x22);
write_i2c(0x5197 ,0x01);
write_i2c(0x5500 ,0x0a);
write_i2c(0x5504 ,0x00);
write_i2c(0x5505 ,0x7f);
write_i2c(0x5080 ,0x08);
write_i2c(0x300e ,0x18);
write_i2c(0x4610 ,0x00);
write_i2c(0x471d ,0x05);
write_i2c(0x4708 ,0x06);
write_i2c(0x370c ,0xa0);
write_i2c(0x3808 ,0x0a);
write_i2c(0x3809 ,0x20);
write_i2c(0x380a ,0x07);
write_i2c(0x380b ,0x98);
write_i2c(0x380c ,0x0c);
write_i2c(0x380d ,0x80);
write_i2c(0x380e ,0x07);
write_i2c(0x380f ,0xd0);
write_i2c(0x5687 ,0x94);
write_i2c(0x501f ,0x00);
write_i2c(0x5000 ,0x4f);
write_i2c(0x5001 ,0xcf);
write_i2c(0x4300 ,0x30);
write_i2c(0x4300 ,0x30);
write_i2c(0x460b ,0x35);
write_i2c(0x471d ,0x00);
write_i2c(0x3002 ,0x0c);
write_i2c(0x3002 ,0x00);
write_i2c(0x4713 ,0x03);
write_i2c(0x471c ,0x50);
```

Confidential For MESADA Only

```
write_i2c(0x4721 ,0x02);
write_i2c(0x4402 ,0x90);
write_i2c(0x460c ,0x22);
write_i2c(0x3815 ,0x44);
write_i2c(0x3503 ,0x07);
write_i2c(0x3501 ,0x73);
write_i2c(0x3502 ,0x80);
write_i2c(0x350b ,0x00);
write_i2c(0x3818 ,0xc8);
write_i2c(0x3801 ,0x88);
write_i2c(0x3824 ,0x11);
write_i2c(0x3a00 ,0x78);
write_i2c(0x3a1a ,0x04);
write_i2c(0x3a13 ,0x30);
write_i2c(0x3a18 ,0x00);
write_i2c(0x3a19 ,0x7c);
write_i2c(0x3a08 ,0x12);
write_i2c(0x3a09 ,0xc0);
write_i2c(0x3a0a ,0x0f);
write_i2c(0x3a0b ,0xa0);
write_i2c(0x350c ,0x07);
write_i2c(0x350d ,0xd0);
write_i2c(0x3a0d ,0x08);
write_i2c(0x3a0e ,0x00);
write_i2c(0x3500 ,0x00);
write_i2c(0x3501 ,0x00);
write_i2c(0x3502 ,0x00);
write_i2c(0x350a ,0x00);
write_i2c(0x350b ,0x00);
write_i2c(0x3503 ,0x00);
write_i2c(0x3a0f ,0x3c);
write_i2c(0x3a10 ,0x32);
write_i2c(0x3a1b ,0x3c);
write_i2c(0x3a1e ,0x32);
```

Confidential For MESADA Only

```
write_i2c(0x3a11,0x80);
write_i2c(0x3a1f,0x20);
write_i2c(0x3030,0x2b);
write_i2c(0x3a02,0x00);
write_i2c(0x3a03,0x7d);
write_i2c(0x3a04,0x00);
write_i2c(0x3a14,0x00);
write_i2c(0x3a15,0x7d);
write_i2c(0x3a16,0x00);
write_i2c(0x3a00,0x78);
write_i2c(0x3a08,0x09);
write_i2c(0x3a09,0x60);
write_i2c(0x3a0a,0x07);
write_i2c(0x3a0b,0xd0);
write_i2c(0x3a0d,0x10);
write_i2c(0x3a0e,0x0d);
write_i2c(0x4407,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x589b,0x00);
write_i2c(0x589a,0xc0);
write_i2c(0x401e,0x20);
write_i2c(0x4001,0x42);
write_i2c(0x4002,0x02);
write_i2c(0x401c,0x00);
write_i2c(0x3825,0xb0);
write_i2c(0x3827,0x08);
write_i2c(0x528a,0x01);
write_i2c(0x528b,0x04);
write_i2c(0x528c,0x08);
write_i2c(0x528d,0x10);
write_i2c(0x528e,0x20);
write_i2c(0x528f,0x28);
write_i2c(0x5290,0x30);
write_i2c(0x5292,0x00);
```

Confidential For MESADA Only


```
write_i2c(0x5293 ,0x01);
write_i2c(0x5294 ,0x00);
write_i2c(0x5295 ,0x04);
write_i2c(0x5296 ,0x00);
write_i2c(0x5297 ,0x08);
write_i2c(0x5298 ,0x00);
write_i2c(0x5299 ,0x10);
write_i2c(0x529a ,0x00);
write_i2c(0x529b ,0x20);
write_i2c(0x529c ,0x00);
write_i2c(0x529d ,0x28);
write_i2c(0x529e ,0x00);
write_i2c(0x529f ,0x30);
write_i2c(0x5282 ,0x00);
write_i2c(0x5300 ,0x00);
write_i2c(0x5301 ,0x20);
write_i2c(0x5302 ,0x00);
write_i2c(0x5303 ,0x7c);
write_i2c(0x530c ,0x00);
write_i2c(0x530d ,0x0c);
write_i2c(0x530e ,0x20);
write_i2c(0x530f ,0x80);
write_i2c(0x5310 ,0x20);
write_i2c(0x5311 ,0x80);
write_i2c(0x5308 ,0x20);
write_i2c(0x5309 ,0x40);
write_i2c(0x5304 ,0x00);
write_i2c(0x5305 ,0x30);
write_i2c(0x5306 ,0x00);
write_i2c(0x5307 ,0x80);
write_i2c(0x5314 ,0x08);
write_i2c(0x5315 ,0x20);
write_i2c(0x5319 ,0x30);
write_i2c(0x5316 ,0x10);
```

Confidential For MESADA Only

```
write_i2c(0x5317,0x00);
write_i2c(0x5318,0x02);
write_i2c(0x5380,0x01);
write_i2c(0x5381,0x00);
write_i2c(0x5382,0x00);
write_i2c(0x5383,0x4e);
write_i2c(0x5384,0x00);
write_i2c(0x5385,0x0f);
write_i2c(0x5386,0x00);
write_i2c(0x5387,0x00);
write_i2c(0x5388,0x01);
write_i2c(0x5389,0x15);
write_i2c(0x538a,0x00);
write_i2c(0x538b,0x31);
write_i2c(0x538c,0x00);
write_i2c(0x538d,0x00);
write_i2c(0x538e,0x00);
write_i2c(0x538f,0x0f);
write_i2c(0x5390,0x00);
write_i2c(0x5391,0xab);
write_i2c(0x5392,0x00);
write_i2c(0x5393,0xa2);
write_i2c(0x5394,0x08);
write_i2c(0x5480,0x14);
write_i2c(0x5481,0x21);
write_i2c(0x5482,0x36);
write_i2c(0x5483,0x57);
write_i2c(0x5484,0x65);
write_i2c(0x5485,0x71);
write_i2c(0x5486,0x7d);
write_i2c(0x5487,0x87);
write_i2c(0x5488,0x91);
write_i2c(0x5489,0x9a);
write_i2c(0x548a,0xaa);
```

Confidential For MESADA Only

```
write_i2c(0x548b,0xb8);
write_i2c(0x548c,0xcd);
write_i2c(0x548d,0xdd);
write_i2c(0x548e,0xea);
write_i2c(0x548f,0x1d);
write_i2c(0x5490,0x05);
write_i2c(0x5491,0x00);
write_i2c(0x5492,0x04);
write_i2c(0x5493,0x20);
write_i2c(0x5494,0x03);
write_i2c(0x5495,0x60);
write_i2c(0x5496,0x02);
write_i2c(0x5497,0xb8);
write_i2c(0x5498,0x02);
write_i2c(0x5499,0x86);
write_i2c(0x549a,0x02);
write_i2c(0x549b,0x5b);
write_i2c(0x549c,0x02);
write_i2c(0x549d,0x3b);
write_i2c(0x549e,0x02);
write_i2c(0x549f,0x1c);
write_i2c(0x54a0,0x02);
write_i2c(0x54a1,0x04);
write_i2c(0x54a2,0x01);
write_i2c(0x54a3,0xed);
write_i2c(0x54a4,0x01);
write_i2c(0x54a5,0xc5);
write_i2c(0x54a6,0x01);
write_i2c(0x54a7,0xa5);
write_i2c(0x54a8,0x01);
write_i2c(0x54a9,0x6c);
write_i2c(0x54aa,0x01);
write_i2c(0x54ab,0x41);
write_i2c(0x54ac,0x01);
```

Confidential For MESADA Only

```
write_i2c(0x54ad,0x20);
write_i2c(0x54ae,0x00);
write_i2c(0x54af,0x16);
write_i2c(0x54b0,0x01);
write_i2c(0x54b1,0x20);
write_i2c(0x54b2,0x00);
write_i2c(0x54b3,0x10);
write_i2c(0x54b4,0x00);
write_i2c(0x54b5,0xf0);
write_i2c(0x54b6,0x00);
write_i2c(0x54b7,0xdf);
write_i2c(0x5402,0x3f);
write_i2c(0x5403,0x00);
write_i2c(0x3406,0x00);
write_i2c(0x5180,0xff);
write_i2c(0x5181,0x52);
write_i2c(0x5182,0x11);
write_i2c(0x5183,0x14);
write_i2c(0x5184,0x25);
write_i2c(0x5185,0x24);
write_i2c(0x5186,0x06);
write_i2c(0x5187,0x08);
write_i2c(0x5188,0x08);
write_i2c(0x5189,0x70);
write_i2c(0x518a,0x60);
write_i2c(0x518b,0xb2);
write_i2c(0x518c,0xb2);
write_i2c(0x518d,0x44);
write_i2c(0x518e,0x3d);
write_i2c(0x518f,0x58);
write_i2c(0x5190,0x46);
write_i2c(0x5191,0xf8);
write_i2c(0x5192,0x04);
write_i2c(0x5193,0x70);
```

Confidential For MESADA Only

```
write_i2c(0x5194 ,0xf0);
write_i2c(0x5195 ,0xf0);
write_i2c(0x5196 ,0x03);
write_i2c(0x5197 ,0x01);
write_i2c(0x5198 ,0x04);
write_i2c(0x5199 ,0x12);
write_i2c(0x519a ,0x04);
write_i2c(0x519b ,0x00);
write_i2c(0x519c ,0x06);
write_i2c(0x519d ,0x82);
write_i2c(0x519e ,0x00);
write_i2c(0x5025 ,0x80);
write_i2c(0x3a0f ,0x38);
write_i2c(0x3a10 ,0x30);
write_i2c(0x3a1b ,0x3a);
write_i2c(0x3a1e ,0x2e);
write_i2c(0x3a11 ,0x60);
write_i2c(0x3a1f ,0x10);
write_i2c(0x5688 ,0xa6);
write_i2c(0x5689 ,0x6a);
write_i2c(0x568a ,0xea);
write_i2c(0x568b ,0xae);
write_i2c(0x568c ,0xa6);
write_i2c(0x568d ,0x6a);
write_i2c(0x568e ,0x62);
write_i2c(0x568f ,0x26);
write_i2c(0x5583 ,0x40);
write_i2c(0x5584 ,0x40);
write_i2c(0x5580 ,0x02);
write_i2c(0x5000 ,0xcf);
write_i2c(0x5800 ,0x27);
write_i2c(0x5801 ,0x19);
write_i2c(0x5802 ,0x12);
write_i2c(0x5803 ,0x0f);
```

Confidential For MESADA Only

```
write_i2c(0x5804 ,0x10);
write_i2c(0x5805 ,0x15);
write_i2c(0x5806 ,0x1e);
write_i2c(0x5807 ,0x2f);
write_i2c(0x5808 ,0x15);
write_i2c(0x5809 ,0x0d);
write_i2c(0x580a ,0x0a);
write_i2c(0x580b ,0x09);
write_i2c(0x580c ,0x0a);
write_i2c(0x580d ,0x0c);
write_i2c(0x580e ,0x12);
write_i2c(0x580f ,0x19);
write_i2c(0x5810 ,0x0b);
write_i2c(0x5811 ,0x07);
write_i2c(0x5812 ,0x04);
write_i2c(0x5813 ,0x03);
write_i2c(0x5814 ,0x03);
write_i2c(0x5815 ,0x06);
write_i2c(0x5816 ,0x0a);
write_i2c(0x5817 ,0x0f);
write_i2c(0x5818 ,0x0a);
write_i2c(0x5819 ,0x05);
write_i2c(0x581a ,0x01);
write_i2c(0x581b ,0x00);
write_i2c(0x581c ,0x00);
write_i2c(0x581d ,0x03);
write_i2c(0x581e ,0x08);
write_i2c(0x581f ,0x0c);
write_i2c(0x5820 ,0x0a);
write_i2c(0x5821 ,0x05);
write_i2c(0x5822 ,0x01);
write_i2c(0x5823 ,0x00);
write_i2c(0x5824 ,0x00);
write_i2c(0x5825 ,0x03);
```

Confidential For MESADA Only

```
write_i2c(0x5826 ,0x08);
write_i2c(0x5827 ,0x0c);
write_i2c(0x5828 ,0x0e);
write_i2c(0x5829 ,0x08);
write_i2c(0x582a ,0x06);
write_i2c(0x582b ,0x04);
write_i2c(0x582c ,0x05);
write_i2c(0x582d ,0x07);
write_i2c(0x582e ,0x0b);
write_i2c(0x582f ,0x12);
write_i2c(0x5830 ,0x18);
write_i2c(0x5831 ,0x10);
write_i2c(0x5832 ,0x0c);
write_i2c(0x5833 ,0x0a);
write_i2c(0x5834 ,0x0b);
write_i2c(0x5835 ,0x0e);
write_i2c(0x5836 ,0x15);
write_i2c(0x5837 ,0x19);
write_i2c(0x5838 ,0x32);
write_i2c(0x5839 ,0x1f);
write_i2c(0x583a ,0x18);
write_i2c(0x583b ,0x16);
write_i2c(0x583c ,0x17);
write_i2c(0x583d ,0x1e);
write_i2c(0x583e ,0x26);
write_i2c(0x583f ,0x53);
write_i2c(0x5840 ,0x10);
write_i2c(0x5841 ,0x0f);
write_i2c(0x5842 ,0x0d);
write_i2c(0x5843 ,0x0c);
write_i2c(0x5844 ,0x0e);
write_i2c(0x5845 ,0x09);
write_i2c(0x5846 ,0x11);
write_i2c(0x5847 ,0x10);
```

Confidential For MESADA Only

```
write_i2c(0x5848 ,0x10);
write_i2c(0x5849 ,0x10);
write_i2c(0x584a ,0x10);
write_i2c(0x584b ,0x0e);
write_i2c(0x584c ,0x10);
write_i2c(0x584d ,0x10);
write_i2c(0x584e ,0x11);
write_i2c(0x584f ,0x10);
write_i2c(0x5850 ,0x0f);
write_i2c(0x5851 ,0x0c);
write_i2c(0x5852 ,0x0f);
write_i2c(0x5853 ,0x10);
write_i2c(0x5854 ,0x10);
write_i2c(0x5855 ,0x0f);
write_i2c(0x5856 ,0x0e);
write_i2c(0x5857 ,0x0b);
write_i2c(0x5858 ,0x10);
write_i2c(0x5859 ,0x0d);
write_i2c(0x585a ,0x0d);
write_i2c(0x585b ,0x0c);
write_i2c(0x585c ,0x0c);
write_i2c(0x585d ,0x0c);
write_i2c(0x585e ,0x0b);
write_i2c(0x585f ,0x0c);
write_i2c(0x5860 ,0x0c);
write_i2c(0x5861 ,0x0c);
write_i2c(0x5862 ,0x0d);
write_i2c(0x5863 ,0x08);
write_i2c(0x5864 ,0x11);
write_i2c(0x5865 ,0x18);
write_i2c(0x5866 ,0x18);
write_i2c(0x5867 ,0x19);
write_i2c(0x5868 ,0x17);
write_i2c(0x5869 ,0x19);
```

Confidential For MESADA Only


```
write_i2c(0x586a,0x16);
write_i2c(0x586b,0x13);
write_i2c(0x586c,0x13);
write_i2c(0x586d,0x12);
write_i2c(0x586e,0x13);
write_i2c(0x586f,0x16);
write_i2c(0x5870,0x14);
write_i2c(0x5871,0x12);
write_i2c(0x5872,0x10);
write_i2c(0x5873,0x11);
write_i2c(0x5874,0x11);
write_i2c(0x5875,0x16);
write_i2c(0x5876,0x14);
write_i2c(0x5877,0x11);
write_i2c(0x5878,0x10);
write_i2c(0x5879,0x0f);
write_i2c(0x587a,0x10);
write_i2c(0x587b,0x14);
write_i2c(0x587c,0x13);
write_i2c(0x587d,0x12);
write_i2c(0x587e,0x11);
write_i2c(0x587f,0x11);
write_i2c(0x5880,0x12);
write_i2c(0x5881,0x10);
write_i2c(0x5882,0x14);
write_i2c(0x5883,0x15);
write_i2c(0x5884,0x15);
write_i2c(0x5885,0x15);
write_i2c(0x5886,0x13);
write_i2c(0x5887,0x17);
write_i2c(0x3710,0x10);
write_i2c(0x3632,0x51);
write_i2c(0x3702,0x10);
write_i2c(0x3703,0xb2);
```

Confidential For MESADA Only

```
write_i2c(0x3704 ,0x18);
write_i2c(0x370b ,0x40);
write_i2c(0x370d ,0x03);
write_i2c(0x3631 ,0x01);
write_i2c(0x3632 ,0x52);
write_i2c(0x3606 ,0x24);
write_i2c(0x3620 ,0x96);
write_i2c(0x5785 ,0x07);
write_i2c(0x3a13 ,0x30);
write_i2c(0x3600 ,0x52);
write_i2c(0x3604 ,0x48);
write_i2c(0x3606 ,0x1b);
write_i2c(0x370d ,0x0b);
write_i2c(0x370f ,0xc0);
write_i2c(0x3709 ,0x01);
write_i2c(0x3823 ,0x00);
write_i2c(0x5007 ,0x00);
write_i2c(0x5009 ,0x00);
write_i2c(0x5011 ,0x00);
write_i2c(0x5013 ,0x00);
write_i2c(0x519e ,0x00);
write_i2c(0x5086 ,0x00);
write_i2c(0x5087 ,0x00);
write_i2c(0x5088 ,0x00);
write_i2c(0x5089 ,0x00);
write_i2c(0x302b ,0x00);
write_i2c(0x3503 ,0x07);
write_i2c(0x370a ,0x81);
write_i2c(0x3803 ,0x08);
write_i2c(0x3804 ,0x05);
write_i2c(0x3805 ,0x00);
write_i2c(0x3806 ,0x03);
write_i2c(0x3807 ,0xc0);
write_i2c(0x3808 ,0x02);
```

Confidential For MESADA Only

```
write_i2c(0x3809 ,0x80);
write_i2c(0x380a ,0x01);
write_i2c(0x380b ,0xe0);
write_i2c(0x380c ,0x07);
write_i2c(0x380d ,0xe0);
write_i2c(0x380e ,0x03);
write_i2c(0x380f ,0xe8);
write_i2c(0x3810 ,0x80);
write_i2c(0x3818 ,0xc9);
write_i2c(0x381c ,0x21);
write_i2c(0x381d ,0x50);
write_i2c(0x381e ,0x01);
write_i2c(0x381f ,0x20);
write_i2c(0x3820 ,0x00);
write_i2c(0x3821 ,0x00);
write_i2c(0x3824 ,0x11);
write_i2c(0x3a08 ,0x12);
write_i2c(0x3a09 ,0xc0);
write_i2c(0x3a0a ,0x0f);
write_i2c(0x3a0b ,0xa0);
write_i2c(0x3a0d ,0x04);
write_i2c(0x3a0e ,0x03);
write_i2c(0x401c ,0x04);
write_i2c(0x5682 ,0x00);
write_i2c(0x5683 ,0x00);
write_i2c(0x5686 ,0x02);
write_i2c(0x5687 ,0xcc);
write_i2c(0x5001 ,0x7f);
write_i2c(0x589b ,0x04);
write_i2c(0x589a ,0xc5);
write_i2c(0x3503 ,0x00);
write_i2c(0x460c ,0x20);
write_i2c(0x460b ,0x37);
write_i2c(0x471c ,0xd0);
```

Confidential For MESADA Only

```
write_i2c(0x471d ,0x05);
write_i2c(0x3815 ,0x02);
write_i2c(0x3818 ,0xc1);
write_i2c(0x501f ,0x00);
write_i2c(0x5002 ,0xe0);
write_i2c(0x4300 ,0x30);
write_i2c(0x3002 ,0x1c);
write_i2c(0x4800 ,0x14);
write_i2c(0x4801 ,0x0f);
write_i2c(0x3007 ,0x3b);
write_i2c(0x300e ,0x04);
write_i2c(0x4803 ,0x50);
write_i2c(0x3815 ,0x02);
write_i2c(0x4713 ,0x02);
write_i2c(0x4842 ,0x01);
write_i2c(0x300f ,0x0e);
write_i2c(0x3010 ,0x01);
write_i2c(0x3003 ,0x03);
write_i2c(0x3003 ,0x01);
```

13.5.2 2lane 5M RAW setting

```
write_i2c(0x3103 ,0x93);
write_i2c(0x3008 ,0x82);
write_i2c(0x3017 ,0x7f);
write_i2c(0x3018 ,0xfc);
write_i2c(0x3810 ,0xc2);
write_i2c(0x3615 ,0xf0);
write_i2c(0x3000 ,0x00);
write_i2c(0x3001 ,0x00);
write_i2c(0x3002 ,0x00);
write_i2c(0x3003 ,0x00);
write_i2c(0x3011 ,0x08);
write_i2c(0x3010 ,0x30);
write_i2c(0x3604 ,0x60);
write_i2c(0x3622 ,0x60);
write_i2c(0x3621 ,0x09);
```

```
write_i2c(0x3705,0xd9);
write_i2c(0x3709,0x00);
write_i2c(0x4000,0x21);
write_i2c(0x401d,0x22);
write_i2c(0x3600,0x54);
write_i2c(0x3605,0x04);
write_i2c(0x3606,0x3f);
write_i2c(0x3c01,0x80);
write_i2c(0x300d,0x21);
write_i2c(0x3623,0x22);
write_i2c(0x5000,0xcf);
write_i2c(0x5020,0x04);
write_i2c(0x5181,0x79);
write_i2c(0x5182,0x00);
write_i2c(0x5185,0x22);
write_i2c(0x5197,0x01);
write_i2c(0x5500,0x0a);
write_i2c(0x5504,0x00);
write_i2c(0x5505,0x7f);
write_i2c(0x5080,0x08);
write_i2c(0x300e,0x18);
write_i2c(0x4610,0x00);
write_i2c(0x471d,0x05);
write_i2c(0x4708,0x06);
write_i2c(0x370c,0xa0);
write_i2c(0x3808,0x0a);
write_i2c(0x3809,0x20);
write_i2c(0x380a,0x07);
write_i2c(0x380b,0x98);
write_i2c(0x380c,0x0c);
write_i2c(0x380d,0x80);
write_i2c(0x380e,0x07);
write_i2c(0x380f,0xd0);
write_i2c(0x5000,0x00);
write_i2c(0x501f,0x03);
write_i2c(0x3503,0x07);
write_i2c(0x3501,0x73);
write_i2c(0x3502,0x80);
write_i2c(0x350b,0x00);
write_i2c(0x3818,0xc0);
write_i2c(0x3824,0x11);
write_i2c(0x3801,0x8a);
write_i2c(0x3a00,0x78);
write_i2c(0x3a1a,0x04);
write_i2c(0x3a13,0x30);
write_i2c(0x3a18,0x00);
write_i2c(0x3a19,0x7c);
write_i2c(0x3a08,0x12);
```

Confidential For MESADA Only

```
write_i2c(0x3a09,0xc0);
write_i2c(0x3a0a,0x0f);
write_i2c(0x3a0b,0xa0);
write_i2c(0x3004,0xff);
write_i2c(0x350c,0x07);
write_i2c(0x350d,0xd0);
write_i2c(0x3a0d,0x08);
write_i2c(0x3a0e,0x06);
write_i2c(0x3500,0x00);
write_i2c(0x3501,0x00);
write_i2c(0x3502,0x00);
write_i2c(0x350a,0x00);
write_i2c(0x350b,0x00);
write_i2c(0x3503,0x00);
write_i2c(0x3030,0x2b);
write_i2c(0x3a02,0x00);
write_i2c(0x3a03,0x7d);
write_i2c(0x3a04,0x00);
write_i2c(0x3a14,0x00);
write_i2c(0x3a15,0x7d);
write_i2c(0x3a16,0x00);
write_i2c(0x3a00,0x78);
write_i2c(0x3a08,0x09);
write_i2c(0x3a09,0x60);
write_i2c(0x3a0a,0x07);
write_i2c(0x3a0b,0xd0);
write_i2c(0x3a0d,0x10);
write_i2c(0x3a0e,0x0d);
write_i2c(0x589b,0x00);
write_i2c(0x589a,0xc0);
write_i2c(0x401e,0x20);
write_i2c(0x4001,0x42);
write_i2c(0x4002,0x02);
write_i2c(0x401c,0x00);
write_i2c(0x3825,0xae);
write_i2c(0x3827,0x0c);
write_i2c(0x5025,0x80);
write_i2c(0x3a0f,0x38);
write_i2c(0x3a10,0x30);
write_i2c(0x3a1b,0x3a);
write_i2c(0x3a1e,0x2e);
write_i2c(0x3a11,0x60);
write_i2c(0x3a1f,0x10);
write_i2c(0x3710,0x10);
write_i2c(0x3632,0x51);
write_i2c(0x3702,0x10);
write_i2c(0x3703,0xb2);
write_i2c(0x3704,0x18);
```

Confidential For MESADA Only

```
write_i2c(0x370b,0x40);
write_i2c(0x370d,0x03);
write_i2c(0x3631,0x01);
write_i2c(0x3632,0x52);
write_i2c(0x3606,0x24);
write_i2c(0x3620,0x96);
write_i2c(0x5785,0x07);
write_i2c(0x3a13,0x30);
write_i2c(0x3600,0x52);
write_i2c(0x3604,0x48);
write_i2c(0x3606,0x1b);
write_i2c(0x370d,0x0b);
write_i2c(0x370f,0xc0);
write_i2c(0x3709,0x01);
write_i2c(0x3823,0x00);
write_i2c(0x5007,0x00);
write_i2c(0x5009,0x00);
write_i2c(0x5011,0x00);
write_i2c(0x5013,0x00);
write_i2c(0x519e,0x00);
write_i2c(0x5086,0x00);
write_i2c(0x5087,0x00);
write_i2c(0x5088,0x00);
write_i2c(0x5089,0x00);
write_i2c(0x302b,0x00);
write_i2c(0x5000,0x06);
write_i2c(0x5001,0x00);
write_i2c(0x5005,0x00);
write_i2c(0x3818,0x80);
write_i2c(0x3621,0x29);
write_i2c(0x3801,0xb4);
write_i2c(0x3010,0x10);
write_i2c(0x4800,0x14);
write_i2c(0x4801,0x00);
write_i2c(0x3007,0x30);
write_i2c(0x300e,0x04);
write_i2c(0x4803,0x50);
write_i2c(0x3815,0x01);
write_i2c(0x4713,0x02);
write_i2c(0x4842,0x01);
write_i2c(0x300f,0x0f);
write_i2c(0x3003,0x03);
write_i2c(0x3003,0x01);
```

13.5.3 2lane 5M YUV setting

```
write_i2c(0x3103,0x93);
write_i2c(0x3008,0x82);
```

```
write_i2c(0x3017,0x7f);
write_i2c(0x3018,0xfc);
write_i2c(0x3810,0xc2);
write_i2c(0x3615,0xf0);
write_i2c(0x3000,0x00);
write_i2c(0x3001,0x00);
write_i2c(0x3002,0x00);
write_i2c(0x3003,0x00);
write_i2c(0x3004,0xff);
write_i2c(0x3030,0x2b);
write_i2c(0x3011,0x08);
write_i2c(0x3010,0x10);
write_i2c(0x3604,0x60);
write_i2c(0x3622,0x60);
write_i2c(0x3621,0x09);
write_i2c(0x3705,0xd9);
write_i2c(0x3709,0x00);
write_i2c(0x4000,0x21);
write_i2c(0x401d,0x22);
write_i2c(0x3600,0x54);
write_i2c(0x3605,0x04);
write_i2c(0x3606,0x3f);
write_i2c(0x3c01,0x80);
write_i2c(0x300d,0x22);
write_i2c(0x3623,0x22);
write_i2c(0x5000,0x4f);
write_i2c(0x5020,0x04);
write_i2c(0x5181,0x79);
write_i2c(0x5182,0x00);
write_i2c(0x5185,0x22);
write_i2c(0x5197,0x01);
write_i2c(0x5500,0x0a);
write_i2c(0x5504,0x00);
write_i2c(0x5505,0x70);
write_i2c(0x5080,0x09);
write_i2c(0x300e,0x18);
write_i2c(0x4610,0x00);
write_i2c(0x471d,0x05);
write_i2c(0x4708,0x06);
write_i2c(0x370c,0xa0);
write_i2c(0x3808,0x0a);
write_i2c(0x3809,0x20);
write_i2c(0x380a,0x07);
write_i2c(0x380b,0x98);
write_i2c(0x380c,0x0c);
write_i2c(0x380d,0x80);
write_i2c(0x380e,0x07);
write_i2c(0x380f,0xd0);
```

Confidential For MESADA Only


```
write_i2c(0x5687,0x94);
write_i2c(0x501f,0x00);
write_i2c(0x5000,0x4f);
write_i2c(0x5001,0xcf);
write_i2c(0x4300,0x30);
write_i2c(0x4300,0x30);
write_i2c(0x460b,0x35);
write_i2c(0x471d,0x00);
write_i2c(0x3002,0x0c);
write_i2c(0x3002,0x00);
write_i2c(0x4713,0x03);
write_i2c(0x471c,0x50);
write_i2c(0x4721,0x02);
write_i2c(0x4402,0x90);
write_i2c(0x460c,0x22);
write_i2c(0x3815,0x44);
write_i2c(0x3503,0x07);
write_i2c(0x3501,0x73);
write_i2c(0x3502,0x80);
write_i2c(0x350b,0x00);
write_i2c(0x3818,0xc8);
write_i2c(0x3801,0x88);
write_i2c(0x3824,0x11);
write_i2c(0x3a00,0x78);
write_i2c(0x3a1a,0x04);
write_i2c(0x3a13,0x30);
write_i2c(0x3a18,0x00);
write_i2c(0x3a19,0x7c);
write_i2c(0x3a08,0x12);
write_i2c(0x3a09,0xc0);
write_i2c(0x3a0a,0x0f);
write_i2c(0x3a0b,0xa0);
write_i2c(0x350c,0x07);
write_i2c(0x350d,0xd0);
write_i2c(0x3a0d,0x09);
write_i2c(0x3a0e,0x06);
write_i2c(0x3500,0x00);
write_i2c(0x3501,0x00);
write_i2c(0x3502,0x00);
write_i2c(0x350a,0x00);
write_i2c(0x350b,0x00);
write_i2c(0x3503,0x00);
write_i2c(0x3a0f,0x3c);
write_i2c(0x3a10,0x32);
write_i2c(0x3a1b,0x3c);
write_i2c(0x3a1e,0x32);
write_i2c(0x3a11,0x80);
write_i2c(0x3a1f,0x20);
```

Confidential For MESADA Only

```
write_i2c(0x3030,0x0b);
write_i2c(0x3a02,0x00);
write_i2c(0x3a03,0x7d);
write_i2c(0x3a04,0x00);
write_i2c(0x3a14,0x00);
write_i2c(0x3a15,0x7d);
write_i2c(0x3a16,0x00);
write_i2c(0x3a00,0x78);
write_i2c(0x3a08,0x09);
write_i2c(0x3a09,0x60);
write_i2c(0x3a0a,0x07);
write_i2c(0x3a0b,0xd0);
write_i2c(0x3a0d,0x10);
write_i2c(0x3a0e,0x0d);
write_i2c(0x4407,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x589b,0x00);
write_i2c(0x589a,0xc0);
write_i2c(0x401e,0x20);
write_i2c(0x4001,0x42);
write_i2c(0x4002,0x02);
write_i2c(0x401c,0x06);
write_i2c(0x3825,0xac);
write_i2c(0x3827,0x0c);
write_i2c(0x528a,0x01);
write_i2c(0x528b,0x04);
write_i2c(0x528c,0x08);
write_i2c(0x528d,0x10);
write_i2c(0x528e,0x20);
write_i2c(0x528f,0x28);
write_i2c(0x5290,0x30);
write_i2c(0x5292,0x00);
write_i2c(0x5293,0x01);
write_i2c(0x5294,0x00);
write_i2c(0x5295,0x04);
write_i2c(0x5296,0x00);
write_i2c(0x5297,0x08);
write_i2c(0x5298,0x00);
write_i2c(0x5299,0x10);
write_i2c(0x529a,0x00);
write_i2c(0x529b,0x20);
write_i2c(0x529c,0x00);
write_i2c(0x529d,0x28);
write_i2c(0x529e,0x00);
write_i2c(0x529f,0x30);
write_i2c(0x5282,0x00);
write_i2c(0x5300,0x00);
write_i2c(0x5301,0x20);
```

Confidential For MESADA Only

```
write_i2c(0x5302,0x00);
write_i2c(0x5303,0x7c);
write_i2c(0x530c,0x00);
write_i2c(0x530d,0x0c);
write_i2c(0x530e,0x20);
write_i2c(0x530f,0x80);
write_i2c(0x5310,0x20);
write_i2c(0x5311,0x80);
write_i2c(0x5308,0x20);
write_i2c(0x5309,0x40);
write_i2c(0x5304,0x00);
write_i2c(0x5305,0x30);
write_i2c(0x5306,0x00);
write_i2c(0x5307,0x80);
write_i2c(0x5314,0x08);
write_i2c(0x5315,0x20);
write_i2c(0x5319,0x30);
write_i2c(0x5316,0x10);
write_i2c(0x5317,0x00);
write_i2c(0x5318,0x02);
write_i2c(0x5380,0x01);
write_i2c(0x5381,0x00);
write_i2c(0x5382,0x00);
write_i2c(0x5383,0x4e);
write_i2c(0x5384,0x00);
write_i2c(0x5385,0x0f);
write_i2c(0x5386,0x00);
write_i2c(0x5387,0x00);
write_i2c(0x5388,0x01);
write_i2c(0x5389,0x15);
write_i2c(0x538a,0x00);
write_i2c(0x538b,0x31);
write_i2c(0x538c,0x00);
write_i2c(0x538d,0x00);
write_i2c(0x538e,0x00);
write_i2c(0x538f,0x0f);
write_i2c(0x5390,0x00);
write_i2c(0x5391,0xab);
write_i2c(0x5392,0x00);
write_i2c(0x5393,0xa2);
write_i2c(0x5394,0x08);
write_i2c(0x5480,0x14);
write_i2c(0x5481,0x21);
write_i2c(0x5482,0x36);
write_i2c(0x5483,0x57);
write_i2c(0x5484,0x65);
write_i2c(0x5485,0x71);
write_i2c(0x5486,0x7d);
```

Confidential For MESADA Only

```
write_i2c(0x5487,0x87);
write_i2c(0x5488,0x91);
write_i2c(0x5489,0x9a);
write_i2c(0x548a,0xaa);
write_i2c(0x548b,0xb8);
write_i2c(0x548c,0xcd);
write_i2c(0x548d,0xdd);
write_i2c(0x548e,0xea);
write_i2c(0x548f,0x1d);
write_i2c(0x5490,0x05);
write_i2c(0x5491,0x00);
write_i2c(0x5492,0x04);
write_i2c(0x5493,0x20);
write_i2c(0x5494,0x03);
write_i2c(0x5495,0x60);
write_i2c(0x5496,0x02);
write_i2c(0x5497,0xb8);
write_i2c(0x5498,0x02);
write_i2c(0x5499,0x86);
write_i2c(0x549a,0x02);
write_i2c(0x549b,0x5b);
write_i2c(0x549c,0x02);
write_i2c(0x549d,0x3b);
write_i2c(0x549e,0x02);
write_i2c(0x549f,0x1c);
write_i2c(0x54a0,0x02);
write_i2c(0x54a1,0x04);
write_i2c(0x54a2,0x01);
write_i2c(0x54a3,0xed);
write_i2c(0x54a4,0x01);
write_i2c(0x54a5,0xc5);
write_i2c(0x54a6,0x01);
write_i2c(0x54a7,0xa5);
write_i2c(0x54a8,0x01);
write_i2c(0x54a9,0x6c);
write_i2c(0x54aa,0x01);
write_i2c(0x54ab,0x41);
write_i2c(0x54ac,0x01);
write_i2c(0x54ad,0x20);
write_i2c(0x54ae,0x00);
write_i2c(0x54af,0x16);
write_i2c(0x54b0,0x01);
write_i2c(0x54b1,0x20);
write_i2c(0x54b2,0x00);
write_i2c(0x54b3,0x10);
write_i2c(0x54b4,0x00);
write_i2c(0x54b5,0xf0);
write_i2c(0x54b6,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x54b7,0xdf);
write_i2c(0x5402,0x3f);
write_i2c(0x5403,0x00);
write_i2c(0x3406,0x00);
write_i2c(0x5180,0xff);
write_i2c(0x5181,0x52);
write_i2c(0x5182,0x11);
write_i2c(0x5183,0x14);
write_i2c(0x5184,0x25);
write_i2c(0x5185,0x24);
write_i2c(0x5186,0x06);
write_i2c(0x5187,0x08);
write_i2c(0x5188,0x08);
write_i2c(0x5189,0x7c);
write_i2c(0x518a,0x60);
write_i2c(0x518b,0xb2);
write_i2c(0x518c,0xb2);
write_i2c(0x518d,0x44);
write_i2c(0x518e,0x3d);
write_i2c(0x518f,0x58);
write_i2c(0x5190,0x46);
write_i2c(0x5191,0xf8);
write_i2c(0x5192,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x5194,0xf0);
write_i2c(0x5195,0xf0);
write_i2c(0x5196,0x03);
write_i2c(0x5197,0x01);
write_i2c(0x5198,0x04);
write_i2c(0x5199,0x12);
write_i2c(0x519a,0x04);
write_i2c(0x519b,0x00);
write_i2c(0x519c,0x06);
write_i2c(0x519d,0x82);
write_i2c(0x519e,0x00);
write_i2c(0x5025,0x80);
write_i2c(0x3a0f,0x38);
write_i2c(0x3a10,0x30);
write_i2c(0x3a1b,0x3a);
write_i2c(0x3a1e,0x2e);
write_i2c(0x3a11,0x60);
write_i2c(0x3a1f,0x10);
write_i2c(0x5688,0xa6);
write_i2c(0x5689,0x6a);
write_i2c(0x568a,0xea);
write_i2c(0x568b,0xae);
write_i2c(0x568c,0xa6);
write_i2c(0x568d,0x6a);
```

Confidential For MESADA Only

```
write_i2c(0x568e,0x62);
write_i2c(0x568f,0x26);
write_i2c(0x5583,0x40);
write_i2c(0x5584,0x40);
write_i2c(0x5580,0x02);
write_i2c(0x5000,0xcf);
write_i2c(0x5800,0x27);
write_i2c(0x5801,0x19);
write_i2c(0x5802,0x12);
write_i2c(0x5803,0x0f);
write_i2c(0x5804,0x10);
write_i2c(0x5805,0x15);
write_i2c(0x5806,0x1e);
write_i2c(0x5807,0x2f);
write_i2c(0x5808,0x15);
write_i2c(0x5809,0x0d);
write_i2c(0x580a,0x0a);
write_i2c(0x580b,0x09);
write_i2c(0x580c,0x0a);
write_i2c(0x580d,0x0c);
write_i2c(0x580e,0x12);
write_i2c(0x580f,0x19);
write_i2c(0x5810,0x0b);
write_i2c(0x5811,0x07);
write_i2c(0x5812,0x04);
write_i2c(0x5813,0x03);
write_i2c(0x5814,0x03);
write_i2c(0x5815,0x06);
write_i2c(0x5816,0x0a);
write_i2c(0x5817,0x0f);
write_i2c(0x5818,0x0a);
write_i2c(0x5819,0x05);
write_i2c(0x581a,0x01);
write_i2c(0x581b,0x00);
write_i2c(0x581c,0x00);
write_i2c(0x581d,0x03);
write_i2c(0x581e,0x08);
write_i2c(0x581f,0x0c);
write_i2c(0x5820,0x0a);
write_i2c(0x5821,0x05);
write_i2c(0x5822,0x01);
write_i2c(0x5823,0x00);
write_i2c(0x5824,0x00);
write_i2c(0x5825,0x03);
write_i2c(0x5826,0x08);
write_i2c(0x5827,0x0c);
write_i2c(0x5828,0x0e);
write_i2c(0x5829,0x08);
```

Confidential For MESADA Only

```
write_i2c(0x582a,0x06);
write_i2c(0x582b,0x04);
write_i2c(0x582c,0x05);
write_i2c(0x582d,0x07);
write_i2c(0x582e,0x0b);
write_i2c(0x582f,0x12);
write_i2c(0x5830,0x18);
write_i2c(0x5831,0x10);
write_i2c(0x5832,0x0c);
write_i2c(0x5833,0x0a);
write_i2c(0x5834,0x0b);
write_i2c(0x5835,0x0e);
write_i2c(0x5836,0x15);
write_i2c(0x5837,0x19);
write_i2c(0x5838,0x32);
write_i2c(0x5839,0x1f);
write_i2c(0x583a,0x18);
write_i2c(0x583b,0x16);
write_i2c(0x583c,0x17);
write_i2c(0x583d,0x1e);
write_i2c(0x583e,0x26);
write_i2c(0x583f,0x53);
write_i2c(0x5840,0x10);
write_i2c(0x5841,0x0f);
write_i2c(0x5842,0x0d);
write_i2c(0x5843,0x0c);
write_i2c(0x5844,0x0e);
write_i2c(0x5845,0x09);
write_i2c(0x5846,0x11);
write_i2c(0x5847,0x10);
write_i2c(0x5848,0x10);
write_i2c(0x5849,0x10);
write_i2c(0x584a,0x10);
write_i2c(0x584b,0x0e);
write_i2c(0x584c,0x10);
write_i2c(0x584d,0x10);
write_i2c(0x584e,0x11);
write_i2c(0x584f,0x10);
write_i2c(0x5850,0x0f);
write_i2c(0x5851,0x0c);
write_i2c(0x5852,0x0f);
write_i2c(0x5853,0x10);
write_i2c(0x5854,0x10);
write_i2c(0x5855,0x0f);
write_i2c(0x5856,0x0e);
write_i2c(0x5857,0x0b);
write_i2c(0x5858,0x10);
write_i2c(0x5859,0x0d);
```

Confidential For MESADA Only

```
write_i2c(0x585a,0x0d);
write_i2c(0x585b,0x0c);
write_i2c(0x585c,0x0c);
write_i2c(0x585d,0x0c);
write_i2c(0x585e,0x0b);
write_i2c(0x585f,0x0c);
write_i2c(0x5860,0x0c);
write_i2c(0x5861,0x0c);
write_i2c(0x5862,0x0d);
write_i2c(0x5863,0x08);
write_i2c(0x5864,0x11);
write_i2c(0x5865,0x18);
write_i2c(0x5866,0x18);
write_i2c(0x5867,0x19);
write_i2c(0x5868,0x17);
write_i2c(0x5869,0x19);
write_i2c(0x586a,0x16);
write_i2c(0x586b,0x13);
write_i2c(0x586c,0x13);
write_i2c(0x586d,0x12);
write_i2c(0x586e,0x13);
write_i2c(0x586f,0x16);
write_i2c(0x5870,0x14);
write_i2c(0x5871,0x12);
write_i2c(0x5872,0x10);
write_i2c(0x5873,0x11);
write_i2c(0x5874,0x11);
write_i2c(0x5875,0x16);
write_i2c(0x5876,0x14);
write_i2c(0x5877,0x11);
write_i2c(0x5878,0x10);
write_i2c(0x5879,0x0f);
write_i2c(0x587a,0x10);
write_i2c(0x587b,0x14);
write_i2c(0x587c,0x12);
write_i2c(0x587d,0x12);
write_i2c(0x587e,0x11);
write_i2c(0x587f,0x11);
write_i2c(0x5880,0x12);
write_i2c(0x5881,0x15);
write_i2c(0x5882,0x14);
write_i2c(0x5883,0x15);
write_i2c(0x5884,0x15);
write_i2c(0x5885,0x15);
write_i2c(0x5886,0x13);
write_i2c(0x5887,0x17);
write_i2c(0x3710,0x10);
write_i2c(0x3632,0x51);
```

Confidential For MESADA Only


```
write_i2c(0x3702,0x10);
write_i2c(0x3703,0xb2);
write_i2c(0x3704,0x18);
write_i2c(0x370b,0x40);
write_i2c(0x370d,0x03);
write_i2c(0x3631,0x01);
write_i2c(0x3632,0x52);
write_i2c(0x3606,0x24);
write_i2c(0x3620,0x96);
write_i2c(0x5785,0x07);
write_i2c(0x3a13,0x30);
write_i2c(0x3600,0x52);
write_i2c(0x3604,0x48);
write_i2c(0x3606,0x1b);
write_i2c(0x370d,0x0b);
write_i2c(0x370f,0xc0);
write_i2c(0x3709,0x01);
write_i2c(0x3823,0x00);
write_i2c(0x5007,0x00);
write_i2c(0x5009,0x00);
write_i2c(0x5011,0x00);
write_i2c(0x5013,0x00);
write_i2c(0x519e,0x00);
write_i2c(0x5086,0x00);
write_i2c(0x5087,0x00);
write_i2c(0x5088,0x00);
write_i2c(0x5089,0x00);
write_i2c(0x302b,0x00);
write_i2c(0x460c,0x20);
write_i2c(0x460b,0x37);
write_i2c(0x471c,0xd0);
write_i2c(0x471d,0x05);
write_i2c(0x3815,0x01);
write_i2c(0x3818,0xe0);
write_i2c(0x501f,0x00);
write_i2c(0x5002,0xe0);
write_i2c(0x4300,0x30);
write_i2c(0x3002,0x1c);
write_i2c(0x4800,0x14);
write_i2c(0x4801,0x0f);
write_i2c(0x3007,0x3b);
write_i2c(0x300e,0x04);
write_i2c(0x4803,0x50);
write_i2c(0x3815,0x01);
write_i2c(0x4713,0x02);
write_i2c(0x4842,0x01);
write_i2c(0x300f,0x0e);
write_i2c(0x3010,0x30);
```

Confidential For MESADA Only

```
write_i2c(0x3003 ,0x03);  
write_i2c(0x3003 ,0x01);
```

13.5.4 2lane 720P YUV setting

```
write_i2c(0x3103 ,0x93);  
write_i2c(0x3008 ,0x82);  
write_i2c(0x3017 ,0x7f);  
write_i2c(0x3018 ,0xfc);  
write_i2c(0x3810 ,0xc2);  
write_i2c(0x3615 ,0xf0);  
write_i2c(0x3000 ,0x00);  
write_i2c(0x3001 ,0x00);  
write_i2c(0x3002 ,0x00);  
write_i2c(0x3003 ,0x00);  
write_i2c(0x3004 ,0xff);  
write_i2c(0x3030 ,0x2b);  
write_i2c(0x3011 ,0x08);  
write_i2c(0x3010 ,0x10);  
write_i2c(0x3604 ,0x60);  
write_i2c(0x3622 ,0x60);  
write_i2c(0x3621 ,0x09);  
write_i2c(0x3705 ,0xd9);  
write_i2c(0x3709 ,0x00);  
write_i2c(0x4000 ,0x21);  
write_i2c(0x401d ,0x22);  
write_i2c(0x3600 ,0x54);  
write_i2c(0x3605 ,0x04);  
write_i2c(0x3606 ,0x3f);  
write_i2c(0x3c01 ,0x80);  
write_i2c(0x300d ,0x22);  
write_i2c(0x3623 ,0x22);  
write_i2c(0x5000 ,0x4f);  
write_i2c(0x5020 ,0x04);  
write_i2c(0x5181 ,0x79);  
write_i2c(0x5182 ,0x00);  
write_i2c(0x5185 ,0x22);  
write_i2c(0x5197 ,0x01);  
write_i2c(0x5500 ,0x0a);  
write_i2c(0x5504 ,0x00);  
write_i2c(0x5505 ,0x7f);  
write_i2c(0x5080 ,0x08);  
write_i2c(0x300e ,0x18);  
write_i2c(0x4610 ,0x00);  
write_i2c(0x471d ,0x05);  
write_i2c(0x4708 ,0x06);  
write_i2c(0x370c ,0xa0);  
write_i2c(0x3808 ,0x0a);
```

Confidential For MESADA Only

```
write_i2c(0x3809,0x20);
write_i2c(0x380a,0x07);
write_i2c(0x380b,0x98);
write_i2c(0x380c,0x0c);
write_i2c(0x380d,0x80);
write_i2c(0x380e,0x07);
write_i2c(0x380f,0xd0);
write_i2c(0x5687,0x94);
write_i2c(0x501f,0x00);
write_i2c(0x5000,0x4f);
write_i2c(0x5001,0xcf);
write_i2c(0x4300,0x30);
write_i2c(0x4300,0x30);
write_i2c(0x460b,0x35);
write_i2c(0x471d,0x00);
write_i2c(0x3002,0x0c);
write_i2c(0x3002,0x00);
write_i2c(0x4713,0x03);
write_i2c(0x471c,0x50);
write_i2c(0x4721,0x02);
write_i2c(0x4402,0x90);
write_i2c(0x460c,0x22);
write_i2c(0x3815,0x44);
write_i2c(0x3503,0x07);
write_i2c(0x3501,0x73);
write_i2c(0x3502,0x80);
write_i2c(0x350b,0x00);
write_i2c(0x3818,0xc8);
write_i2c(0x3801,0x88);
write_i2c(0x3824,0x11);
write_i2c(0x3a00,0x78);
write_i2c(0x3a1a,0x04);
write_i2c(0x3a13,0x30);
write_i2c(0x3a18,0x00);
write_i2c(0x3a19,0x70);
write_i2c(0x3a08,0x12);
write_i2c(0x3a09,0xc0);
write_i2c(0x3a0a,0x0f);
write_i2c(0x3a0b,0xa0);
write_i2c(0x350c,0x07);
write_i2c(0x350d,0xd0);
write_i2c(0x3a0d,0x08);
write_i2c(0x3a0e,0x06);
write_i2c(0x3500,0x00);
write_i2c(0x3501,0x00);
write_i2c(0x3502,0x00);
write_i2c(0x350a,0x00);
write_i2c(0x350b,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x3503 ,0x00);
write_i2c(0x3a0f ,0x3c);
write_i2c(0x3a10 ,0x32);
write_i2c(0x3a1b ,0x3c);
write_i2c(0x3a1e ,0x32);
write_i2c(0x3a11 ,0x80);
write_i2c(0x3a1f ,0x20);
write_i2c(0x3030 ,0x0b);
write_i2c(0x3a02 ,0x00);
write_i2c(0x3a03 ,0x7d);
write_i2c(0x3a04 ,0x00);
write_i2c(0x3a14 ,0x00);
write_i2c(0x3a15 ,0x7d);
write_i2c(0x3a16 ,0x00);
write_i2c(0x3a00 ,0x78);
write_i2c(0x3a08 ,0x09);
write_i2c(0x3a09 ,0x60);
write_i2c(0x3a0a ,0x07);
write_i2c(0x3a0b ,0xd0);
write_i2c(0x3a0d ,0x10);
write_i2c(0x3a0e ,0x0d);
write_i2c(0x4407 ,0x04);
write_i2c(0x5193 ,0x70);
write_i2c(0x589b ,0x00);
write_i2c(0x589a ,0xc0);
write_i2c(0x401e ,0x20);
write_i2c(0x4001 ,0x42);
write_i2c(0x4002 ,0x02);
write_i2c(0x401c ,0x06);
write_i2c(0x3825 ,0xac);
write_i2c(0x3827 ,0x0c);
write_i2c(0x528a ,0x01);
write_i2c(0x528b ,0x04);
write_i2c(0x528c ,0x08);
write_i2c(0x528d ,0x10);
write_i2c(0x528e ,0x20);
write_i2c(0x528f ,0x28);
write_i2c(0x5290 ,0x30);
write_i2c(0x5292 ,0x00);
write_i2c(0x5293 ,0x01);
write_i2c(0x5294 ,0x00);
write_i2c(0x5295 ,0x04);
write_i2c(0x5296 ,0x00);
write_i2c(0x5297 ,0x08);
write_i2c(0x5298 ,0x00);
write_i2c(0x5299 ,0x10);
write_i2c(0x529a ,0x00);
write_i2c(0x529b ,0x20);
```

Confidential For MESADA Only

```
write_i2c(0x529c,0x00);
write_i2c(0x529d,0x28);
write_i2c(0x529e,0x00);
write_i2c(0x529f,0x30);
write_i2c(0x5282,0x00);
write_i2c(0x5300,0x00);
write_i2c(0x5301,0x20);
write_i2c(0x5302,0x00);
write_i2c(0x5303,0x7c);
write_i2c(0x530c,0x00);
write_i2c(0x530d,0x0c);
write_i2c(0x530e,0x20);
write_i2c(0x530f,0x80);
write_i2c(0x5310,0x20);
write_i2c(0x5311,0x80);
write_i2c(0x5308,0x20);
write_i2c(0x5309,0x40);
write_i2c(0x5304,0x00);
write_i2c(0x5305,0x30);
write_i2c(0x5306,0x00);
write_i2c(0x5307,0x80);
write_i2c(0x5314,0x08);
write_i2c(0x5315,0x20);
write_i2c(0x5319,0x30);
write_i2c(0x5316,0x10);
write_i2c(0x5317,0x00);
write_i2c(0x5318,0x02);
write_i2c(0x5380,0x01);
write_i2c(0x5381,0x00);
write_i2c(0x5382,0x00);
write_i2c(0x5383,0x4e);
write_i2c(0x5384,0x00);
write_i2c(0x5385,0x0f);
write_i2c(0x5386,0x00);
write_i2c(0x5387,0x00);
write_i2c(0x5388,0x01);
write_i2c(0x5389,0x15);
write_i2c(0x538a,0x00);
write_i2c(0x538b,0x31);
write_i2c(0x538c,0x00);
write_i2c(0x538d,0x00);
write_i2c(0x538e,0x00);
write_i2c(0x538f,0x0f);
write_i2c(0x5390,0x00);
write_i2c(0x5391,0xab);
write_i2c(0x5392,0x00);
write_i2c(0x5393,0xa2);
write_i2c(0x5394,0x08);
```

Confidential For MESADA Only

```
write_i2c(0x5480,0x14);
write_i2c(0x5481,0x21);
write_i2c(0x5482,0x36);
write_i2c(0x5483,0x57);
write_i2c(0x5484,0x65);
write_i2c(0x5485,0x71);
write_i2c(0x5486,0x7d);
write_i2c(0x5487,0x87);
write_i2c(0x5488,0x91);
write_i2c(0x5489,0x9a);
write_i2c(0x548a,0xaa);
write_i2c(0x548b,0xb8);
write_i2c(0x548c,0xcd);
write_i2c(0x548d,0xdd);
write_i2c(0x548e,0xea);
write_i2c(0x548f,0x1d);
write_i2c(0x5490,0x05);
write_i2c(0x5491,0x00);
write_i2c(0x5492,0x04);
write_i2c(0x5493,0x20);
write_i2c(0x5494,0x03);
write_i2c(0x5495,0x60);
write_i2c(0x5496,0x02);
write_i2c(0x5497,0xb8);
write_i2c(0x5498,0x02);
write_i2c(0x5499,0x86);
write_i2c(0x549a,0x02);
write_i2c(0x549b,0x5b);
write_i2c(0x549c,0x02);
write_i2c(0x549d,0x3b);
write_i2c(0x549e,0x02);
write_i2c(0x549f,0x1c);
write_i2c(0x54a0,0x02);
write_i2c(0x54a1,0x04);
write_i2c(0x54a2,0x01);
write_i2c(0x54a3,0xed);
write_i2c(0x54a4,0x01);
write_i2c(0x54a5,0xc5);
write_i2c(0x54a6,0x01);
write_i2c(0x54a7,0xa5);
write_i2c(0x54a8,0x01);
write_i2c(0x54a9,0x6c);
write_i2c(0x54aa,0x01);
write_i2c(0x54ab,0x41);
write_i2c(0x54ac,0x01);
write_i2c(0x54ad,0x20);
write_i2c(0x54ae,0x00);
write_i2c(0x54af,0x16);
```

Confidential For MESADA Only

```
write_i2c(0x54b0,0x01);
write_i2c(0x54b1,0x20);
write_i2c(0x54b2,0x00);
write_i2c(0x54b3,0x10);
write_i2c(0x54b4,0x00);
write_i2c(0x54b5,0xf0);
write_i2c(0x54b6,0x00);
write_i2c(0x54b7,0xdf);
write_i2c(0x5402,0x3f);
write_i2c(0x5403,0x00);
write_i2c(0x3406,0x00);
write_i2c(0x5180,0xff);
write_i2c(0x5181,0x52);
write_i2c(0x5182,0x11);
write_i2c(0x5183,0x14);
write_i2c(0x5184,0x25);
write_i2c(0x5185,0x24);
write_i2c(0x5186,0x06);
write_i2c(0x5187,0x08);
write_i2c(0x5188,0x08);
write_i2c(0x5189,0x7c);
write_i2c(0x518a,0x60);
write_i2c(0x518b,0xb2);
write_i2c(0x518c,0xb2);
write_i2c(0x518d,0x44);
write_i2c(0x518e,0x3d);
write_i2c(0x518f,0x58);
write_i2c(0x5190,0x46);
write_i2c(0x5191,0xf8);
write_i2c(0x5192,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x5194,0xf0);
write_i2c(0x5195,0xf0);
write_i2c(0x5196,0x03);
write_i2c(0x5197,0x04);
write_i2c(0x5198,0x04);
write_i2c(0x5199,0x12);
write_i2c(0x519a,0x04);
write_i2c(0x519b,0x00);
write_i2c(0x519c,0x06);
write_i2c(0x519d,0x82);
write_i2c(0x519e,0x00);
write_i2c(0x5025,0x80);
write_i2c(0x3a0f,0x38);
write_i2c(0x3a10,0x30);
write_i2c(0x3a1b,0x3a);
write_i2c(0x3a1e,0x2e);
write_i2c(0x3a11,0x60);
```

Confidential For MESADA Only

```
write_i2c(0x3a1f,0x10);
write_i2c(0x5688,0xa6);
write_i2c(0x5689,0x6a);
write_i2c(0x568a,0xea);
write_i2c(0x568b,0xae);
write_i2c(0x568c,0xa6);
write_i2c(0x568d,0x6a);
write_i2c(0x568e,0x62);
write_i2c(0x568f,0x26);
write_i2c(0x5583,0x40);
write_i2c(0x5584,0x40);
write_i2c(0x5580,0x02);
write_i2c(0x5000,0xcf);
write_i2c(0x5800,0x27);
write_i2c(0x5801,0x19);
write_i2c(0x5802,0x12);
write_i2c(0x5803,0x0f);
write_i2c(0x5804,0x10);
write_i2c(0x5805,0x15);
write_i2c(0x5806,0x1e);
write_i2c(0x5807,0x2f);
write_i2c(0x5808,0x15);
write_i2c(0x5809,0x0d);
write_i2c(0x580a,0x0a);
write_i2c(0x580b,0x09);
write_i2c(0x580c,0x0a);
write_i2c(0x580d,0x0c);
write_i2c(0x580e,0x12);
write_i2c(0x580f,0x19);
write_i2c(0x5810,0x0b);
write_i2c(0x5811,0x07);
write_i2c(0x5812,0x04);
write_i2c(0x5813,0x03);
write_i2c(0x5814,0x03);
write_i2c(0x5815,0x00);
write_i2c(0x5816,0x0a);
write_i2c(0x5817,0x0f);
write_i2c(0x5818,0x0a);
write_i2c(0x5819,0x05);
write_i2c(0x581a,0x01);
write_i2c(0x581b,0x00);
write_i2c(0x581c,0x00);
write_i2c(0x581d,0x03);
write_i2c(0x581e,0x08);
write_i2c(0x581f,0x0c);
write_i2c(0x5820,0x0a);
write_i2c(0x5821,0x05);
write_i2c(0x5822,0x01);
```

Confidential For MESADA Only


```
write_i2c(0x5823,0x00);
write_i2c(0x5824,0x00);
write_i2c(0x5825,0x03);
write_i2c(0x5826,0x08);
write_i2c(0x5827,0x0c);
write_i2c(0x5828,0x0e);
write_i2c(0x5829,0x08);
write_i2c(0x582a,0x06);
write_i2c(0x582b,0x04);
write_i2c(0x582c,0x05);
write_i2c(0x582d,0x07);
write_i2c(0x582e,0x0b);
write_i2c(0x582f,0x12);
write_i2c(0x5830,0x18);
write_i2c(0x5831,0x10);
write_i2c(0x5832,0x0c);
write_i2c(0x5833,0x0a);
write_i2c(0x5834,0x0b);
write_i2c(0x5835,0x0e);
write_i2c(0x5836,0x15);
write_i2c(0x5837,0x19);
write_i2c(0x5838,0x32);
write_i2c(0x5839,0x1f);
write_i2c(0x583a,0x18);
write_i2c(0x583b,0x16);
write_i2c(0x583c,0x17);
write_i2c(0x583d,0x1e);
write_i2c(0x583e,0x26);
write_i2c(0x583f,0x53);
write_i2c(0x5840,0x10);
write_i2c(0x5841,0x0f);
write_i2c(0x5842,0x0d);
write_i2c(0x5843,0x0c);
write_i2c(0x5844,0x0e);
write_i2c(0x5845,0x0d);
write_i2c(0x5846,0x11);
write_i2c(0x5847,0x10);
write_i2c(0x5848,0x10);
write_i2c(0x5849,0x10);
write_i2c(0x584a,0x10);
write_i2c(0x584b,0x0e);
write_i2c(0x584c,0x10);
write_i2c(0x584d,0x10);
write_i2c(0x584e,0x11);
write_i2c(0x584f,0x10);
write_i2c(0x5850,0x0f);
write_i2c(0x5851,0x0c);
write_i2c(0x5852,0x0f);
```

Confidential For MESADA Only

```
write_i2c(0x5853,0x10);
write_i2c(0x5854,0x10);
write_i2c(0x5855,0x0f);
write_i2c(0x5856,0x0e);
write_i2c(0x5857,0x0b);
write_i2c(0x5858,0x10);
write_i2c(0x5859,0x0d);
write_i2c(0x585a,0x0d);
write_i2c(0x585b,0x0c);
write_i2c(0x585c,0x0c);
write_i2c(0x585d,0x0c);
write_i2c(0x585e,0x0b);
write_i2c(0x585f,0x0c);
write_i2c(0x5860,0x0c);
write_i2c(0x5861,0x0c);
write_i2c(0x5862,0x0d);
write_i2c(0x5863,0x08);
write_i2c(0x5864,0x11);
write_i2c(0x5865,0x18);
write_i2c(0x5866,0x18);
write_i2c(0x5867,0x19);
write_i2c(0x5868,0x17);
write_i2c(0x5869,0x19);
write_i2c(0x586a,0x16);
write_i2c(0x586b,0x13);
write_i2c(0x586c,0x13);
write_i2c(0x586d,0x12);
write_i2c(0x586e,0x13);
write_i2c(0x586f,0x16);
write_i2c(0x5870,0x14);
write_i2c(0x5871,0x12);
write_i2c(0x5872,0x10);
write_i2c(0x5873,0x11);
write_i2c(0x5874,0x10);
write_i2c(0x5875,0x10);
write_i2c(0x5876,0x14);
write_i2c(0x5877,0x11);
write_i2c(0x5878,0x10);
write_i2c(0x5879,0x0f);
write_i2c(0x587a,0x10);
write_i2c(0x587b,0x14);
write_i2c(0x587c,0x13);
write_i2c(0x587d,0x12);
write_i2c(0x587e,0x11);
write_i2c(0x587f,0x11);
write_i2c(0x5880,0x12);
write_i2c(0x5881,0x15);
write_i2c(0x5882,0x14);
```

Confidential For MESADA Only

```
write_i2c(0x5883,0x15);
write_i2c(0x5884,0x15);
write_i2c(0x5885,0x15);
write_i2c(0x5886,0x13);
write_i2c(0x5887,0x17);
write_i2c(0x3710,0x10);
write_i2c(0x3632,0x51);
write_i2c(0x3702,0x10);
write_i2c(0x3703,0xb2);
write_i2c(0x3704,0x18);
write_i2c(0x370b,0x40);
write_i2c(0x370d,0x03);
write_i2c(0x3631,0x01);
write_i2c(0x3632,0x52);
write_i2c(0x3606,0x24);
write_i2c(0x3620,0x96);
write_i2c(0x5785,0x07);
write_i2c(0x3a13,0x30);
write_i2c(0x3600,0x52);
write_i2c(0x3604,0x48);
write_i2c(0x3606,0x1b);
write_i2c(0x370d,0x0b);
write_i2c(0x370f,0xc0);
write_i2c(0x3709,0x01);
write_i2c(0x3823,0x00);
write_i2c(0x5007,0x00);
write_i2c(0x5009,0x00);
write_i2c(0x5011,0x00);
write_i2c(0x5013,0x00);
write_i2c(0x519e,0x00);
write_i2c(0x5086,0x00);
write_i2c(0x5087,0x00);
write_i2c(0x5088,0x00);
write_i2c(0x5089,0x00);
write_i2c(0x302b,0x00);
write_i2c(0x3503,0x07);
write_i2c(0x3011,0x08);
write_i2c(0x350c,0x02);
write_i2c(0x350d,0xe4);
write_i2c(0x3621,0xc9);
write_i2c(0x370a,0x81);
write_i2c(0x3803,0x08);
write_i2c(0x3804,0x05);
write_i2c(0x3805,0x00);
write_i2c(0x3806,0x02);
write_i2c(0x3807,0xd0);
write_i2c(0x3808,0x05);
write_i2c(0x3809,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x380a,0x02);
write_i2c(0x380b,0xd0);
write_i2c(0x380c,0x08);
write_i2c(0x380d,0x72);
write_i2c(0x380e,0x02);
write_i2c(0x380f,0xe4);
write_i2c(0x3810,0xc0);
write_i2c(0x3818,0xc9);
write_i2c(0x381c,0x10);
write_i2c(0x381d,0xa0);
write_i2c(0x381e,0x05);
write_i2c(0x381f,0xb0);
write_i2c(0x3820,0x00);
write_i2c(0x3821,0x00);
write_i2c(0x3824,0x11);
write_i2c(0x3a08,0x1b);
write_i2c(0x3a09,0xc0);
write_i2c(0x3a0a,0x17);
write_i2c(0x3a0b,0x20);
write_i2c(0x3a0d,0x02);
write_i2c(0x3a0e,0x01);
write_i2c(0x401c,0x04);
write_i2c(0x5682,0x05);
write_i2c(0x5683,0x00);
write_i2c(0x5686,0x02);
write_i2c(0x5687,0xcc);
write_i2c(0x5001,0x7f);
write_i2c(0x589b,0x06);
write_i2c(0x589a,0xc5);
write_i2c(0x3503,0x00);
write_i2c(0x460c,0x20);
write_i2c(0x460b,0x37);
write_i2c(0x471c,0xd0);
write_i2c(0x471d,0x00);
write_i2c(0x3815,0x01);
write_i2c(0x3818,0xc1);
write_i2c(0x501f,0x00);
write_i2c(0x5002,0xe0);
write_i2c(0x4300,0x30);
write_i2c(0x3002,0x1c);
write_i2c(0x4800,0x14);
write_i2c(0x4801,0x0f);
write_i2c(0x3007,0x3b);
write_i2c(0x300e,0x04);
write_i2c(0x4803,0x50);
write_i2c(0x3815,0x01);
write_i2c(0x4713,0x02);
write_i2c(0x4842,0x01);
```

Confidential For MESADA Only

```
write_i2c(0x300f,0x0e);  
write_i2c(0x3003,0x03);  
write_i2c(0x3003,0x01);
```

13.5.5 2lane 1080P YUV setting

```
write_i2c(0x3103,0x93);  
write_i2c(0x3008,0x82);  
write_i2c(0x3017,0x7f);  
write_i2c(0x3018,0xfc);  
write_i2c(0x3810,0xc2);  
write_i2c(0x3615,0xf0);  
write_i2c(0x3000,0x00);  
write_i2c(0x3001,0x00);  
write_i2c(0x3002,0x00);  
write_i2c(0x3003,0x00);  
write_i2c(0x3004,0xff);  
write_i2c(0x3030,0x2b);  
write_i2c(0x3011,0x08);  
write_i2c(0x3010,0x10);  
write_i2c(0x3604,0x60);  
write_i2c(0x3622,0x60);  
write_i2c(0x3621,0x09);  
write_i2c(0x3705,0xd9);  
write_i2c(0x3709,0x00);  
write_i2c(0x4000,0x21);  
write_i2c(0x401d,0x22);  
write_i2c(0x3600,0x54);  
write_i2c(0x3605,0x04);  
write_i2c(0x3606,0x3f);  
write_i2c(0x3c01,0x80);  
write_i2c(0x300d,0x22);  
write_i2c(0x3623,0x22);  
write_i2c(0x5000,0x4f);  
write_i2c(0x5020,0x04);  
write_i2c(0x5181,0x79);  
write_i2c(0x5182,0x00);  
write_i2c(0x5185,0x22);  
write_i2c(0x5197,0x01);  
write_i2c(0x5500,0x0a);  
write_i2c(0x5504,0x00);  
write_i2c(0x5505,0x7f);  
write_i2c(0x5080,0x08);  
write_i2c(0x300e,0x18);
```

Confidential For MESADA Only

```
write_i2c(0x4610,0x00);
write_i2c(0x471d,0x05);
write_i2c(0x4708,0x06);
write_i2c(0x370c,0xa0);
write_i2c(0x3808,0x0a);
write_i2c(0x3809,0x20);
write_i2c(0x380a,0x07);
write_i2c(0x380b,0x98);
write_i2c(0x380c,0x0c);
write_i2c(0x380d,0x80);
write_i2c(0x380e,0x07);
write_i2c(0x380f,0xd0);
write_i2c(0x5687,0x94);
write_i2c(0x501f,0x00);
write_i2c(0x5000,0x4f);
write_i2c(0x5001,0xcf);
write_i2c(0x4300,0x30);
write_i2c(0x4300,0x30);
write_i2c(0x460b,0x35);
write_i2c(0x471d,0x00);
write_i2c(0x3002,0x0c);
write_i2c(0x3002,0x00);
write_i2c(0x4713,0x03);
write_i2c(0x471c,0x50);
write_i2c(0x4721,0x02);
write_i2c(0x4402,0x90);
write_i2c(0x460c,0x22);
write_i2c(0x3815,0x44);
write_i2c(0x3503,0x07);
write_i2c(0x3501,0x73);
write_i2c(0x3502,0x80);
write_i2c(0x350b,0x00);
write_i2c(0x3818,0xc8);
write_i2c(0x3801,0x80);
write_i2c(0x3824,0x14);
write_i2c(0x3a00,0x78);
write_i2c(0x3a1a,0x04);
write_i2c(0x3a13,0x30);
write_i2c(0x3a18,0x00);
write_i2c(0x3a19,0x7c);
write_i2c(0x3a08,0x12);
write_i2c(0x3a09,0xc0);
write_i2c(0x3a0a,0x0f);
write_i2c(0x3a0b,0xa0);
write_i2c(0x350c,0x07);
write_i2c(0x350d,0xd0);
write_i2c(0x3a0d,0x08);
write_i2c(0x3a0e,0x06);
```

Confidential For MESADA Only

```
write_i2c(0x3500,0x00);
write_i2c(0x3501,0x00);
write_i2c(0x3502,0x00);
write_i2c(0x350a,0x00);
write_i2c(0x350b,0x00);
write_i2c(0x3503,0x00);
write_i2c(0x3a0f,0x3c);
write_i2c(0x3a10,0x32);
write_i2c(0x3a1b,0x3c);
write_i2c(0x3a1e,0x32);
write_i2c(0x3a11,0x80);
write_i2c(0x3a1f,0x20);
write_i2c(0x3030,0x0b);
write_i2c(0x3a02,0x00);
write_i2c(0x3a03,0x7d);
write_i2c(0x3a04,0x00);
write_i2c(0x3a14,0x00);
write_i2c(0x3a15,0x7d);
write_i2c(0x3a16,0x00);
write_i2c(0x3a00,0x78);
write_i2c(0x3a08,0x09);
write_i2c(0x3a09,0x60);
write_i2c(0x3a0a,0x07);
write_i2c(0x3a0b,0xd0);
write_i2c(0x3a0d,0x10);
write_i2c(0x3a0e,0x0d);
write_i2c(0x4407,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x589b,0x00);
write_i2c(0x589a,0xc0);
write_i2c(0x401e,0x20);
write_i2c(0x4001,0x42);
write_i2c(0x4002,0x02);
write_i2c(0x401c,0x00);
write_i2c(0x3825,0xae);
write_i2c(0x3827,0x0c);
write_i2c(0x528a,0x01);
write_i2c(0x528b,0x04);
write_i2c(0x528c,0x08);
write_i2c(0x528d,0x10);
write_i2c(0x528e,0x20);
write_i2c(0x528f,0x28);
write_i2c(0x5290,0x30);
write_i2c(0x5292,0x00);
write_i2c(0x5293,0x01);
write_i2c(0x5294,0x00);
write_i2c(0x5295,0x04);
write_i2c(0x5296,0x00);
```

Confidential For MESADA Only

```
write_i2c(0x5297,0x08);
write_i2c(0x5298,0x00);
write_i2c(0x5299,0x10);
write_i2c(0x529a,0x00);
write_i2c(0x529b,0x20);
write_i2c(0x529c,0x00);
write_i2c(0x529d,0x28);
write_i2c(0x529e,0x00);
write_i2c(0x529f,0x30);
write_i2c(0x5282,0x00);
write_i2c(0x5300,0x00);
write_i2c(0x5301,0x20);
write_i2c(0x5302,0x00);
write_i2c(0x5303,0x7c);
write_i2c(0x530c,0x00);
write_i2c(0x530d,0x0c);
write_i2c(0x530e,0x20);
write_i2c(0x530f,0x80);
write_i2c(0x5310,0x20);
write_i2c(0x5311,0x80);
write_i2c(0x5308,0x20);
write_i2c(0x5309,0x40);
write_i2c(0x5304,0x00);
write_i2c(0x5305,0x30);
write_i2c(0x5306,0x00);
write_i2c(0x5307,0x80);
write_i2c(0x5314,0x08);
write_i2c(0x5315,0x20);
write_i2c(0x5319,0x30);
write_i2c(0x5316,0x10);
write_i2c(0x5317,0x00);
write_i2c(0x5318,0x02);
write_i2c(0x5380,0x01);
write_i2c(0x5381,0x00);
write_i2c(0x5382,0x00);
write_i2c(0x5383,0x4e);
write_i2c(0x5384,0x00);
write_i2c(0x5385,0x0f);
write_i2c(0x5386,0x00);
write_i2c(0x5387,0x00);
write_i2c(0x5388,0x01);
write_i2c(0x5389,0x15);
write_i2c(0x538a,0x00);
write_i2c(0x538b,0x31);
write_i2c(0x538c,0x00);
write_i2c(0x538d,0x00);
write_i2c(0x538e,0x00);
write_i2c(0x538f,0x0f);
```

Confidential For MESADA Only


```
write_i2c(0x5390,0x00);
write_i2c(0x5391,0xab);
write_i2c(0x5392,0x00);
write_i2c(0x5393,0xa2);
write_i2c(0x5394,0x08);
write_i2c(0x5480,0x14);
write_i2c(0x5481,0x21);
write_i2c(0x5482,0x36);
write_i2c(0x5483,0x57);
write_i2c(0x5484,0x65);
write_i2c(0x5485,0x71);
write_i2c(0x5486,0x7d);
write_i2c(0x5487,0x87);
write_i2c(0x5488,0x91);
write_i2c(0x5489,0x9a);
write_i2c(0x548a,0xaa);
write_i2c(0x548b,0xb8);
write_i2c(0x548c,0xcd);
write_i2c(0x548d,0xdd);
write_i2c(0x548e,0xea);
write_i2c(0x548f,0x1d);
write_i2c(0x5490,0x05);
write_i2c(0x5491,0x00);
write_i2c(0x5492,0x04);
write_i2c(0x5493,0x20);
write_i2c(0x5494,0x03);
write_i2c(0x5495,0x60);
write_i2c(0x5496,0x02);
write_i2c(0x5497,0xb8);
write_i2c(0x5498,0x02);
write_i2c(0x5499,0x86);
write_i2c(0x549a,0x02);
write_i2c(0x549b,0x5b);
write_i2c(0x549c,0x02);
write_i2c(0x549d,0x30);
write_i2c(0x549e,0x02);
write_i2c(0x549f,0x1c);
write_i2c(0x54a0,0x02);
write_i2c(0x54a1,0x04);
write_i2c(0x54a2,0x01);
write_i2c(0x54a3,0xed);
write_i2c(0x54a4,0x01);
write_i2c(0x54a5,0xc5);
write_i2c(0x54a6,0x01);
write_i2c(0x54a7,0xa5);
write_i2c(0x54a8,0x01);
write_i2c(0x54a9,0x6c);
write_i2c(0x54aa,0x01);
```

Confidential For MESADA Only

```
write_i2c(0x54ab,0x41);
write_i2c(0x54ac,0x01);
write_i2c(0x54ad,0x20);
write_i2c(0x54ae,0x00);
write_i2c(0x54af,0x16);
write_i2c(0x54b0,0x01);
write_i2c(0x54b1,0x20);
write_i2c(0x54b2,0x00);
write_i2c(0x54b3,0x10);
write_i2c(0x54b4,0x00);
write_i2c(0x54b5,0xf0);
write_i2c(0x54b6,0x00);
write_i2c(0x54b7,0xdf);
write_i2c(0x5402,0x3f);
write_i2c(0x5403,0x00);
write_i2c(0x3406,0x00);
write_i2c(0x5180,0xff);
write_i2c(0x5181,0x52);
write_i2c(0x5182,0x11);
write_i2c(0x5183,0x14);
write_i2c(0x5184,0x25);
write_i2c(0x5185,0x24);
write_i2c(0x5186,0x06);
write_i2c(0x5187,0x08);
write_i2c(0x5188,0x08);
write_i2c(0x5189,0x7c);
write_i2c(0x518a,0x60);
write_i2c(0x518b,0xb2);
write_i2c(0x518c,0xb2);
write_i2c(0x518d,0x44);
write_i2c(0x518e,0x3d);
write_i2c(0x518f,0x58);
write_i2c(0x5190,0x46);
write_i2c(0x5191,0x88);
write_i2c(0x5192,0x04);
write_i2c(0x5193,0x70);
write_i2c(0x5194,0xf0);
write_i2c(0x5195,0xf0);
write_i2c(0x5196,0x03);
write_i2c(0x5197,0x01);
write_i2c(0x5198,0x04);
write_i2c(0x5199,0x12);
write_i2c(0x519a,0x04);
write_i2c(0x519b,0x00);
write_i2c(0x519c,0x06);
write_i2c(0x519d,0x82);
write_i2c(0x519e,0x00);
write_i2c(0x5025,0x80);
```

Confidential For MESADA Only

```
write_i2c(0x3a0f,0x38);
write_i2c(0x3a10,0x30);
write_i2c(0x3a1b,0x3a);
write_i2c(0x3a1e,0x2e);
write_i2c(0x3a11,0x60);
write_i2c(0x3a1f,0x10);
write_i2c(0x5688,0xa6);
write_i2c(0x5689,0x6a);
write_i2c(0x568a,0xea);
write_i2c(0x568b,0xae);
write_i2c(0x568c,0xa6);
write_i2c(0x568d,0x6a);
write_i2c(0x568e,0x62);
write_i2c(0x568f,0x26);
write_i2c(0x5583,0x40);
write_i2c(0x5584,0x40);
write_i2c(0x5580,0x02);
write_i2c(0x5000,0xcf);
write_i2c(0x5800,0x27);
write_i2c(0x5801,0x19);
write_i2c(0x5802,0x12);
write_i2c(0x5803,0x0f);
write_i2c(0x5804,0x10);
write_i2c(0x5805,0x15);
write_i2c(0x5806,0x1e);
write_i2c(0x5807,0x2f);
write_i2c(0x5808,0x15);
write_i2c(0x5809,0x0d);
write_i2c(0x580a,0x0a);
write_i2c(0x580b,0x09);
write_i2c(0x580c,0x0a);
write_i2c(0x580d,0x0c);
write_i2c(0x580e,0x12);
write_i2c(0x580f,0x19);
write_i2c(0x5810,0x00);
write_i2c(0x5811,0x07);
write_i2c(0x5812,0x04);
write_i2c(0x5813,0x03);
write_i2c(0x5814,0x03);
write_i2c(0x5815,0x06);
write_i2c(0x5816,0x0a);
write_i2c(0x5817,0x0f);
write_i2c(0x5818,0x0a);
write_i2c(0x5819,0x05);
write_i2c(0x581a,0x01);
write_i2c(0x581b,0x00);
write_i2c(0x581c,0x00);
write_i2c(0x581d,0x03);
```

Confidential For MESADA Only

```
write_i2c(0x581e,0x08);
write_i2c(0x581f,0x0c);
write_i2c(0x5820,0x0a);
write_i2c(0x5821,0x05);
write_i2c(0x5822,0x01);
write_i2c(0x5823,0x00);
write_i2c(0x5824,0x00);
write_i2c(0x5825,0x03);
write_i2c(0x5826,0x08);
write_i2c(0x5827,0x0c);
write_i2c(0x5828,0x0e);
write_i2c(0x5829,0x08);
write_i2c(0x582a,0x06);
write_i2c(0x582b,0x04);
write_i2c(0x582c,0x05);
write_i2c(0x582d,0x07);
write_i2c(0x582e,0x0b);
write_i2c(0x582f,0x12);
write_i2c(0x5830,0x18);
write_i2c(0x5831,0x10);
write_i2c(0x5832,0x0c);
write_i2c(0x5833,0x0a);
write_i2c(0x5834,0x0b);
write_i2c(0x5835,0x0e);
write_i2c(0x5836,0x15);
write_i2c(0x5837,0x19);
write_i2c(0x5838,0x32);
write_i2c(0x5839,0x1f);
write_i2c(0x583a,0x18);
write_i2c(0x583b,0x16);
write_i2c(0x583c,0x17);
write_i2c(0x583d,0x1e);
write_i2c(0x583e,0x26);
write_i2c(0x583f,0x53);
write_i2c(0x5840,0x10);
write_i2c(0x5841,0x0f);
write_i2c(0x5842,0x0d);
write_i2c(0x5843,0x0c);
write_i2c(0x5844,0x0e);
write_i2c(0x5845,0x09);
write_i2c(0x5846,0x11);
write_i2c(0x5847,0x10);
write_i2c(0x5848,0x10);
write_i2c(0x5849,0x10);
write_i2c(0x584a,0x10);
write_i2c(0x584b,0x0e);
write_i2c(0x584c,0x10);
write_i2c(0x584d,0x10);
```

Confidential For MESADA Only

```
write_i2c(0x584e,0x11);
write_i2c(0x584f,0x10);
write_i2c(0x5850,0x0f);
write_i2c(0x5851,0x0c);
write_i2c(0x5852,0x0f);
write_i2c(0x5853,0x10);
write_i2c(0x5854,0x10);
write_i2c(0x5855,0x0f);
write_i2c(0x5856,0x0e);
write_i2c(0x5857,0x0b);
write_i2c(0x5858,0x10);
write_i2c(0x5859,0x0d);
write_i2c(0x585a,0x0d);
write_i2c(0x585b,0x0c);
write_i2c(0x585c,0x0c);
write_i2c(0x585d,0x0c);
write_i2c(0x585e,0x0b);
write_i2c(0x585f,0x0c);
write_i2c(0x5860,0x0c);
write_i2c(0x5861,0x0c);
write_i2c(0x5862,0x0d);
write_i2c(0x5863,0x08);
write_i2c(0x5864,0x11);
write_i2c(0x5865,0x18);
write_i2c(0x5866,0x18);
write_i2c(0x5867,0x19);
write_i2c(0x5868,0x17);
write_i2c(0x5869,0x19);
write_i2c(0x586a,0x16);
write_i2c(0x586b,0x13);
write_i2c(0x586c,0x13);
write_i2c(0x586d,0x12);
write_i2c(0x586e,0x13);
write_i2c(0x586f,0x16);
write_i2c(0x5870,0x14);
write_i2c(0x5871,0x12);
write_i2c(0x5872,0x10);
write_i2c(0x5873,0x11);
write_i2c(0x5874,0x11);
write_i2c(0x5875,0x16);
write_i2c(0x5876,0x14);
write_i2c(0x5877,0x11);
write_i2c(0x5878,0x10);
write_i2c(0x5879,0x0f);
write_i2c(0x587a,0x10);
write_i2c(0x587b,0x14);
write_i2c(0x587c,0x13);
write_i2c(0x587d,0x12);
```

Confidential For MESADA Only

```
write_i2c(0x587e,0x11);
write_i2c(0x587f,0x11);
write_i2c(0x5880,0x12);
write_i2c(0x5881,0x15);
write_i2c(0x5882,0x14);
write_i2c(0x5883,0x15);
write_i2c(0x5884,0x15);
write_i2c(0x5885,0x15);
write_i2c(0x5886,0x13);
write_i2c(0x5887,0x17);
write_i2c(0x3710,0x10);
write_i2c(0x3632,0x51);
write_i2c(0x3702,0x10);
write_i2c(0x3703,0xb2);
write_i2c(0x3704,0x18);
write_i2c(0x370b,0x40);
write_i2c(0x370d,0x03);
write_i2c(0x3631,0x01);
write_i2c(0x3632,0x52);
write_i2c(0x3606,0x24);
write_i2c(0x3620,0x96);
write_i2c(0x5785,0x07);
write_i2c(0x3a13,0x30);
write_i2c(0x3600,0x52);
write_i2c(0x3604,0x48);
write_i2c(0x3606,0x1b);
write_i2c(0x370d,0x0b);
write_i2c(0x370f,0xc0);
write_i2c(0x3709,0x01);
write_i2c(0x3823,0x00);
write_i2c(0x5007,0x00);
write_i2c(0x5009,0x00);
write_i2c(0x5011,0x00);
write_i2c(0x5013,0x00);
write_i2c(0x519e,0x00);
write_i2c(0x5086,0x00);
write_i2c(0x5087,0x00);
write_i2c(0x5088,0x00);
write_i2c(0x5089,0x00);
write_i2c(0x302b,0x00);
write_i2c(0x3503,0x07);
write_i2c(0x3011,0x07);
write_i2c(0x350c,0x04);
write_i2c(0x350d,0x58);
write_i2c(0x3621,0x09);
write_i2c(0x370a,0x80);
write_i2c(0x3803,0x0a);
write_i2c(0x3804,0x07);
```

Confidential For MESADA Only

```
write_i2c(0x3805,0x80);
write_i2c(0x3806,0x04);
write_i2c(0x3807,0x38);
write_i2c(0x3808,0x07);
write_i2c(0x3809,0x80);
write_i2c(0x380a,0x04);
write_i2c(0x380b,0x38);
write_i2c(0x380c,0x09);
write_i2c(0x380d,0xd6);
write_i2c(0x380e,0x04);
write_i2c(0x380f,0x58);
write_i2c(0x3810,0xc2);
write_i2c(0x3818,0xc8);
write_i2c(0x381c,0x11);
write_i2c(0x381d,0xba);
write_i2c(0x381e,0x04);
write_i2c(0x381f,0x48);
write_i2c(0x3820,0x04);
write_i2c(0x3821,0x18);
write_i2c(0x3824,0x11);
write_i2c(0x3a08,0x14);
write_i2c(0x3a09,0xe0);
write_i2c(0x3a0a,0x11);
write_i2c(0x3a0b,0x60);
write_i2c(0x3a0d,0x04);
write_i2c(0x3a0e,0x03);
write_i2c(0x401c,0x06);
write_i2c(0x5682,0x07);
write_i2c(0x5683,0x60);
write_i2c(0x5686,0x04);
write_i2c(0x5687,0x1c);
write_i2c(0x5001,0x7f);
write_i2c(0x589b,0x00);
write_i2c(0x589a,0xe0);
write_i2c(0x3503,0x00);
write_i2c(0x460c,0x20);
write_i2c(0x460b,0x37);
write_i2c(0x471c,0xd0);
write_i2c(0x471d,0x05);
write_i2c(0x3815,0x01);
write_i2c(0x3818,0xc0);
write_i2c(0x501f,0x00);
write_i2c(0x5002,0xe0);
write_i2c(0x4300,0x30);
write_i2c(0x3002,0x1c);
write_i2c(0x4800,0x14);
write_i2c(0x4801,0x0f);
write_i2c(0x3007,0x3b);
```

Confidential For MESADA Only

```
write_i2c(0x300e,0x04);
write_i2c(0x4803,0x50);
write_i2c(0x3815,0x01);
write_i2c(0x4713,0x02);
write_i2c(0x4842,0x01);
write_i2c(0x300f,0x0e);
write_i2c(0x3003,0x03);
write_i2c(0x3003,0x01);
```

13.5.6 2lane YUV VGA change to 5Msetting

```
write_i2c(0x3008,0x82);
write_i2c(0x3011,0x08);
write_i2c(0x3010,0x30);
write_i2c(0x3012,0x00);
write_i2c(0x3815,0x01);
write_i2c(0x3818,0xc0);
write_i2c(0x3622,0x60);
write_i2c(0x3621,0x09);
write_i2c(0x3030,0x2b);
write_i2c(0x3825,0xac);
write_i2c(0x3827,0x0c);
write_i2c(0x401c,0x06);
write_i2c(0x4300,0x30);
write_i2c(0x370a,0x80);
write_i2c(0x5000,0xcf);
write_i2c(0x5001,0xcf);
write_i2c(0x501f,0x00);
write_i2c(0x3503,0x00);
write_i2c(0x3a0f,0x3c);
write_i2c(0x3a10,0x32);
write_i2c(0x3a1b,0x3c);
write_i2c(0x3a1e,0x32);
write_i2c(0x3a11,0x80);
write_i2c(0x3a1f,0x20);
write_i2c(0x4800,0x14);
write_i2c(0x4801,0x0f);
write_i2c(0x300e,0x04);
write_i2c(0x3801,0x88);
write_i2c(0x3803,0x0a);
write_i2c(0x3804,0x0a);
write_i2c(0x3805,0x20);
write_i2c(0x3806,0x07);
write_i2c(0x3807,0x98);
write_i2c(0x3808,0x0a);
write_i2c(0x3809,0x20);
```

Confidential For MESADA Only


```

write_i2c(0x380a,0x07);
write_i2c(0x380b,0x98);
write_i2c(0x380c,0x0c);
write_i2c(0x380d,0x80);
write_i2c(0x380e,0x07);
write_i2c(0x380f,0xd0);
write_i2c(0x3810,0xc2);
write_i2c(0x5682,0x0a);
write_i2c(0x5683,0x20);
write_i2c(0x5686,0x07);
write_i2c(0x5687,0x94);
write_i2c(0x589b,0x00);
write_i2c(0x589a,0xc0);

```

14. Capture Sequence

14.1 Shutter

The shutter of OV5642 controls exposure time. The unit of shutter is line period.

Shutter value has limitation for each output resolution. The limitation is stored in 2 registers, reg0x350c, reg0x350d

Maxlines = reg0x350c<<8 + reg0x350d

The shutter value are stored in 3 registers, reg0x3500, reg0x3501, reg3502 .

Shutter = reg0x3500<<12+ reg0x3501<<4+reg3502>>4;

14. 2 Dummy Lines

If enable auto-night mode in ov5642, the maxlines should also be changed

14. 3 Dummy Pixels

For ov5642, use dummy lines to change the fps is recommended, if there are some timing restrict, and dummy pixels must be used, please let OV FAE know.

14.4 Gain

Gain is stored in reg0x350a and Reg0x350b. If only use the gain of Reg0x350b, maximum gain of 32x could be reached. It is enough for camera phone. So we don't discuss reg0x350a here.

Gain = (((reg0x350b & 0xf7)>>4) + 1)*(1 + (reg0x350b & 0x0f)/16)

14.5 Banding Filter

14.5.1 Preview

Automatic Banding filter is used for preview.

14.5.2 Capture

Manual banding filter is used for capture.
For 50Hz, the banding filter calculation is

$$\text{Banding_Filter} = \text{Capture_FrameRate} * \text{Capture_maxlines} / 100$$

For 60Hz, the banding filter calculation is

$$\text{Banding_Filter} = \text{Capture_FrameRate} * \text{Capture_maxlines} / 120$$

$$\text{Capture_Exposure} = n * \text{Banding_Filter}$$

n is an integer.

14.6 Auto frame rate

Auto frame rate could be enabled by turn on night mode. When night mode is enabled, the extra line are adjusted automatically.

14.7 Capture Sequence

14.7.1 Preview

Initialize OV5642 for preview
Download the setting to initial ov5642

14.7.2 Stop AEC/AGC

write_i2c(0x3503 ,0x07) to stop AGC/AEC.

14.7.3 Single Focus for AF module

Step 1: Read out state register value state_current,
if(state_current == STATE_INF)goto step2;
else
go to step1;
Step 2: Write cmd_Capture(0x03) to command register(0x3f00);

14.7.4 Read preview register Value

Read back the preview exposure , gain, maxlines.
For preview exposure, read 0x3500,0x3501,0x3502;
For preview gain, read 0x350b;
For preview maxlines, read 0x350c,0x350d;

14.7.5 Change resolution to QSXGA

Download QSXGA setting

14.7.6 Read capture register Value

Read back the capture maxlines. read 0x350c,0x350d

14.7.7 Calculate Capture Exposure from preview

$$\text{Capture_Exposure} = \text{Preview_Exposure} * \frac{\text{Capture_Framerate} * \text{Capture_MaxLines}}{\text{Preview_Framerate} * \text{Preview_MaxLines}}$$

14.7.8 Calculate the banding filter value

If use 60Hz

capture banding filter = Capture_Framerate * Capture_MaxLines/120;

if use 50 Hz

capture banding filter = Capture_Framerate * Capture_MaxLines/100;

14.7.9 Redistribute Exposure/Gain with target brightness unchanged

Capture_Exposure_Gain = Capture_Exposure * Gain;

If Capture_Exposure_Gain less than capture maxlines, let Capture exposure = n * capture banding filter; or not, Capture exposure = capture maxlines.

Capture_Gain = Capture_Exposure_Gain/Capture exposure;

14.7.10 write back the gain/exposure value

Write Capture exposure to 0x3500,0x3501,0x3502 and write gain to 0x350b

14.7.11 Capture

Wait for 2 Vsync

Capture the 3rd frame.

14.7.12 Send finish command for AF module

Refer to 16.2.2 for detailed operation.

14.7.13 Back to preview

//Write Registers, Change to VGA

//Start AG/AE

write_i2c(0x3503, 0);

14.8 Capture reference code

```

#define Capture_Framerate 375
#define Preview_FrameRate 1500
BYTE R0x350b,R0x3502,R0x3501,R0x3500,
BYTE Rcap0x350c,Rcap0x350d,Rpre0x350c,Rpre0x350d;
int Capture_Framerate;
int Lines_10ms;
int Capture_MaxLines;
int Preview_FrameRate;
int Preview_Maxlines;
long ulCapture_Exposure;
long ulCapture_Exposure_Gain;
long ulPreviewExposure;
long iCapture_Gain;

//stop AEC/AGC here :write_i2c(0x3503 ,0x07)
//read the registers value to the BYTE 0x350* parameters.
BYTE Gain = (BYTE)R0x350b;
BYTE ExposureLow = (BYTE)R0x3502;
BYTE ExposureMid = (BYTE)R0x3501;
BYTE ExposureHigh = (BYTE)R0x3500;
BYTE PreviewMaxlineHigh = (BYTE)Rpre0x350c;
BYTE PreviewMaxlineLow = (BYTE)Rpre0x350d;
//change resolution from VGA to QXSGA here
//read the registers value to the BYTE 0x350c and 0x350d parameters.
BYTE CaptureMaxlineHigh = (BYTE)Rcap0x350c;
BYTE CaptureMaxlineLow = (BYTE)Rcap0x350d;

Preview_Maxlines = 256*PreviewMaxlineHigh + PreviewMaxlineLow;
Capture_MaxLines = 256*CaptureMaxlineHigh + CaptureMaxlineLow;
if(m_60Hz== true)
{
    Lines_10ms = Capture_Framerate * Capture_MaxLines/12000;
}
else
{
    Lines_10ms = Capture_Framerate * Capture_MaxLines/10000;
}

ulPreviewExposure = ((ULONG)(ExposureHigh))<<12 ;
ulPreviewExposure += ((ULONG)(ExposureMid))<<4 ;
ulPreviewExposure += (ExposureLow >>4);

if(0 == Preview_Maxlines || 0 == Preview_FrameRate || 0 == Lines_10ms)
{
    return;
}

```

```
ulCapture_Exposure =  
    (ulPreviewExposure*(Capture_Framerate)*(Capture_MaxLines))/  
    (((Preview_Maxlines)*(Preview_FrameRate)));
```

```
iCapture_Gain = (Gain & 0x0f) + 16;
```

```
if (Gain & 0x10)  
{  
    iCapture_Gain = iCapture_Gain << 1;  
}  
if (Gain & 0x20)  
{  
    iCapture_Gain = iCapture_Gain << 1;  
}  
if (Gain & 0x40)  
{  
    iCapture_Gain = iCapture_Gain << 1;  
}  
if (Gain & 0x80)  
{  
    iCapture_Gain = iCapture_Gain << 1;  
}
```

```
ulCapture_Exposure_Gain = ulCapture_Exposure * iCapture_Gain;
```

```
if(ulCapture_Exposure_Gain < ((LONG)(Capture_MaxLines)*16))  
{
```

```
    ulCapture_Exposure = ulCapture_Exposure_Gain/16;  
    if (ulCapture_Exposure > Lines_10ms)  
    {  
        ulCapture_Exposure /= Lines_10ms;  
        ulCapture_Exposure *= Lines_10ms;  
    }
```

```
}  
else  
{  
    ulCapture_Exposure = Capture_MaxLines;  
}
```

```
if(ulCapture_Exposure == 0)
```

```
{  
    ulCapture_Exposure = 1;  
}
```

```
iCapture_Gain = (ulCapture_Exposure_Gain*2/ulCapture_Exposure + 1)/2;
```

```
ExposureLow = ((BYTE)ulCapture_Exposure)<<4;  
ExposureMid = (BYTE)(ulCapture_Exposure >> 4) & 0xff;  
ExposureHigh = (BYTE)(ulCapture_Exposure >> 12);
```

```
ulCapture_Exposure_end=ulCapture_Exposure;  
iCapture_Gain_end=iCapture_Gain;
```

```
Gain = 0;  
if (iCapture_Gain > 31)  
{  
    Gain |= 0x10;  
    iCapture_Gain = iCapture_Gain >> 1;
```

```
}  
if (iCapture_Gain > 31)  
{  
    Gain |= 0x20;  
    iCapture_Gain = iCapture_Gain >> 1;
```

```
}  
if (iCapture_Gain > 31)  
{  
    Gain |= 0x40;  
    iCapture_Gain = iCapture_Gain >> 1;
```

```
}  
if (iCapture_Gain > 31)  
{  
    Gain |= 0x80;  
    iCapture_Gain = iCapture_Gain >> 1;
```

```
}  
  
if (iCapture_Gain > 16)  
{  
    Gain |= ((iCapture_Gain -16) & 0x0f);  
}  
if(Gain==0x10)  
{Gain=0x11;}
```

// write the gain and exposure to 0x350* registers

```
m_iWrite0x350b=Gain;  
m_iWrite0x3502=ExposureLow;  
m_iWrite0x3501=ExposureMid;  
m_iWrite0x3500=ExposureHigh;
```

Confidential For MESADA Only

15. Strobe Flash Control

To achieve best image quality in low light condition, strobe flash is recommended.

OV5642 can output one programmable signal from strobe pin.


address	register name	default value	R/W	description
0x3B00	STROBE CTRL	0x00	RW	Strobe Control Bit[7]: Strobe request ON/OFF 0: OFF/BLC 1: ON Bit[6]: Strobe pulse reverse Bit[3:2]: width of xenon 00: 1H 01: 2H 10: 3H 11: 4H Bit[1:0]: Strobe mode 00: xenon 01: LED 1 10: LED 2 11: LED 3
0x3B04	STROBE FREX EXP	0x04	RW	Strobe FREX Explore High
0x3B05	STROBE FREX EXP	0x00	RW	Strobe FREX Explore Low
0x3B06	FREX CTRL	0x04	RW	FREX Control Bit[7:4]: FREX frame delay number
0x3B07	FREX MODE SEL	0x08	RW	FREX Mode Select Bit[1:0]: FREX mode select 0x: Rolling strobe 10: FREX strobe mode 1 11: FREX strobe mode 2
0x3B08	FREX EXPLORE REQ	0x00	RW	Strobe FREX Explore Request

15.1 Strobe Pulse

The strobe signal is programmable. It support LED and Xenon mode.

15.2 Xenon flash control

After a strobe request is submitted, the strobe pulse will be activated at the beginning of the third frame. The third frame will be correctly exposed. The pulse width can be changed in Xenon mode between 1H and 4H, where H is one horizontal period.



15.3 Application for Xenon flash

Xenon control through STROBE pin of OV5642, STROBE will go high one-four lines period at the VSYNC blanking period when active.

Turn on strobe pin (to high) in the 3rd frame Vsync blanking period

78 3b00 00 80;clear bit[7]

78 3b00 80 80;set bit[7]

Turn off strobe pin

78 3b00 00 80; bit[7],from 1 to 0, turn off strobe pin

15.4 Capture flow with Xenon flash

OV5642 Recommended capturing sequence with using Xenon Flash.

Step 01 Stop frame out

Step 02 Stop AEC/AGC and set AEC value to maximum if it is not maximum

Step 03 Change the resolution for capture mode

Step 04 Resume frame out

Step 05 Issue Xenon flash start

Step 06 Still Image capture at 3rd frame while Xenon flash will be light on

Step 07 Stop frame out and to step 9 if capture is successful, else back to step 6

Step 08 Change back the resolution for preview

Step 09 Start AEC/AGC

Step 10 Resume frame out

16. Auto Focus Application Solution

16.1 Embedded Resources

Embedded Micro-controller

6KB of embedded program memory

Two general purpose IO ports (GPIO0, GPIO1). If the output format of OV5642 is not 10-bit RGB RAW format, Y0, Y1 could also be used as GPIO.

Built-in Auto Focus Control (AFC) functions. AFC module collects edge information for at least five programmable zones

16.2 Embedded Auto Focus Solution

OmniVision had built-in the embedded auto focus control in firmware of OV5642. Currently, the auto focus firmware supports following auto focus camera modules:

1. OV5642 + VCM + AD5820
2. OV5642 + VCM + AD5822
3. OV5642 + VCM + AD5827
4. OV5642 + VCM + DW9710

If you need to support other VCM driver IC, please contact with OmniVision local FAE.

16.3 General Auto Focus Control Flow

Step1. OV5642 Initialization. Refer to 13.1 VGA preview settings.

Step2. Download firmware to built-in memory of OV5642. Confirm VCM type and contact OmniVision local FAE to get related auto focus firmware.

Step3. Send Firmware Commands to OV5642 to control Auto Focus Functions

Detailed command is in below.

Step4. If reset or cut off power of OV5642, go to Step1.

16.4 How to use Embedded Auto Focus Solution

If you want to use AF module, please contact OmniVision local FAE for detail.

17. Frame exposure mode

17.1 Introduction

Compared with normal(rolling) exposure mode, frame exposure allows all rows integrated simultaneously rather than row by row. It is mainly used in image capture and can work accompany with flash strobe function to increase image brightness under dark situation.

Generally, the function works as follows:

- (1) Initially, the sensor is in normal exposure mode. The electrical shutter is open.
- (2) User sends a frex request.
- (3) Photo-diode of all pixels in all rows start precharge and the precharge will last for a given time.
- (4) Until a given precharge time, the precharge phase stops and all pixels start integration.
- (5) During integration, flash strobe may turn on to increase exposure.
- (6) Until a given exposure time, the electrical shutter closes to stop further integration, and whole image is then start to readout.
- (7) After the readout is finished, the electrical shutter opens again and the sensor resume to normal mode.

17.2 FREX function mode

Since frex request can be sent from pad or from I2C, there are two FREX function mode:


- (1) Mode 1: request from FREX input pad
- (2) Mode 2: request from I2C.

17.2.1 Pad mode

In mode 1, the FREX pad is used as the frex request input. STROBE pad is used as flash strobe signal output. The electrical shutter is controlled by system, not by sensor. The shutter signal should be turned On/Off according to the transition of FREX and VSYNC.


When frex request goes high, VSYNC goes high. The internal array control signal ftx and frst will go high to precharge all photo-diodes. STROBE out always starts at the end of ftx, and its width can be controlled by registers. The time interval between rising of STROBE and falling of FREX pad is the exposure time. By changing the frex request width, users can adjust the exposure time.

Frex request can come at any time of a frame. When it comes in the middle of a frame, the sensor stops output href/data. The current frame stops prematurely and each module starts the next frame freshly. VSYNC will go high after frex request goes high, and then keeps high until the request goes low.



17.2.2 I2c mode

In I2c mode, the frex request comes from I2C. Whenever users write 0x3b08 to 1, it sends one request pulse. The FREX pad is configured as output and is used as electrical shutter control signal. When frex request goes high, VSYNC goes high. The internal array control signal ftx and frst will go high to precharge all photo-diodes. After ftx goes low, integration starts. Unlike Mode1, the exposure time is controlled by registers. Shutter signal will low when exposure time is reached and will automatically resume high again after whole image is readout.



In both Mode 1 and Mode 2, we have the option(0x3817[3]) of turning off normal(rolling) mode timing. In that case, the sensor will not output image unless frex request comes. Every single request results in one single frame of image.

17.3 System settings

17.3.1 Pad mode

```
write_i2c(0x3016 ,0x02)
write_i2c(0x3017 ,0x7f)
write_i2c(0x3079 ,0x10)
write_i2c(0x471d ,0x02)
write_i2c(0x302c ,0x00)
```

17.3.2 I2c mode

```
write_i2c(0x3b07 ,0x09)
write_i2c(0x3016 ,0x02)
write_i2c(0x3017 ,0xff)
write_i2c(0x3709 ,0x10)
write_i2c(0x3b04 ,0x04)
write_i2c(0x3b05 ,0x00)
```

17.4 Option settings

17.4.1 Exposure Time (unit: Tline)

(a) 3b04: Exposure Time Highbyte default: 04

(b) 3b05: Exposure Time Lowbyte default: 00

The actual exposure time can be calculated by the equation:

$(1 / \text{System Frequency}) * (\text{Tline}) * (\text{Exposure Time in this setting})$

Ex: If the system run 96Mhz, the actual exposure time is
 $(1/96000000) * (\{380c, 380c\}) * (\{3b04, 3b05\})$

17.4.2 Frame Delay (unit: Tframe), 3b06[7:4] default: 0

Frame exposure can be set to start later, rather than starting right after the request coming.

When 3b06[7:4] is 0, frame exposure start right after frex request is coming.

When 3b06[7:4] is 1, frame exposure will wait for the end of the current frame to start.

When 3b06[7:4] is 2, frame exposure will wait 1 Tframe more than the previous case.

17.4.3 Flash Strobe Width (unit: Tline), 3b06[3:0] default: 4

Flash Strobe Pulse Width is $(3b06[3:0] - 1) \text{ Tlines}$

17.4.4 Frex Shutter Signal Reverse, 3b07[2] default: 0

1: reserse

0: not reserve (active low)

17.4.5 Frex Mode, 3b07[1:0] default: 0

1x: Frex Disable, rolling strobe mode
01: Frex Mode 2
00: Frex Mode 1

17.4.6 Frex Precharge Time(ftx, frst width), 3817[2:0] default: 4

0 : Tline/16
1 : Tline/8
2 : Tline/4
3 : Tline/2
5 : 2 * Tline
6 : 4 * Tline
7 : 8 * Tline
4 or 8: Tline

17.4.7 VSYNC ends time,

This setting determine how many lines VSYNC will go low after FREX input(Mode 1) or internal frex(Mode 2) goes low.

- (a) 470a: VSYNC width adjust (unit: Tline) default: 04
(b) 370b: VSYNC width adjust (unit: Tpixel) default: 0

Confidential For MESADA Only

18. Some photos captured by 5642









Version History

Version 1.10

1. Update initial settings
2. Add Zoom Function
3. Add High Resolution Video
4. Change Mirror and Flip setting

Version 1.20

Add YUV capture sequence

Version 1.30

Add Mipi setting